

IN WOLD ME

JOVS-SASOL-BIBLIOTEEK 0124622

111087449201220000019

A SEDIMENTOLOGICAL STUDY OF THE CONGLOME-RATES IN THE ELSBURG STAGE ON THE WELKOM AND WESTERN HOLDINGS GOLD MINES.

bу

JACOB JOHANNES KLEYNHANS

THESIS SUBMITTED IN PARTIAL FULFILMENT OF

THE REQUIREMENTS FOR THE DEGREE OF MASTER OF

SCIENCE IN THE FACULTY OF SCIENCE, UNIVERSITY

OF THE ORANGE FREE STATE.

Marcorately and die Pranje Prystant NECTOTAL

KLAS No. 124622

BINLANTEEK

ABSTRACT

A sedimentological description of the layers of conglomerate in the Elsburg Stage of the Witwatersrand System, as disclosed by 23 boreholes and underground development on the Welkom and Western Holdings Gold Mines in the Orange Free State Goldfield, is given.

The palaeocurrents in the Elsburg Stage as inferred from pebble-size distribution and preferred pebble orientation, were from two different directions. On Western Holdings Limited and the Welkom Mine area west of the Arrarat Fault, the layers of conglomerate were derived from the north-west. On the Welkom Mine area east of the Arrarat Fault, the direction of transport was from the south-west.

These two different palaeocurrent directions can be explained by lateral movement along the Arrarat Fault. Thus, the eastern block of the lease area of the Welkom Gold Mining Company, which was formerly situated on the north-eastern flank of a delta fan, was displaced along the strike of the Arrarat Fault for a distance of approximately 6 000 m towards the south, while the western block (Welkom No. 3 Shaft and Western Holdings Limited), was displaced towards the north.

A detailed analysis regarding the composition, roundness, shape, orientation and sorting of the pebbles in the layers of conglomerate was undertaken. The sorting and roundness of the pebbles increase towards the centre of the basin, while the majority are orientated with their long axes parallel to the palaeocurrent direction. The percentage of non-durable pebble types also decreases in a down-current direction, while the durable types remain constant. The pebbles are mostly spheroidal, although certain types show a strong tendency to disc shaped. These features indicate that the layers of conglomerate were probably deposited on an alluvial fan bordering an inland lake or sea.

CONTENTS

			Page
I.	INT	RODUCTION	1
	Α.	HISTORICAL REVIEW	1
	B ,	PREVIOUS GEOLOGICAL WORK	2
	С.	PRESENT INVESTIGATION	5
II.	GEN!	ERAL GEOLOGY	7
	A.	PRE-WITWATERSRAND ROCKS	7
	В.	WITWATERSRAND SYSTEM	7
		l. Lower Division	7
		2. Upper Division	7
		(a) Main-Bird Series	7
		(i) Bird Group	10
		(b) Kimberley-Elsburg Series	11
		(i) Kimberley Stage	11
		(ii) Elsburg Stage	11
	С.	VENTERSDORP SYSTEM	15
	D.	KARROO SYSTEM	16
	E.	INTRUSIVE BODIES	16
III.	STR	UCTURAL GEOLOGY	17
	A.	GENERAL	17
	В.	STRUCTURE OF THE PRE-KARROO SURFACE	17
	С.	FAULTING	19
IV.	SED	IMENTOLOGY	22
	Α.	GENERAL	22
	в.	PEBBLE LITHOLOGY	23
		1. Description	23
		(a) Durable Types	23
		(i) Pebbles of Quartz	23
		(ii) Pebbles of Chert	25
		(iii) Pebbles of Jasper	26

Page

		(b) Non-durable Types	26
		(i) Pebbles of Quartzite	26
		(ii) Pebbles of Slate	27
		(iii) Pebbles of Yellow Silicified Shale	27
		(iv) Pebbles of Quartz Porphyry	27
		(v) Other Pebble Types	27
	2.	Ratios	27
C.	PEBE	BLE-SIZE DISTRIBUTION	29
	1.	Size Variation	29
		(a) Method Applied	29
		(b) Determination of Regression Lines	32
		(i) Mathematical Method	39
		(ii) Determination by means of a computer	39
		(c) Mean Size and Its Significance	40
		(d) Conclusions	43
	2.	Sorting	47
	3•	Skewness and Kurtosis	49
D.	FABI	RIC	51
	1.	Method of Determination	51
	2.	Statistical Analysis	53
	3.	Pebble Clusters	55
E.	PEBE	BLE SHAPE	58
	1.	Roundness	58
		(a) Durable Types	62
		(i) Quartz	62
		(ii) Chert	63
		(b) Non-durable Types	63
		(i) Quartzite	63
		(ii) Slate and Shale	64
		(iii) Porphyry	64
	2.	Sphericity	64
F.	MOR	PHOLOGY OF THE PEBBLES	72
G.	VAR	IATION IN THE PERCENTAGE OF CONGLOMERATE	75

ILLUSTRATIONS

Figures

		Page
1.	Locality map.	6
2.	Generalized geological section of the Orange Free State Goldfield.	9
3.	East-west geological section through surface boreholes TR 3 to MB 6.	18
4.	Plan showing the main shafts and surface boreholes on which observations were taken.	24
5.	The change in pebble lithology along an east-west section based on surface boreholes JR 1 to U 2.	28
6.	Illustration of the method applied in the determination of the pebble area on the borehole core.	31
7.	Scattergram for pebbles of quartz with the regression line defined by means of a computer.	33
8.	Scattergram for pebbles of quartzite with the regression line defined by means of a computer.	34
9.	Scattergram for pebbles of chert with the regression line defined by means of a computer.	35
LO.	Scattergram for pebbles of shale with the regression line defined by means of a computer.	36
11.	Scattergram for pebbles of slate with the regression line defined by means of a computer.	37
L2.	Scattergram for pebbles of porphyry with the regression line defined by means of a computer.	38
l3.	Transport directions during sedimentation.	44
L4 «	Graph for the conversion of values calculated by the computer to sorting values after Inman (1952) and Folk and Ward (Folk, 1966).	50

		Page
15.	Block diagram illustrating the positions of the	52
	three axes of pebbles viewed from different angles.	
16.	Histogram showing the orientation of the long axes	54
	of pebbles.	
17.	Illustrations of pebble clusters in a horizontal plane.	55
18.	Section through a pebble cluster.	56
19.	Rose diagram showing the orientation of pebble clusters.	57
20.	Roundness chart for pebbles of 16 - 32 mm (after	60
	Krumbein, 1941).	
21.	Roundness grades (after Sames, 1966).	61
22.	Shape classification of pebbles (after Zingg).	65
23.	Shape classification of the pebbles of quartz,	71
	quartzite and chert according to calculated parameters.	
24.	Model illustrating the relationship between broken	74
	rounds and pebble size (after Fittman and Ovenshine, 1968).	
	Plates	
I.	Specimen of typical Elsburg conglomerate.	84
II.	Specimens of Elsburg conglomerate with one sample	84
	showing the greenish tinge due to metamorphism.	
III.	Greenish coloured conglomerate near the top of	84
	Zone VS 1.	
IV.	Specimen showing pebbles of red jasper and maroon	85
	slate present in the conglomerates.	
٧.	Method applied in the determination of pebble sizes	85
	on a borehole core.	
VI.	Specimen of borehole core with large pebbles showing	85
	cuts parallel to the apparent c-axis.	
VII.	Large pebbles of milky quartz orientated with their	86
	long axes parallel to the bedding-plane.	

Page

VIII.	Pebbles deposited with their a-axes parallel to the	86
	bedding-plane.	
IX.	Specimen showing large pebbles of quartz and	86
	quartzite.	
х.	Specimen showing large pebbles of quartzite in	87
	comparison to other pebble types.	
XI.	Preferred orientation of rod-shaped pebbles (bottom	87
	view).	
XII.	Pebble cluster with the arrow indicating the	87
	direction of the current.	

Plans (in folder)

- 1. Geological map of the Pre-Karroo surface and the suboutcrop of the Elsburg Stage.
- Structural plan of Western Holdings and Welkom Gold Mines.
- 3. Isopleth map of pebble size.
- 4. Plan showing the percentage of conglomerate in the Elsburg Stage.

viii

TABLES

		Page
I.	The main schemes of correlation and terminology	8
	of the Upper Division of the Witwatersrand System (after Sims, 1969).	
II.	Subdivision of the Elsburg Stage (after Sims, 1969).	12
III.	The differences in mean pebble size in the layers	42
	of conglomerate intersected in borehole MH 5.	
IV.	The differences in mean pebble size at different	42
	underground localities. 33 East-west Haulage at	
	No. 2 Shaft, Western Holdings Limited.	
٧.	The mean diameters of the different types of	46
	pebbles at randomly selected stations.	
VI.	The ratios between the longest, intermediate and	68
	shortest intercepts of the pebbles of quartz.	
VII.	The ratios between the longest, intermediate and	69
	shortest intercepts of the pebbles of quartzite.	
VIII.	The ratios between the longest, intermediate and	70
	shortest intercepts of the pebbles of chert.	

I. INTRODUCTION

During the years 1933 to 1949, a successful exploration campaign for gold in the Orange Free State, revealed a tremendous amount of stratigraphical data which are being recorded and safe-kept in the form of borehole core. Geological data from this borehole core disclosed a sequence of sedimentary rocks below the Ventersdorp System which has been correlated with the Witwatersrand System.

The layers of conglomerate in the Elsburg Stage of the Witwatersrand System on which this investigation was focussed, were discovered in the deep boreholes drilled for the locating of the gold-bearing Basal Reef. The cores from all the surface boreholes are stored in the core-shed of the Anglo American Corporation at Western Holdings Limited, or have been safe-kept in the core yards of the other gold mines in the Anglo Group.

With the kind approval of the Consulting Geologist in the Gold Section of the Anglo American Corporation,
Dr. H.C.M. Whiteside, and the Managements of the Welkom and
Western Holdings Gold Mines, the author was able to submit a thesis on the sedimentation of the Elsburg Stage in the Witwatersrand System in the area embracing the Welkom and Western Holdings Gold Mines.

A. HISTORICAL REVIEW

Almost 37 years have passed since the first borehole was drilled for the exploration of gold in the Orange Free State. This historical borehole, W.E. 1, which was drilled in 1933 on the farm Aandenk, near Loraine, proved the presence of gold-bearing conglomerates of the Witwatersrand System below the overlying rocks of the Ventersdorp and Karroo Systems.

In 1937, borehole W.E. 4 intersected sedimentary rocks which were recorded as "Upper Witwatersrand Quartzites, presumably of the Elsburg Series" (Coetzee, 1960, p. 57).

Diamond drilling commenced to radiate from Aandenk and was located on relatively low gravity areas where it was anticipated that the Ventersdorp lava below the Karroo System would be thin. The African and European Investment Company Limited, commenced drilling in 1938 in such an area of low gravity. This area comprises the present Welkom, President Steyn and President Brand Gold Mines.

Up to that stage, conglomerates yielding only very low values were intersected. After World War II, drilling activities increased, until such a wealth of geological information regarding the gold-bearing reefs has been obtained, that mining activities could be commenced in 1946.

B. PREVIOUS GEOLOGICAL WORK

Since the Basal Reef has been encountered in surface borehole No. 7 on St. Helena, in April 1939, many authors have made contributions regarding the geology of the Orange Free State Goldfield. There have been different opinions as to the mode of deposition of the great thickness of sediments in the Witwaters-rand System. Strong arguments have been submitted in favour or against the theories regarding the proposed sedimentary environments.

Whereas this research is mainly focussed on the palaeocurrent analysis of the conglomerates in the Elsburg Stage, it would be of great importance to discuss some of the theories closely related to the sedimentation and structure of the Witwatersrand Basin in the Free State Goldfield.

Sharpe (1949) recognised a cyclic periodicity in the deposition of the Witwatersrand rocks, each cycle ending with a diastrophic culmination.

Borchers (1950) describes the formation of a border fault parallel to the western margin of the Witwatersrand Basin, which was contemperaneous with deposition of the

sediments east of the fault scarp. According to Borchers, it appears that sediments had been discharged into the basin from the north, north-west and west. The layers of conglomerate in the Upper Division of the Witwatersrand System are coarser in these directions with a thickening of the sediments towards the centre of the basin. Borchers visualised the deposition of the sediments as follows:-

At the outset of the Witwatersrand period, the Archaean land surface in the vicinity of the present goldfield consisted of a barren peneplane of rocks of the Primitive System and granite. Rivers from distant mountains north and west of the Witwatersrand basin, discharged fine sediments into this inland sea. A change in climate, combined possibly with slight elevation of the surrounding country, caused the rivers to transport coarser sediments which were deposited in the basin as layers of conglomerate interbedded with quartzites.

Simpson (1951) supported the theory of Borchers. He found that the sediments of the Witwatersrand System are characterised by a series of uraniferous cycles which are separated by periods of lesser activity. These cycles proved helpful in problems of correlation.

Brock (Coetzee, 1960) postulated that in the western sector of the Orange Free State Goldfield, the auriferous reefs have been preserved in a graben. According to Brock, the sediments of the Upper Division of the Witwatersrand System were deposited in a continental basin. The periphery of this basin was surrounded by elliptical faults along which the source rocks were uplifted, while the basin itself was not affected by the faulting.

Antrobus (1956) is of the opinion that the sediments of the Witwatersrand System are the result of deposition in a continental basin surrounded by land surfaces. The whole sequence maintains the same lithological character. According to Antrobus, two types of conglomerate can be recognised in the

Upper Division of the Witwatersrand System. Normal conglomerates possess a polymictic pebble assemblage and are characterised by drab matrix material. Auriferous conglomerates are composed of well rounded chemical stable pebbles, usually set in a clean matrix of orthographics.

Coetzee (1960) is of the opinion that the Witwatersrand

System as found in the Orange Free State Goldfield, is part of a

marine sequence laid down in a shrinking basin. Coetzee stated:

"Many of the conglomerates probably are deposited on a transgressive beach over a surface of low relief" (Coetzee, 1960, p. 51).

Winter (1964) postulates that the formation was deposited in a marginal synclinal trough formed by prominent folding along an axis parallel to the elongation of the Witwatersrand Basin. The folding continued during the deposition of the beds and was particularly prominent when the Elsburg Stage was laid down. The shoreline was not far distant from the present position of the suboutcrop of the Basal Reef. The rising of the source area to the west had a profound influence on the sedimentation in the basin, and as the source area advanced eastwards, the removal and redeposition of previously accumulated sediments took place.

In studying the Elsburg Reefs in the Loraine area of the Orange Free State Goldfield, Olivier (South African Mining and Engineering Journal, 1960) felt that Winter's idea of a synclinal trough is somewhat over-emphasised. Olivier describes the pre-Ventersdorp structure as a steep marginal limb and a relatively flat area eastwards towards the centre of the basin.

In the area investigated, however, there is evidence of regular sedimentation during the deposition of the Bird, Kimberley and Elsburg Stages in the Witwatersrand Basin.

The results obtained by Sims (1969) in his study of the stratigraphy and palaeocurrent history of the Upper Division of the Witwatersrand System on President Steyn Mine and

adjacent areas, strongly suggest the arrangement of a fan delta about at the point of entry of a fluvial system into the marginal environment of a continental sea.


C. PRESENT INVESTIGATION

The study of sediments, both present day deposits as well as ancient sedimentary processes, has grown enormously during the past few years. Today, much sedimentological research is just a refinement of previous work already done. In a study of the sedimentology and palaeocurrents of the conglomerates in the Elsburg Stage, the author benefitted from the results obtained and techniques used during research done by his predecessors.

Encouraged by the successful results obtained by similar projects (Winter, 1957; Coetzee, 1960, Steyn, 1963; Knowles, 1966; Hodgson, 1967; Pienaar, 1969 and Sims, 1969), this investigation was undertaken to assemble and integrate some sedimentological information with the wish that the results might be a useful contribution to the study of the Elsburg Stage.

All the work done by the author was on a macroscopic scale. The investigation commenced at the beginning of 1968 and consisted of detailed geological logging of some 23 boreholes, the measuring of the pebble sizes on the borehole core, and the determination of pebble parameters such as pebble composition, roundness, shape, orientation, etc., during observations and measurements underground.

The area of detailed analysis covered by this treatise comprises the Welkom and Western Holdings Gold Mines which are situated in the centre of the Welkom section of the Orange Free State Goldfield. The area is bounded on the south by the lease areas of President Steyn, President Brand and St. Helena Gold Mines and in the north by the Free State Geduld Mine (Fig. 1).



II. GENERAL GEOLOGY

The stratigraphical succession in the Orange Free State Goldfield is interpreted in the geological column as recognised by the Anglo American Group Mines (Table I and Fig. 2).

The description, subdivision and correlation of the Witwatersrand System and other formations in the Orange Free State Goldfield, as described in this treatise, are based on contributions by Borchers (1950), Van der Vyver (1956), Antrobus (1956), Coetzee (1960), Winter (1964), McKinney et al. (1964) and Sims (1969). These authors provided comprehensive descriptions of the geological column in this area.

A. PRE-WITWATERSRAND ROCKS

Surface boreholes which penetrated the rocks of the Witwatersrand System proved the presence of granito, diorite, rhyolite and andesite below the Witwatersrand System. The lavas probably belong to the Dominion Reef System (Coetzee, 1960, p. 25 - 27).

B. WITWATERSRAND SYSTEM

1. Lower Division

The sediments of the Lower Division of the Witwatersrand System consist mainly of shale and quartzites belonging to the Jeppestown, Government Reef and Hospital Hill Series (Coetzee, 1960, p. 50 - 53).

2. Upper Division

(a) Main-Bird Series

The rocks stratigraphically underlying the Basal Reef are referred to as the footwall beds. Lithologically these rocks are quite variable. Conglomerates and quartzites with pebble bands are subordinate to a wide variety of quartzite types belonging to the Livingstone and Main Reef Stages.

В	ORCHERS	***************************************	ABLE	*************	ON (1951-5	*****************	MAIN 3	*********	MES OF CORRELATION	UN & I		NOLOGY	OF TH	*************	TO PERSONAL PROPERTY OF	ION OF THE WITH	ATERSR	************************	e.s	AFTER S	SIMS 1969 /ISION OF MC.KINNEY				
	AND BAUM	1BACH		RADIOME	ETRIC CYCI	LES.		((1954)		(1	1957)			1960)	COETZEE	244444444444444444444444444444444444444	OTINO	(1900) - 5	(1964)	TOTAL AL MOSTALIF	Y ET ALIA			
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ZONE	SYMBOLS		CYCLE	SUB - CYCLE	INNER CYCLE			ZONE SYMBOLS.	e e e e e e e e e e e e e e e e e e e	***************************************	ZONE	E SYMBOI	S		ZONE SYMBOLS	La constantina	SERIES	STAGE	SUB - STAGE	ZONE	SUB ZONE			
***************************************	v s			R 1					V S I				S 1 S 2	2000		V S 1			The state of the s	UPPER	UPPER CONGLOMERATE	TIES			
Heredigmed bysocotopped to creepped	v s	3			THE STREET STREET		SERIES	***************************************			STAGE	٧	S 3	ES	1 - VS 5	V S 2-3	en de la constitución de la cons	8	ELSBURG	MIDDLE	MIDDLING QUARTZITE MIDDLING	NUMEROUS DISCONFORMITIES UNCONFORMITIES.			
S SERIES	V S		ode the consessed the consessed	R 2	e de agracione por conscionarios	and the state of t	ELSBURG SER	1 1	V S 2 - 4	SERIES	ELSBURG	٧	\$ 4	ELSBURG SERIES	STAGE VS		***************************************	RG SERIES		waterways description	CONGLOMERATE	NUMEROUS (UNCONFORM			
ELSBURG	VS	5	Corpo o de Corpo a company de costo		er formand		3	erressame reseptores		ELSBURG		V	\$ 5		ELSBURG	V S 3 – 4		EY ELSBURG		LOWER	QUARTZITE	PROBABLY AND			
KIMBERLEY	~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	10000000000000000000000000000000000000	- Company of the Comp	**************************************	R3 A1		en de la constante de la const	VS 5	KIMBERLEY	NA	AMM	sages of	X KIMBERLEY				KIMBERLEY			CONGLOMERATE	~~~~~~			
K	T E C	1	Part of the state	N. CORPORATION OF THE PROPERTY	R 3A (HIGH)	R3 A2	SERIES	JENTEZ PERMINE	U K 1 U K 2 U K 3	*	STAGE	UI	K 1 K 2	Adding the Adding to the Addin	-ES 1	UPPER KIMBERLEY T1 - EC 1	W		KIMBERLEY	UPPER	"A" REEF ZONE	UNCONF.			
of the section of the	E C	2	SYSTEM		A STATE OF THE STA	R3 A3	KIMBERLEY	Morning	M K 1 M K 2 M K 3		S MK S	MI	K 1 K 2 K 3	***************************************	STAGE T 1	MIDDLE KIMBERLEY E.C. 2	ND SYSTEM		STAGE (GOLD ESTATES)	MIDDLE	BIG PEBBLE ZONE	UNCONF.			
er special of the party of the party of the	E C E C	4	TERSRAND		reference in the second	R3 A4	X	Walt.	LK 1 LK 2 LK 3	address restriction of the state of the stat	STAGE 3	1 1 1	K 1		KIMBERLEY S	LOWER KIMBERLEY E C 3 = 4	WITWATERSRAND			LOWER	"B" REEF ZONE	UNCONF.			
Mark many compared to the major		1	WITM	R 3	# DALLIED			her and in consequences and in consequences and in consequences are an incident and in consequences are an incident and in consequences are an incident and incid	KIMBERLEY SHALE				S 1		KI	KIMBERLEY SHALE ES 1 E S 2	THE WIT			UPPER BIRD	UPPER SHALE MARKER UPPER BIRD	ARBITRARY ARBITRARY			
e a semile e l'écomès e séé que cur'ille e e	ES	3	THE UPPER			R3 B2 R3 C1	***************************************	GROUP	The state of the s	7		ES	S 3	dedicarrantes de la segui		E S 3 LEADER REEF AT BASE	SION OF		BIRD REEF	***************************************	QUARTZITE LEADER REEF ZONE	UNCONF.			
er present and prepared and appropriate	E.L		0F		R 3C	The state of the s	de constitutiva de sesse	R BIRD	and the second	***************************************	~~	EL	1	***************************************	and property and a second	LEADER QUARTZITE	UPPER DIVISION		STAGE	LOWER BIRD	LEADER QUARTZITE	DIASTEM UNCONF.			
elegencement researches	EL		SED IMENTS		(HIGH)	R3 C2	en de la companya de	UPPER	·	711111111111111111111111111111111111111			2	***************************************	† 4	(E L 1) KHAKI SHALE (E L 2) BASAL REEF	dh		***************************************		KHAKI SHALE	DIASTEM			
***************************************	~~~			e para a reduceration de la redu		and the second	***************************************	MAA		ES	~~		•)	**************************************	10 -	(E L 3)	100000000000000000000000000000000000000			~~~~	BASAL REEF				
SERIES					energerischer dereiner ein		S	en ierienabelesena novem	The state of the s	BIRD SERIES			F 1	SERIES	E S 2	UFI		SERIES		UPPER	ZONE 4	UPPER SPECKLE MIDDLE GRITTY LOWER SILICIFI			
MAIN BIRD	UF	1		R 4	necestrative in the contractive for the	estreament and properties of the state of th	BIRD SERIES	estiti este este conspesso anni processo a	· ·	MAIN BI	-	***************************************	1	MAIN BIRD	STAGE			BIRD	LIVING- STONE REEF STAGE	STONE REEF			FOOTWAL 1	ZONE 2 ZONE 3 ZONE 4	
M		nes conception territories and materials	Red Paris Constitution of the Constitution of		and a second	recessories	nadamata de la constanta de la	eretta rizaattrong it.	and the same of th	ridus est chistospecinos			***************************************	***************************************	BIRO	UF 2	a de la constante de la consta	MAIN			UPPER	ZONE 5	The state of the s		
a consequence des accessor	UF 2	2	**************************************	R 5			26607150607426000	GROUP	The state of the s	111111111111111111111111111111111111111	FOOTWALL	1 U	2		***************************************	U F Z					STAGE	STAGE	(U F 2)	UPPER	and the second s
A processor section and an action	UF 3	3		R 6		The state of the s	Personal services and services are services and services are services and services and services and services are services are services and services are services and services are services are services are services are services are services	VER BIRD			UPPER	UF	3	10 photos (20 photos (10 photos (UF 3	-		***************************************	UPPER FOOTWALL 3 (U F 3)					
PROPORTALISMO COMPANION CONTRACTOR CONTRACTO	UF 4	4		R 7	***************************************	and the second s		LOWER	The state of the s	Annihity of the second		UF	L.	Address to be made described to the second s		UF 4		*	· · · · · · · · · · · · · · · · · · ·	UPPER FOOTWALL 4 (U F 4)	The state of the s	UPPER INTERMEDIATE REEFS MAIN BAND INT MEDIATE REEF			

MAIN REEF STAGE.

FIG. 2

-GENERALISED GEOLOGICAL SECTION-

- OF OFS GOLDFIELDS -

-SCALE 1:10,000-

System								
Sys								
00		Cont	seams in					
Karroo		San	dstone Dwyka	3				
		0-112m 0	- 369'	* * * * *				
		Uppe	Lava	V Y Y				
		0-862 m. 0'-	ersdorp	0.00				
u			ments	9003				
System								
543				TO TO				
		Alte	red Zone	A A A A	4175	1272 m.		
0				V V V V				
tor		0'-4000' 0-121 Pu	9 m.	V V X V V V V	3575-	1089 m.		
Ventersdorp		lower Lava		9 Y Y Y				
tuo			inple Zone	Y Y Y	3125-	952 m.		
7				***				
		Pu	rple Zone	Pyly'y	- 2875	785 m.	- NORTH-WESTERN ARE - SHOWING "RAINBOW REEF	A -
-				0.0.0	2375	724m.	000	
	63			3000			7.0	Q.
4	Stage	Cond	Elsburg	0.00			.ww	3
tem				200.				****
Syst	urg		Isburg Quartzite	のとう	- 13.75'-	419 m.		
5	Elsburg		onglomerate	3 3 5 5 5 F	-1075	328 m.		
	7		nglomerate		- 825	251m.	****	
pu	Kin	mberley Stage			725	221 m.	****	
23		Upper Shale			435' 335'	133 m.	-SECTION BASE UPPER	
ers		Upper BASAL RI			115'	35 m	Scale 1 2000	5 7 35·0m
wate			1 -				Leader Reef Zone	19.8m
4 2		Upper Footwall	2		-290	88 m.	BASAL REEF 19-8	,
Wit			3		-585'	175 m.		
	50		1	0 0 0 0 1	870	219 m. 265 m.		
Jo	eri	Middle	2		1165	355 m		
2	2	Foctivall	3		1365'	446 m		
~	0.		4		1690	515 m.		
Division	BIF			00000				
7		Lower	1					
D	1311	Footwall			- 2440'-	744 m.		
er	M		2					
Upper				********	2000	936 m.		
		Gr	een		3070'	336 m.		
		Qua	rtzile		-3530'	1076 m.		
			per			1010111.		
		Sh	ales		4015	1224 m.		
	S	Bar	ided rtzite					
	eries		illaceous		-4470'-	1362 m.		
ет	50	Qu	artzite					
Syst	nw		gdaloidal	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-4670	1484 177.		
5	tow		ava	7	- 5205'	1586 m.		
	pes							
3110	ep					/770		
Witwatersrand	7				5835	/779 m.		
ate			Shales					
itw			lack Grit		- 6380	1945 m.		
N			och one	17.300				
of	1.65				6885	2098 m.		
	Seri	Gove	coment Reef	*****	7280 -	2219 m.		
noi	2	H	orizon			2213117.		
Division	F				7615 -	CON 100 110 111		
10	nment				-8005	23/3/m.		
181.	l t					1		
M07	Gover	Coronal	ion Quartute	8	1			
	00	Corona	tion Reef .	Sania Vian	8730'	2660 m		
		Promise	Quartzite	W. 70. X. X.		269 m.	calculations to nearest metre	
							10 Medresi merre	

figure 2

(i) Bird Group

This group comprises the Basal Reef and Leader Reef Formations.

The Basal Reef is characterised by an intermittent thin carbon seam at its base with one or more layers of small pebbles varying in thickness from 25 to 50 mm or from 0.3 to 1 m. This is the most important gold-bearing conglomerate in the Free State Goldfield. The reef usually contains much pyrite in a finely disseminated form or as crystalline nodules and also carbon in the form of scattered fine granules. The Basal Reef is overlain by a thin layer of Basal Quartzite.

The Khaki Shale overlying the Basal Quartzite and Basal Reef ranges in thickness from less than 30 cm in the north-eastern portion of the area, to more than 150 cm in the extreme south-west of the area.

The Leader Reef Formation rests unconformably upon the Leader Quartzites. These quartzites consist of several layers of conglomerate and quartzite and attain an average thickness of approximately 18 m. The Leader Reef is a fairly compact small pebble conglomerate about 30 cm in thickness. Mineralisation of pyrite occur quite often, but the carbon content is normally low compared with the Basal Reef. The Leader Reef has consistantly low gold values.

The quartzites of the Upper Main-Bird Stage are described as coarse-grained impure argillaceous rocks overlying the yellow grey micaceous quartzites of the Leader Reef Zone.

The Upper Shale Marker, unconformably overlain by the Kimberley-Elsburg Series, overlies the quartzites of the Upper Main-Bird Stage and attains a thickness of a few metres to approximately 30 m. The composition of this member in the Leader Reef Formation varies slightly, but is commonly described as a dark grey arenaceous shale.

(b) Kimberley-Elsburg Series

The Kimberley-Elsburg Series is subdivided into the Kimberley and Elsburg Stages.

(i) Kimberley Stage

The stratigraphic break between the Kimberley-and .g. Elsburg Stages is based on a sharp sedimentary change, where the Lower Elsburg Conglomerate (Zone VS 5) is overlying the relatively even-grained sediments of the Upper Shale Marker. The stage comprises three horizons of conglomerates intercalated with varying thicknesses of impure quartzite. These conglomerates are the so-called "Gold Estates Reefs" ("A" Reef, Big Pebble Conglomerate and "B" Reef respectively) which attain a thickness of approximately 120 m.

(ii) Elsburg Stage

This upper group of sediments in the Witwatersrand

System, which is overlain by the Lower Volcanic Stage of the

Ventersdorp System, consists of a succession of conglomerates

and quartzites with an average thickness of approximately 500 m.

This thickness is mainly based on intersections in surface

boreholes, and faulting might therefore influence the thicknesses.

Plan 1 is a map of the pre-Karroo surface showing the suboutcrop of the Elsburg Stage in the central part of the Welkom Gold Mine and the western portion of Western Holdings Limited.

In the area investigated, Borchers and White (1943, p. 137 - 143) have subdivided the sediments of the Elsburg Stage into a number of zones which are indicated by symbols.

Zone VS 1

Zone VS 2

Zone VS 3

Zone VS 4

Zone VS 5.

A subdivision of the Elsburg Stage into three substages based on genetic and cyclic affinities is described by Sims (1969, p. 138) (Table II).

TABLE II. - A subdivision of the Elsburg Stage after Sims (1969)

ZONE SYMBOL	LITHOLOGIC COMPONENT						
vs 1	Upper Elsburg Conglomerate	300 m <u>+</u>	Upper Elsburg				
	Middle Elsburg Quartzite Middle Elsburg Conglomerate	75 m <u>+</u> 15 m <u>+</u>)) Middle Elsburg)				
VS 4 VS 5	Lower Elsburg Quartzite Lower Elsburg Conglomerate	75 m <u>+</u> 30 m <u>+</u>)) Lower Elsburg)				

The Elsburg Stage is unconformably overlain by the Lower Volcanic Stage of the Ventersdorp System with further probable unconformities at the base of the Upper Elsburg Conglomerate (VS 1), the Middle Elsburg Conglomerate [Middling Conglomerate (VS 3a)], as well as, at the base of the Lower Elsburg Conglomerate (VS 5).

The rocks of the Elsburg Stage are subject to pronounced changes in facies in the area investigated. The one extreme occurs near the western sector of Western Holdings Limited, where the VS Zones are represented by layers of conglomerate with occasional thin intercalations of quartzite. In the central area, the succession is represented by variable amounts of quartzite and conglomerate. Further to the east and north-east, the layers of conglomerate become subordinate and the succession is largely represented by dark and light grey quartzites. Only a few layers of conglomerate are invariably developed at the top of Zone VS 1 and in Zone VS 5.

The layers of conglomerate in the Elsburg Stage differ strikingly from other conglomerates within the Upper Division of the Witwatersrand System. The conglomerates are of a very mixed,

ill-sorted type, which gave rise to the term "agglomerate - conglomerate" to distinguish them from the cleaner more typical types of conglomerate encountered lower down in the Witwatersrand System.

Pettijohn (1957, p. 254 - 259) has described a genetic classification of conglomerates, according to which they are divided into the following types:

Olimictic conglomorate

Polymictic conglomerate

Intraformational conglomerate.

The principle features of a polymictic conglomerate are:-

- (a) A high range of pebble sizes with poor sorting.
- (b) Subrounded to subangular pebbles.
- (c) Varied lithology with many rock types represented.
- (d) Crude bedding of the coarsest phases.
- (e) Subordinate matrix.
- (f) The great thickness of the deposits.

The layers of conglomerate in the Elsburg Stage are not ideal polymictic conglomerates, but could be regarded as a variety of that type.

Lower Elsburg Substage (VS 5 - VS 4):- This substage consists of a basal member of conglomerate followed by a phase of quartzite. The conglomerate occurs as a polymictic ill-sorted type which forms a distinctive marker and normally ranges between 10 and 20 m in thickness, but may, together with the intervening quartzite, attain a thickness of about 30 m.

The rock varies from a small pebble to a boulder conglomerate. It is poor to well packed, while the pebbles are usually fairly well rounded to rounded. In order of predominence, the pebbles of Zone VS 5 consist of white and smoky quartz,

massive black chert, green and grey quartzites, pale yellow sericitic silicified shale, blue and blue-grey slate, buff and banded chert, and decomposed porphyry. The presence of such a variety of pebbles caused a colourful effect (Pl. I). The matrix of the conglomerate in Zone VS 5 consists of dirty, black and yellow speckled quartzite which is typically ill-sorted and generally dark grey in colour.

This conglomerate (VS 5) grades upwards into a sequence of quartzites (VS 4), which range in thickness from an average of 3 m on Western Holdings Limited to 70 m on Welkom Gold Mine. These quartzites are usually medium to fine-grained, grey to dark grey in colour and subglassy, with fine-grained argillaceous intercalations.

Middle Elsburg Substage (VS 3 - VS 2):- This substage is mostly composed of quartzites with an average thickness of 20 m on Western Holdings Limited and 110 m on Welkom Gold Mine. A conglomerate consisting of small pebbles occurs often at the base of this substage with a thickness of about 10 to 30 m and has been designated as Zone VS 3a. This zone consists of a persistent development of typical conglomerates of the Elsburg type.

The coarse facies grades upwards into a sequence of dark grey quartzite (VS 3) which passes through a transition zone of alternating light grey (almost whitish bleached), coarsegrained glassy quartzite. Towards the west lenticular and wedgeshaped layers of conglomerate increase rapidly so that almost the entire sequence on the western portion of Western Holdings Limited consists of conglomerate.

Upper Elsburg Substage (VS 1):- The base of the Upper Elsburg Substage is often gradational, thus causing miscalculations in estimating the thickness of this zone. This, combined with faulting and subsequent erosion causes thicknesses to be erratic.

Zone VS 1 constitutes the upper 220 m of the succession; it is characterised by a thick conglomerate interbedded to a

variable extent with dark grey impure quartzites. The composition of the Upper Elsburg Conglomerate is eventually similar to that of the Lower Elsburg Conglomerate. The same range of pebble types occurs and a dark grey often pyritic matrix is typical.

Although there is a good resemblance between Zones VS 1 and VS 5, Zone VS 1 can be distinguished from the lower conglomerate by the presence of a higher proportion of well rounded pebbles of milky quartz in a dark grey groundmass consisting of impure yellow speckled quartzite.

The colour of the sediments in Zone VS 1 changes from dark green in the upper portion, to dark grey and light grey shades lower down. The greenish colour of the upper portion is thought to be the result of metamorphism caused by the lavas of the Ventersdorp System which directly overlie Zone VS 1 of the Elsburg Stage (Pl. II and III).

C. VENTERSDORP SYSTEM

There is no apparent unconformity between the Witwaters-rand System and the overlying Ventersdorp System. The Ventersdorp System is represented by an Upper and a Lower Volcanic Stage separated by a sedimentary sequence.

The lava of the Lower Volcanic Stage ranges in thickness from 200 to 650 m and consists of a thick series of dark green, decomposed, intermediate to basic amygdaloidal and non-amygdaloidal types.

The sediments of the Ventersdorp System are poorly sorted, with well rounded to subangular pebbles in a matrix of dark grey, green to almost black quartzites. Pebbles of igneous rocks are relatively rare, whereas pebbles of black and dark grey shale and chert are numerous with an abundance of dark grey pebbles of quartzite.

Fairly fine-grained grey-green andesitic lava of the Upper Volcanic Stage overlies the Ventersdorp sediments.

Generally this lava is not distinguishable from that of the Lower Volcanic Stage.

D. KARROO SYSTEM

The Karroo beds are fairly flat lying in this area and vary in thickness between 300 and 350 m. Although sandstones in the lower portion of the Beaufort Series are found to the southeast of Welkom, the Karroo System is mainly represented by the Ecca and Dwyka Series, which are the two lowest sequences in the Karroo System. The Ecca Series is composed of blue-black soft arenaceous shales and some gritty sandstones, while the Dwyka Series is represented by tillite. The tillite consists of an unsorted assemblage of pebbles and boulders in a groundmass of sandstone or mudstone. The Dwyka tillite occurs intermittently at the base of the Ecca Series.

E. INTRUSIVE BODIES

Locally discordant sheets of intrusives are common on Welkom Gold Mine and Western Holdings Limited. These transgressive sills have considerable economic significance. Difficult mining conditions are encountered when the plane of the intrusion is along the basal reef parting.

Antrobus (1956) describes Karroo dolerites and lamprophyres of post-Ventersdorp age. The dykes of Ventersdorp age are subdivided by him in yellow porphyrics and acicular lava.

III. STRUCTURAL GEOLOGY

A. GENERAL

From the interpretation of the succession of rock types found in boreholes as well as the analysis of structural problems encountered in underground mining operations, the general structure of the Welkom Gold Mine and Western Holdings Limited can be represented by an east-west geological section (Fig. 3).

It is advisable to compare Plan 2 with this figure so that the reader can easily interpret the influence of faulting in this area. Comparing these two diagrams, a number of interesting points arise from the discussion of the different aspects of faulting in this area.


B. STRUCTURE OF THE FRE-KARROO SURFACE

Previously it was assumed that the Karroo System was laid down on a smooth peneplaned surface. Borcholes afterwards proved that this statement is not true. Borchers (1950, diagram 10) indicates that the pre-Karroo surface in the Orange Free State Goldfield was fairly deeply dissected. Fig. 3 illustrates that the sediments of the Karroo System were deposited on an undulating surface after the Lower Volcanic Stage of the Ventersdorp System has been eroded.

The sedimentary layers of the Upper Division of the Witwatersrand System were deposited on a surface with a gentle gradient. The strata in the central part of Western Holdings Limited and Welkom Gold Mine have an average dip of 15 to 22 degrees to the east, whilst the sedimentary layers near the western boundary of Western Holdings Limited and east of the Arrarat Fault on Welkom Gold Mine have dips of 25 to 52 degrees. This can be attributed to the intensive faulting near the margin of the basin and the influence of the De Bron Fault immediately east of the lease area of the Welkom Gold Mine.

FIG. 3. - East-West Geological Section Through Surface Boreholes TR.3. to MB.6. (Looking North).

EAST



- 18 -

C. FAULTING

To interpret the influence of faulting on the sedimentary rocks of the Witwatersrand System in the area under investigation, a brief discussion on the major fault systems is necessary.

From the structural plan of Welkom Mine and Western Holdings Limited (Plan 2), it is evident that the Witwatersrand Basin in this area has been subjected to considerable faulting. Only faults with vertical displacements of more than 20 m are shown on the structural plan. There is direct evidence of a long and complicated fault history.

Borchers (1950, p. 83) summarised the fault history as follows:-

During the deposition of the Upper Division of the Witwatersrand System some marginal faulting took place. These faults, associated with relative uplift around the edges of the basin, were possibly formed during the process of the maintenance of isostatic equilibrium between coastal areas and the great mass of sediments being deposited in the basin. There is evidence of faulting during the period of effusion of the Lower Volcanic Stage of the Ventersdorp System, but immediately thereafter, and before the commencement of the Upper Volcanic Stage, a considerable period of intensive faulting must have taken place.

In some parts of the area the faulting is excessive in magnitude as well as in frequency, whereas in other parts, faulting is less. The major faults encountered in boreholes and underground mining operations are:-

- (1) Normal faults of various ages, which trend north-south.

 The majority of these are step-faults associated with regional tilting and with downthrows either to the east or west, depending on the regional tilt. These faults displace the thrust-faults trending east-west.
- (2) Thrust-faults which trend north-south. These faults are found more frequently near the western boundary

of Western Holdings Limited with only occasional small thrust-faults in the Welkom Gold Mining area.

(3) Transverse tear-faults trending east-west. They displace faults which trend north-south.

From these fault systems, the following are of major importance:-

The three major faults recognised on Welkom Gold Mine and Western Holdings Limited, are the De Bron Fault, Arrarat Fault and the Dagbreek Fault. These three faults are all normal gravity faults with dips varying from 55 to 70 degrees and they trend roughly north-north-west (Plan 2).

The De Bron Fault cuts across the horizon of the Basal Reef near the eastern boundary of Welkom Mine. In a deflection of borehole MB 6 and in borehole U 3 the position of the De Bron Fault was located as a fracture zone of intensive faulted rocks associated with magnetic shales of the Jeppestown Series.

According to Coetzee (1960, p. 122) two phases of faulting exist. During the first phase of faulting (about 2 400 m to the west), the eastern block was elevated and subjected to erosion which removed in places the Lower Stage of the Ventersdorp System as well as sediments of the Upper Division of the Witwatersrand System down to below the horizon of the Basal Reef. The second phase had a downthrow of about 600 m to the east.

The Arrarat Fault is one of the major features against which the sediments of the Witwatersrand System have been downthrown on Welkom Gold Mine. This fault is situated near the central part of Welkom Gold Mine and the north-eastern portion of Western Holdings Limited. It has a vertical downthrow of approximately 950 m in the Welkom Mining Area, but the amount of displacement increases to 1 500 to 2 000 m towards the north. Near the northern boundary of the Welkom Gold Mine, the Arrarat Fault is displaced to the east by an east-west trending tear fault.

The results obtained from pebble-size distribution and pebble orientations, proved that the Arrarat Fault is

associated with a north-south tear action. The block of ground to the east of the fault has a lateral displacement of approximately 6 000 m to the south.

The Dagbreek Fault occurs in the eastern portion of Western Holdings Limited and is also encountered in the south-western corner of the Welkom Gold Mine. It has an average vertical displacement of 400 m with a downthrow to the west.

The minor faults which appear crosswise over the area, can be tentatively joined up with the major faults.

The structural implications of the many intrusives encountered in the surface boreholes are not thought to be of great geological significance as far as the layers of conglomerate in the Elsburg Stage are concerned, but these intrusive bodies have constituted a hazard in the mining of the Basal Reef when the plane of the intrusion is along the Basal Reef parting.

IV. SEDIMENTOLOGY

A. GENERAL

Sedimentation refers to the process responsible for the formation of sedimentary rocks, including the transportation and deposition of the rock-forming materials, their diagenesis and lithification. Commonly implied, sedimentation comprises sedimentary petrology and sedimentary petrography, which together cover the study, description, classification and interpretation of sedimentary rocks.

The study of sediments and sedimentary processes has made great strides in the recent years. New techniques have been developed for the analysis of the behaviour of sedimentary materials during transport and after deposition. These advances have been paralleled by the refinement of methods for the investigation of a wide variety of physical and chemical attributes of sediments. The investigation and analysis of a stratigraphic unit, thus, begin with the systematic observation of the basic components of the object, which in this case, are the properties of the layers of conglomerate in the Elsburg Stage.

The nature of the conglomerate layers was macroscopically examined regarding the composition, size, sorting and orientation of the pebbles in order to compile an analytical treatise on the palaeocurrent history of the rocks. The area investigated covers 57 km² bounded by the lease areas of Western Holdings Limited and the Welkom Gold Mining Company (Fig. 1). Within the abovementioned area, the author had to make use of the information obtained from 23 surface boreholes. The research has largely been carried out by means of detailed logging and measurements on the borehole core as well as measurements and observations underground.

When selecting the 23 boreholes, the author has kept in mind that certain restrictions would be inevitable, i.e. distances between the boreholes and the tremendous amount of

faulting in the area. The boreholes were chosen in order to give a regularly spaced grid when determining the properties of the conglomerates and comparing their relationships to one another. Bearing in mind that very little is known about the differences between the conglomerates of the Upper Elsburg Substage (Zone VS 1) and those of the Lower Elsburg Substage (Zone VS 5), the boreholes were selected in such a way that the complete succession of the Elsburg Stage is represented in the core.

Underground observations and measurements have been carried out on both mines where conglomerates of the Elsburg Stage are exposed. The surface boreholes and underground localities are indicated in Fig. 4.

B. PEBBLE LITHOLOGY

1. Description

A wide range of pebble types constitutes the pebble assemblage of the conglomerates, which can be divided in durable and non-durable types. These are:

White milky quartz

Smoky quartz

Massive black chert

Banded chert

Red jasper

(Yellow silicified shale

Slate (blue, grey, olive green and purple)


Quartzite (grey and light green)

Quartz porphyry

(a) Durable Types

(i) Pebbles of Quartz

The pebbles of quartz present in the layers of conglomerate consist mainly of the following types:-



Ľ,

- (1) Milky white pebbles are the most abundant.
- (2) Clear transparent glassy pebbles.
- (3) Smoky quartz these pubbles are rare.

The pebbles of quartz which have been intersected in the boreholes on Welkom Gold Mine and the central portion of Western Holdings Limited, are mainly of the clear transparent variety, while pebbles of milky quartz are the most abundant near the western and north-western boundary of Western Holdings Limited. A definite increase in the milky type towards the margin of the basin is noticeable.

Pebblos of the milky type are frequently fractured. Fracturing in two or three directions is quite common, while intense fracturing on the edges causes that those pebbles have a pseudo-quartzite appearance. The fractures are sometimes filled with red iron oxide which might have entered the cracks during the weathering of the source rock. If the fractures are very well developed towards the centre of the pebble, a pinkish tinge is observed. These have previously been described as pebbles of rose-quartz.

The fracturing has also been observed by Steyn (1963, p. 14) in pebbles of quartz present in the Livingstone Reefs on the West Rand. He found that the fracturing is only limited to certain zones on the pebble surfaces revealing a homogeneous interior.

(ii) Pebbles of Chart

The following varieties are present:

- (1) Very well rounded, oval-shaped, massive black chert.
- (2) Rounded to subrounded yellow-grey chert.
- (3) Badly rounded banded chert which occurs as pebbles with rectangular to triangular shapes.

(4) Apart from the common types, other varieties such as olive green and purple coloured pebbles of chert are present in the conglomerates, though in small quantities.

borehole core, the author noticed that the term "maroon cherts" was quite often used to describe the purple coloured pebbles of slate which occur near the margin of the basin. Characteristic red pebbles of jasper are also described as "maroon cherts". The author wishes to emphasize that this term has no congeniality with chert nor jasper, but refers to purple coloured slates.

(iii) Pebbles of Jasper

Pebbles of red jasper occur very seldom in the layers of conglomerate, but an interesting feature is the occurrence of these pebbles in definite zones. Typical examples of these zones are found in the 33 Haulage East at No. 2 Shaft on Western Holdings Limited (Pl. IV). The pebbles are very poorly rounded with rectangular and triangular shapes.

- (b) Non-durable Types
 - (i) Pebbles of Quartzite

Pebblos of this type occur quite frequently in the layers of conglomerate. Three types are present:-

- (1) A light groun, even-grained quartzite with a sugary texture. This is the most common type.
- (2) A whitish grey, somewhat bleached, fine-grained quartzite.
- (3) Dark grey, coarse-grained pebbles of quartzite with a mottled appearance and sago texture do occur often.

The first two types are easily recognisable amongst the dark grey matrix of the conglomerate, whereas the pebbles of quartzite with a dark grey colour can only be distinguished

with difficulty.

(ii) Pebbles of Slate

Pebbles of this type occur very seldom in the layers of conglomerate which have been intersected in boreholes drilled on the lease area of the Welkom Gold Mining Company, but a definite increase in abundance towards the margin of the basin is observed. The pebbles are usually well rounded with oval shapes and are often elongated. The colour of the slate varies from shades of blue to olive green. Pebbles of purple slate are often found, but they increase in number towards the margin of the basin. The pebbles of purple slate also show the tendency to occur in separate zones.

(iii) Pebbles of Yellow Silicified Shale

The pebbles of shale are the most common type amongs the non-durable pebbles. They are always present in the layers of conglomerate and vary in quantity from moderate to abundant. The pebbles have angular to subrounded edges and irregular or flattened shapes. Pettijohn (1957, p. 193) postulates that pebbles of shale are deposited as soft clay galls and diagenetic response determines the flattened shape of these particles.

(iv) Pebbles of Quartz Porphyry

This type is a rare constituent and occurs usually as well rounded pebbles.

(v) Other Pebble Types

Pebbles of granite and of some greenish grey igneous rock were occasionally observed.

2. Ratios

The relative amount of the various pebble types was determined by counting the number of each type present in the borehole cores. Comparing the different boreholes it is significant that there is a definite decrease in the non-durable types towards the east (Fig. 5). This might be the result of the more rapid abrasion of the least resistant particles in the down-current direction.

28

C. PEBBLE-SIZE DISTRIBUTION

1. Size Variation

One of the most reliable and easily measured indices of palaeocurrent and dispersal in sedimentary rocks is the scalar property of pebble size.

Several studies have been done on the pebble-size variation in conglomerates with special reference to the relation between pebble sizes and gold distribution (Steyn, 1963; Knowles, 1966; Hodgson, 1967 and Sims, 1969). These authors made use of the maximum pebble sizes and all came to the conclusion that the sizes diminishes in a down-current direction.

A similar study was carried out by the author on the pebble-size variation in the conglomerates of the Elsburg Stage as observed within the boundaries of Western Holdings Limited and Welkom Gold Mine.

The object of this investigation was to determine:

- (1) The possible inwash direction of the sediments.
- (2) The competency of the streams during the deposition of the conglomerates.
- (3) The approximate distance along which the pebbles were transported.

(a) Method Applied

The study of the pebble-size variation is based on the measurement of pebble sizes on the core of surface boreholes, because very little of the layers of conglomerate is exposed during underground mining operations. It is, however, impossible to measure the size of every pebble exposed on these borehole cores - a sampling problem common in geology.

In boreholes drilled on the lease area of the Welkom Gold Mining Company, the author has chosen a sample of about 30 cm within every 2 m of core. The sizes of all the pebbles which were exposed in the sample, were determined. The mean

pebble size in the layers of conglomerate within the lease area of the Welkom Gold Mine is relatively small and in every sample between 70 and 100 pebbles were exposed. These samples could thus be considered as representative of the interval not measured. With an increase in pebble size towards the margin of the basin, a total of 1 m within every 5 m of core was measured.

This method of determining the size of pobbles differs entirely from the more conventional techniques in which at least the longest axis is directly measured. No measurements could be done on either of the three apparent axes of the pebbles found in the borehole core, therefore the square area of each pebble was determined directly on the surface of the borehole core. The following technique was applied in the determination of the square area of the pebbles:

A grid of 5 mm x 5 mm was engraved in a small sheet of transparent perspex, thus obtaining a grid pattern, each square representing 25 mm². Every four of these little squares were then combined to give a grid pattern of 10 mm x 10 mm - thus 100 mm². This sheet of perspex was then curved by means of a hot iron rod which had the same circumference as the borehole core. By sliding the curved perspex over the borehole core, a direct reading of the square area of each pebble could be done (Fig. 6; Pl. V).

The author is well aware of the mean error caused by
the rounded surface of the borehole core, but this error remains
constant throughout the measuring of all the pebbles, and may
therefore be neglected. (In the case of only one borehole,
MTK 3, the author had to construct a curved perspex with a
larger circumference because this hole was drilled with an NX
crown. In the case of borehole MB 2, the core was splitted,
so pebble areas were measured with a flat piece of grid perspex.)

One disadvantage in this method of the determination of pebble area is, however, when the size of the pebbles exceeds the diameter of the borehole core (Pl. VI). To overcome this





Fig. 6. - Illustration of the method applied in determining the pebble area on the borehole core.


problem, the author applied the following technique from which a fair amount of accuracy could be obtained: It has been proved by underground observations that large pebbles were laid down with their a- and b-axes parallel to the plane of deposition and the c-axis at right angles to the bedding-planes (Pl. VII and VIII). Surveying of the surface bereholes indicated that these bereholes tend to deflect from the vertical position into a direction almost perpendicular to the bedding planes. When a drill-crown penetrates a pebble larger than the diameter of the bit, it can therefore be assumed that a cut almost parallel to the apparent c-axis is seen on the core (Fl. VI). In the case of spheroids, this axis would not differ much from the actual c-axis.


Measurements at different underground localities to determine the ratio between the c-axis and the square area of a pebble have been carried out. Measurements of the apparent a- and c-axes of approximately 1 600 pebbles of different sizes were taken. A scattergram of the c-axis versus the pebble area is then constructed for each pebble type. A straight line (regression line) can then be fitted onto these diagrams (Fig. 7, 8, 9, 10, 11 and 12).


(b) Determination of the Regression Lines


The regression line for every specific type of pebble can be determined either mathematically or by means of a computer. By using any one of these two methods, the regression line for estimating the pebble area for a certain length of the c-axis of each pebble, is then calculated and plotted on the scattergram. The pebble area can thus be read off from the graph for a given length of the c-axis. The X co-ordinate represents the length of the c-axis, while the square area of the pebble is represented by the Y co-ordinate.














(i) Mathematical Method

The regression line is given as an equation in the form:

$$\hat{y} = \bar{y} + b (x - \bar{x})$$

where \hat{y} = area of the pebble

x = c-axis

$$\frac{1}{y} = \frac{\sqrt{y}}{y} = \text{mean pebble area}$$

N = amount of pebbles

$$\frac{1}{x} = \frac{dx}{N} = \text{mean c-axis}$$

$$\therefore b = \frac{dx\hat{y} - N\overline{x}\overline{y}}{dx^2 - N\overline{x}^2}$$

(ii) Determination by means of a computer:

A detailed write-up of the program used by a computer in the calculation of the regression line is given in the Addendum.

The results are summarised below:

DETERMINATION OF THE REGRESSION LINE FOR PEBBLES OF QUARTZ (FIG. 7).

Regression line to estimate Y for a given value of X

$$Y = -4712.59 + 183.26X$$

Regression line to estimate X for a given value of Y

$$X = 40.57 + 0.00Y$$

Correlation coefficient = 0.854

DETERMINATION OF THE REGRESSION LINE FOR PEBBLES OF QUARTZITE (FIG. 8).

1. For pebbles with c-axis from 30 - 140 mm.

Regression line to estimate Y for a given value of X

$$Y = -9934.47 + 255.37X$$

Regression line to estimate X for a given value of Y

$$X = 45.45 + 0.00Y$$

Correlation coefficient = 0.923

2. For pebbles with c-axis from 140 - 240 mm.

Regression line to estimate Y for a given value of X

$$Y = -30208.08 + 422.16X$$

Regression line to estimate X for a given value of Y

$$X = 7.94 + 0.002Y$$

Correlation coefficient = 0.968

DETERMINATION OF THE REGRESSION LINE FOR PEBBLES OF CHERT (FIG. 9).

Regression line to estimate Y for a given value of X

$$Y = -4851.09 + 194.36X$$

Regression line to estimate X for a given value of Y

$$X = 40.15 + 0.00Y$$

Correlation coefficient = 0.803

DETERMINATION OF THE REGRESSION LINE FOR PEBBLES OF SHALE (FIG. 10).

Regression line to estimate Y for a given value of X

$$Y = -3586.03 + 165.35X$$

Regression line to estimate X for a given value of Y

$$X = 28.50 + 0.01Y$$

Correlation coefficient = 0.917

DETERMINATION OF THE REGRESSION LINE FOR PEBBLES OF SLATE (FIG. 11).

Regression line to estimate Y for a given value of X

$$Y = -8080.95 + 235.02X$$

Regression line to estimate X for a given value of Y

$$X = 37.93 + 0.00Y$$

Correlation coefficient = 0.960

DETERMINATION OF THE REGRESSION LINE FOR PEBBLES OF PORPHYRY (FIG. 12).

Regression line to estimate Y for a given value of X

$$Y = -6495.22 + 224.14X$$

Regression line to estimate X for a given value of Y

$$X = 39.88 + 00.00Y$$

Correlation coefficient = 0.904

(c) Mean Size and Its Significance

To determine the mean pebble size for each borehole, the data are calculated by means of a computer, which gave values for various pebble-size parameters and printed a report for each sample submitted. Two sets of parameters are calculated, using the formulae of Inman (1952) and Folk and Ward (Folk, 1966, p. 81).

These formulae are somewhat modified from their usual form, in that the size in square millimetres is used instead of phi sizes. The method of moment measures is used to calculate the mean size and mean deviation. A detailed write-up of the program used by the computer is given in the Addendum. The formulae used are:

Inman:

Mean size =
$$\frac{(MM_{16} + MM_{84})}{2}$$

Folk and Ward:

Mean size =
$$\frac{(MM_{16} + MM_{50} + MM_{34})}{3}$$

where e.g. MM₁₆ = average mm² at a cumulative percentage of 16. Method of moments:

Mean size
$$=$$
 (percentage pubbles in each group)(mean size (mm^2)

Mean deviation =
$$\frac{\sum (percentage pebbles)(mean size - average size)^{2}}{100}$$

According to Krumbein and Sloss (1963, p. 101), the analysis of the grain size of a sediment can give some idea of the conditions under which clastic sediments were deposited. Mean size is proportional to the competency of the current that transported the material to the site of deposition.

The layers of conglomerate in the Elsburg Stage differ strikingly from one another regarding their mean pebble size. This feature is most prominent in the conglomerates near the margin of the basin. It has been found that in the boreholes drilled on the lease area of Western Holdings Limited, the different layers of conglomerate consist of alternating horizons of big cobbles and small pebbles.

Tables III and IV illustrate the variation in mean pebble-size in the different layers of conglomerate. Table III represents the results obtained from surface borehole MH 5, while Table IV illustrates the differences in mean pebble size as observed at Western Holdings No. 2 Shaft on the 33 Haulage East. Observations in this haulage have been done at intervals of

approximately 75 to 150 m in an easterly direction. An average of approximately 120 pebbles were measured at each station. From the results in Tables III and IV it can be recognised that a large variation in mean pebble size exists. In the Welkom Mining Area, however, almost no difference in mean pebble sizes could be observed in the different layers of conglomerate.

TABLE III. - The difference in mean pebble size in the layers of conglomerate intersected in borehole MH 5.

Layer No.	Depth intersected (m)	Mean pebble size
1.	377.6 - 389.5	340.6
2.	389•5 - 413•3	718.0
3.	413.3 - 436.2	983.7
4.	438.9 - 444.4	1 709.4
5.	444.4 - 505.9	5 166.7
6.	505.9 - 560.8	2 871.6
7.	560.8 - 538.9	6 402.4
8.	538.9 - 603.5	605.2
9.	603.5 - 622.7	375•3
10.	626.1 - 651.0	874.1
11.	651.0 - 660.5	3 324.5
12.	662.6 - 748.9	898.0
13.	762.3 - 801.3	365•5

TABLE IV. - The differences in mean pebble size at several underground localities on Western Holdings No. 2

Shaft, 33 Haulage East.

Number of Station	Distance to nearest peg	Distance to provious station (m)	Mean pebble size (mm ²)
1	A4676 + 22 m	1	3 418
2	A3999 - 7 m	175	4 234
3	A3574 + 5 m	166	9 063
4	A3149 + 24 m	170	2 153
5	A2603 + 9 m	128	987
6	F9117 + 3 m	110	738
7	F9778 + 21 m	77	1 843
8	н 379 + 6 m	119	12 076
9	H 744 - 3 m	170	1 416

(d) Conclusions


(1) The mean pebble sizes in the layers of conglomerate vary slightly from borehole to borehole, but a general decrease in the mean size can be observed in mainly two directions.

West of the Arrarat Fault a definite decrease in a south-easterly direction is evident, while in the area east of the Arrarat Fault, the pebble sizes show a decrease in a north-easterly direction.

The dispersal pattern for the conglomerates (Plan 3) indicates that a sudden change in the direction in which the mean pebble size decreases, takes place along the strike of the Arrarat Fault. It is thus obvious that this fault must have an enormous structural influence after the deposition of the sedimentary layers of the Elsburg Stage. Fig. 13 illustrates the suggested transport directions of the sediments during the deposition of the Elsburg Stage. The sediments are deposited on a deltaic fan spreading from west to east. The areas surrounded by detted lines represent the lease areas of the different mining properties as they are visualised before the Arrarat Fault. The result is that Western Holdings Limited was situated on the south-western flank of the delta fan whilst the area, representing the Welkom Gold Mine, lay on the northeastern flank of the fan.

Shearing stress then caused the downthrow along the Arrarat Fault with a vertical displacement of 1 200 to 2 100 m to the west. Simultaneously, lateral displacement took place along the fault-plane with the western block moving towards the north and the eastern one towards the south (Fig. 13). A lateral displacement of approximately 6 000 m in a direction north-south could therefore be postulated on the Arrarat Fault.

Sims (1969) observed a similar displacement on the Brand Fault which trends in the same direction as the Arrarat Fault and coincides with the latter near the



directions of the
sediments during the
deposition of the
Elsburg Stage and their
lateral displacement by
the later Arrarat Fault.
Dotted lines represent
the lease areas as
postulated before the
Arrarat Fault, while their
present positions are shown
on the overlay.

1. Western Holdings Ltd. 2. Welkom Gold Mining Co. southern boundary of the Welkom Mine. The lateral displacement, however, was less than that along the Arrarat Fault, but the movement was similar.

In a description of the palaeocurrent analysis of the Elsburg Stage on President Steyn Mine, Sims (1969, p. 140) stated that "the direction of sediment transport during the Elsburg Stage was essentially from west to east". From Fig. 13 it is obvious that the President Steyn Gold Mine must have been situated in the middle of the delta fan where the palaeocurrent directions were essentially from west to east.

Although this research was focussed on the sedimentological aspects of the layers of conglomerate in the Elsburg Stage, the author is of the opinion that, by using the present results, more light might probably be thrown on the palaeocurrent directions of the Basal Reef on the Welkom and Western Holdings Gold Mines.

In a palaeocurrent study of the Basal Reef on President Steyn Mine, Sims (1969) described transport of the sediments from south to north. A sedimentological project carried out by the Geological Department of the University of the Orange Free State on the Welkom, Free State Geduld, Western Holdings, President Brand and President Steyn Gold Mines during 1966 to 1967, indicated the following palaeocurrent directions in the Basal Reef: Free State Geduld Mines Ltd.:- From west to east. From north-west to south-east. Western Holdings Ltd.:-President Brand G.M. Co. Ltd.:- From south to north. President Steyn G.M. Co. Ltd.:- From south to north. Welkom Gold Mining Co. Ltd.:- In the south-eastern portion the direction was from the south, but the western and northwestern part showed transport

From the above measurements the major part of the Basal

from west to east.

Recf shows an identical palaeocurrent direction to that of the Elsburg Stage. Fig. 13 can thus be divided into two zonos: the one, south of line RR, can be described as a "gold-rich zone" with a highly payable Basal Reef, while the zone north of this line yields low gold values. It is then obvious that Freddies Consolidated Mines and the eastern portion of the Welkom Gold Mine must have been situated in the zone of low gold values, while the rest of the mines are situated in the highly payable zone. On the Welkom Gold Mine lateral displacement along the Arrarat Fault would therefore probably explain the area of low gold values (No. 1 and 2 Shafts) adjacent to the richer area on which the No. 3 Shaft is situated.

- (2) From the pebble-size distribution alternating zones of high and low stream velocities can be recognised. These zones are very well defined near the margin of the basin, but become less obvious eastward and northeastward as the pebbles decrease in size towards the centre of the basin.
- (3) Analysis of the pebble sizes shows that the various pebble types in the layers of conglomerate have different mean diameters (Table V).

TABLE V. - The mean diameters of the different types of pebbles at randomly selected stations.

Number of Station	Mean pebble size in mm ²							
	Milky quartz	Opaloscent quartz	Chert	Slate	Shale	Quartzite	Porphyry	
W.H.No.1 Shaft	960.8	724.6	921.3	783.7	421.3	1274.6	-	
W.H.No.2 Shaft	7833•7	981.2	2482.0	965.4	613.2	9727.0	2117.3	
W.H.No.3 Shaft	8214.6	3796.9	4248.3	1207.3	879.0	28303.8	6453•7	
W.H.No.4 Shaft	423.0	571.0	738.2	211.8	304.7	827.1	6 h f c c c manual	
W.G.M.No.	478.5	423.7	387•4	241.4	283.1	473.9	2	

The 25 largest pebbles of each type have been measured at each station. Comparing the mean pebble sizes of the different

types (Table V) the following deductions can be made:

Near the margin of the basin the pebbles of chert, slate and shale are always much smaller than those of milky and opalescent quartz, quartzite and perphyry (Pl. IX and X). The pebbles of quartzite are very large in comparison to the other pebble types, while those of chert and milky quartz have approximately the same size.

According to Sneed and Folk (1958, p. 126) pebbles of milky quartz and chert appear to abrade at equal rates and will therefore remain in the same size ratio during transportation. Thus, in the layers of conglomerate of the Elsburg Stage, these two types must have covered the same distance during transportation.

Pettijohn (1957, p. 554) found that pebbles of quartzite abrade four times faster than that of quartz and chert. The fact that the pebbles of quartzite are very large in comparison to those of quartz and chert indicates that their source area was much closer to the basin than that of either quartz or chert. Borchers (1950, p. 116) described considerable erosion of the Lower Division of the Witwatersrand System during the deposition of the Upper Division due to a retreating shore-line. According to the hypothesis of Borchers, fragments of quartzite were weathered from the exposed formations (Lower Division) and were thus subjected to a second cycle of deposition without long distance transportation.

The author does not wish to elaborate on the rate of abrasion of pebbles in this research, but it can, however, be said that the abrasion appears to become less towards the centre of the basin, where the different pebble types have almost the same mean size (Table V, W.G.M. No. 3 Shaft).

2. Sorting

The sorting of a sediment can be of great importance when problems regarding the transportation and distribution of

the particles have to be solved. Pettijohn (1957, p. 36) defined the term "sorting" as the spread of the particle sizes of a sediment. Analysis of the sorting of particle sizes may possibly indicate the transporting agent of the particle.

Udden, in his pioneering work on sediments, made use of the ratio between successive classes on a histogram, as well as the total spread of the histogram as a measure of sorting (Folk, 1966, p. 82).

Trask in 1930 suggested a measure, which he defined as the sorting coefficient, and this remained the most widely used parameter for sorting of sediments until recent years. In 1932 he defined the sorting coefficient (So) as the square root of the ratio of the larger quartile (the 25 per cent value – Q_1) to the smaller quartile (the 75 per cent value – Q_3) (Pettijohn, 1957, p. 57).

Therefore: So =
$$\sqrt{Q_1/Q_3}$$

If the values for these two quartiles are nearly equal, the sorting coefficient approaches 1. As this formula covers only 50 per cent of a cumulative curve, it has a low efficiency and should therefore be used only in the case of well sorted sediments.

Griffiths developed a more comprehensive measure, the percentile deviation (PD $_{\phi}$), covering the central 80 per cent of the size distribution (Folk, 1966, p. 82). Inman (1952) proposed a phi analogue to Trask's sorting coefficient (FD $_{\phi} = \frac{\phi_{84} - \phi_{16}}{2}$) which is being a closer approach to the percentile deviation in natural sediments of the overall presence of poorly-sorted tail fractions.

Folk and Ward (Folk, 1966, p. 83) found these measures inadequate for bimodal or skewed distributions and developed the measure of "Inclusive Graphic Standard Deviation".

$$6 = \frac{\phi_{84} - \phi_{16}}{4} + \frac{\phi_{95} - \phi_{5}}{6.6}$$

Another method to calculate the sorting of a sediment is that of standard deviation.

standard deviation
$$S = \sqrt{\frac{1}{n-1} \times \frac{n}{(xy - \bar{x})^2}}$$

where n = the number of observations

xy = the individual azimuths

 \bar{x} = the mean value of all the observations.

Due to the many calculations involved in this method, it is thought to be impractical when the sorting of a large number of samples have to be determined.

The sorting of the pebbles in the conglomerates of the Elsburg Stage was calculated by means of a computer and the formulae of Inman and that of Folk and Ward were used. As the program written for the computer was based on measurements in mm², the calculation for sorting, skewness and kurtosis were all done by the computer on this basis. In Fig. 14 a graph for the conversion of these calculations to values for sorting as defined by Inman and Folk and Ward is given.

The sorting values vary from about 1.10 to 0.55, but their distribution is strongly influenced by the Arrarat Fault. The average values to the west of the Arrarat Fault show a considerable decrease in the direction of transport (south-east) which is in accordance with the results obtained by the pebble-size distribution. The sorting is moderately poor (So = 0.8 ±) which could possibly be representative of a transition between a fluvial and a beach environment. To the east of the Arrarat Fault the layers of conglomerate are better sorted (So = 0.6 ±) and probably indicate a beach environment. The sorting values also show a tendency to decrease in a north-eastern direction, indicating an increase in sorting down-stream.

3. Skewness and Kurtosis

The formulae for the calculation of skewness and kurtosis were part of the program written for the computer and the values were thus calculated on the basis of square millimetres. These values were, however, not used because an interpretation for skewness and kurtosis based on them was considered not reliable.




Fig. 14. - Graph for the conversion of values calculated by the computer to sorting values after Inman (1952) and Folk and Ward (Folk, 1966).

D. FABRIC

The determination of particle orientation is largely confined to pobbles because of difficulties in measuring the orientation of very small grains, and it is a powerful tool in interpreting the transport direction of the material.

When pobbles are transported in a stream, they will assume the position of minimum resistance to the water. During flood stages the movement of large pebbles is mainly by rolling and sliding, medium-sized pebbles are transported by saltation, whilst small pebbles are carried in suspension. During transportation large rod-shaped pebbles will therefore be rolled like a cylinder. After deposition they reorientate themselves with their long axes parallel to the stream direction (Reinecke, 1930, p. 122). In the case of medium-sized rod-shaped pebbles, reorientation might take place during transportation and they will also be laid down with their longest axes (a-axes) parallel to the direction of the stream. The extend to which this reorientation of the pebbles will take place, will depend on the rate of deposition.

1. Mothod of Determination

Five underground localities which are equally spread over the area investigated, were selected, viz. the four shafts of Western Holdings Limited and the No. 3 Shaft of the Welkom Gold Mining Company (Fig. 4). The only other locality where conglomerates of the Elsburg Stage are exposed in underground development on Welkom Gold Mine, is at No. 2 Shaft, but this specific locality is inaccessible.) Stations were selected where pebbles are exposed in at least one horizontal and two vertical planes, thus viewing the pebbles from the bottom (exposures on the hanging-wall) as well as from two sides almost at right angles to one another. Cubby breakaways and substation often satisfy these conditions. The reason being that the author would always be ascertained



of the position of each of the three axes of the pebbles, as illustrated in Fig. 15.




Fig. 15. - Block diagram illustrating the positions of the three axes of pebbles viewed from different angles.

Fifty rod-shaped pebbles (bottom view) were selected at each of the localities. The author recorded only the largest pebbles (mainly quartz and quartzite), which were marked along the direction of their longest axes. This direction was determined by using a Brunton Compass (Pl. XI). At the same locality, 40 pebbles were selected on the sidewall from which the apparent dip of the longest axes was measured. The true strike and dip of the bedding-planes in the near vicinity of the stations were also measured.

2. Statistical Analysis


Knopf and Ingerson (Pettijohn, 1957, p. 75) described a petrofabric diagram on which both the azimuth and the inclination of a fabric element can be plotted. Knowles (1966) and Sims (1969) also used pebble imbrication as an index of the original depositional environment and of palaeocurrent direction. In the conglomorates investigated, the angles between the long axes of the pebbles and the horizontal were extremely small. These values were considered not reliable enough so that therefore only the strike of the long axes was plotted on rose diagrams. Fig. 16 shows histograms of the orientation of the long axes of the pebbles arranged on a half cylinder over an interval of 180°, as measured at the five different shafts.


Preferred orientation of the rod-shaped pebbles in the layers of conglomerate of the Elsburg Stage could be observed at all the localities investigated by the author. A major orientation of the pebbles in a direction almost parallel to that of the palaeocurrents as indicated by the pebble-size distribution is predominant. Apart from this, a minority of pebbles were orientated with their longest axes at right angles to the direction of preferred orientation. Roberts and Kransdorf (1938, p. 243 - 244) found that the majority of pebbles in the conglomerates of the Witwatersrand System at the Central Rand, are orientated with their longest axes at right angles to the stream direction. According to them this phenomenon is typical of beach deposits.


Hodgson (1967) found a bimodal distribution of pebble orientations in the Basal Reef conglomerate at Harmony Gold Mine. He explained this phenomenon as follows:


Large rod-shaped pebbles will tend to roll like a cylinder.

When deposited, these pebbles will recrientate themselves with the longest axes parallel to the stream direction. The pebbles that were not recrientated, were cemented, or captured by surrounding grains before recrientation could take place.













Fig. 16. - Histograms illustrating the orientation of long axes of the pebbles.

The pebbles in the conglomerates of the Elsburg Stage are closely packed with almost no matrix. This might be the reason for the small amount of pebbles orientated perpendicular to the palaeocurrent direction.

3. Pebble Clusters

In a horizontal plane structures of the type shown in Fig. 17 are commonly found at localities where there are little sorting in coarse, fluvial deposits. In these structures, cobbles or boulders on the one side give rise to a wake or tail of coarse elements, concentrated and leaning against each other. This kind of structure resembles a wedge or a bunch of grapes, and is therefore termed "pebble cluster" (Dal Cin, 1968, p. 233 - 241).

A B






Fig. 17. - Illustrations of pebble clusters in a horizontal plane.

- A. The wake formed by many pebbles.
- B. The wake consisting of only two or three elements.

 The arrows indicate the direction of the current.

Large cobbles or boulders protruding from the surface of the river bed, hinder the movement of smaller sized particles, which pile up in front of them, forming a kind of wake. Not all pebbles are stopped by these cobbles and boulders, as the smaller ones moved in suspension and easily by-passed the obstruction. In general, the length is directly proportional to the height of the boulder in respect to the plane of deposition.

Viewed in cross-section, pebble clusters most commonly appear as drawn in Fig. 18. The indication of the current direction as deduced from sectional views of these structures is less reliable because the orientation of the section relative to the pebble cluster is unknown. Therefore only exposures of pebble clusters in a horizontal plane (hanging-wall views) were measured. (Pl. XII).




Fig. 18. - Section through a pebble cluster.

Measurements taken on 34 clearly defined structures of this type, show that the direction of the wake of coarse material, as represented by the axis which bisects the wake, is almost parallel with the palaeocurrent direction (Fig. 19). The greatest angle between the direction of the wake and that of the depositing current, in no place exceeds 35°. The greatest divergence occurred mainly in the less evident structures.

The presence of pebble clusters in layers of conglomerate offers evidence of unidirectional transport. In environments such as beaches, characterised by the back-and-forth movement of waves, structures of this kind are unlikely to last. The presence of pebble clusters in the conglomerates of the Elsburg Stage probably points to deposition in a fluvial environment.




Fig. 19. - Rose diagram showing the orientation of pebble clusters.

E. PEBBLE SHAPE

The shape of a sedimentary particle is its geometric form and is generally described by certain parameters, viz. sphericity and roundness. Sphericity defines the general shape of the particle, while roundness describes the sharpness of the edges and corners of a clastic fragment.

Quantitative descriptions of the shape of a sedimentary particle appear to have first been given by Wentworth in 1922 (Krumbein and Pettijohn, 1938). He used two parameters for this purpose, viz. a roundness ratio and a flatness ratio.

Wadell differentiated between shape and roundnes.

1933 (Krumbein and Pettijohn, 1938). Shape was described by him
in terms of sphericity. He defined true sphericity as "the ratio
of the surface area of a sphere of the same volume as the particle
to the actual surface area of the particle" (Krumbein and Pettijohn,
1938, p. 283 - 284).

The shape of a pebble has a strong influence on its behaviour during transportation and deposition. The ease with which pebbles can be rolled or transported in suspension, their settling velocities in fluids and their packing arrangements, are all determined by the shape of the particular pebbles.

Several studies of pebbles under natural and experimental conditions have demonstrated changes in pebble shape as a function of distance of transport (Krumbein, 1941; Sneed and Folk, 1958). The shape of pebbles, however, is almost entirely controlled by:

- 1. Roundness. 2. Sphericity. 3. Source rock characteristics.
 - 1. Roundness

Wadell (Krumbein and Pettijohn, 1938) expressed the roundness of a particle as:

Roundness = Average radius of corner and edges
Radius of maximum inscribed circle

When the corners and edges are sharp, the average radius is small and the roundness accordingly low. When the average radius of the corners approaches that of the inscribed circle, the roundness value approaches 1.0.

Krumbein (1941) developed a chart for the visual estimation of roundness of pebbles between 16 and 32 mm in diameter (Fig. 20). The sizes of the pebbles in the Elsburg Stage on which the research was focussed, are extremely large in comparison with the pebble sizes Krumbein used for his chart. The roundness was determined therefore by visual comparison of the silhouette of the pebbles with an enlargement of the set of images developed by Krumbein.

When different observers make visual estimates of particle roundness, some variation can be expected. This effect, known as operator variation, has been studied by Rosenfeld Griffiths (1953), who found that although estimates of individual particles may vary significantly, the average values based on 50 or more particles, tend to be similar, because the errors of estimation are largely compensating in absence of strong operator bias.

Roundness is defined by Pettijohn (1957, p. 57) as:

$$P (rho) = \frac{(ry)}{R} / N$$

Where ry = The individual radii of the corners.

N = The number of corners.

R = The radius of the maximum inscribed circle.

Sames (1966) developed a method according to which the roundness (rho) is expressed as the percentage of the convex parts of a pebble along its periphery (Fig. 21). The following six grades of roundness are distinguished by Sames (1966, p. 127 - 128).

Angular:- 0 - 10% rho. In this case not the slightest rounding of an edge or corner is visible.

Subangular: - 15 - 25% rho. Some edges are slightly rounded but secondary corners are still present.

<u>Subrounded</u>:- 30 - 40% rho. In this case secondary corners begin to disappear and the convex parts cover at least one third of the circumference.

Rounded: - 45 - 60% rho. Secondary corners are almost absent, whilst concave parts are smoothed.




Fig. 20. - Roundness chart for 16 - 32 mm pebbles (after Krumbein, 1941).




Fig. 21. - Roundness grades (after Sames, 1966).

Well rounded:- 65 - 80% rho. All parts are smoothed and secondary corners have disappeared.

Extremely well rounded:- 85 - 100% rho. This degree of roundness can probably only be achieved on beaches.

This method described by Sames is probably not suitable for particles smaller than 20 mm but will give accurate results for larger particles.

From studies of the roundness of pebbles, the following can be derived:

The roundness of a particle is increased by wear and reflects the distance transported and the mode of transportation. Apart from the mode of transportation, the roundness increases in the direction of transport in the absence of severe breakage. Large angular pebbles tend to round more rapidly than small ones. The rate of roundness depends, in part, on the hardness of the pebble.

A study of the roundness of the pebbles in the Elsburg Stage gives the following results:

(a) Durable Types

(i) Quartz

The larger pebbles of quartz, when compared to Krumbein's visual comparison chart, are subrounded to rounded, yielding a value of 0.59 to 0.63.

A distinctive difference can be made between the rounding of the pebbles of quartz in the small size range (200 - 500 mm²) on Welkom Mine and those on Western Holdings Limited. In the Welkom Mining Area the pebbles of quartz are all rounded to well rounded (0.65 to 0.73), whilst those in the same size range found near the eastern portion of Western Holdings Limited and westwards, are almost entirely angular, yielding values of 0.3 to 0.4 according to Krumbein's chart.

It would be obvious to conclude that the rounding of the pebbles of quartz in the small size range increases eastwards, but

apart from this phenomenon, no difference could be observed between the rounding of pebbles of quartz in the larger size range between these two areas. This can possibly be explained by the fact that some larger well-rounded pebbles broke up during the process of transportation. The majority of the larger pebbles show fractures filled with impurities, which would promote the above-mentioned process. These angular fragments were rounded during further transportation into the basin and would increase the number of smaller rounded pebbles towards the east.

(ii) Chort

According to Sneed and Folk (1958, p. 126; Pluming 1948), chert and milky quartz appear to abrade at equal rates. All the pebbles of massive black chert are very well rounded. This indicates that the pebbles of massive black chert are being transported over a relatively longer distance than the pebbles of quartz, which means that the source area of the chert was quite remote.

In the case of the yellow and banded types, a very low grade of rounding is observed. These varieties of chert have the tendency to weather into square to equant blocks, controlled by joints. These two types of chert are in fact highly susceptible to splitting and tend to chip or break during transport with the result that badly rounded surfaces are common.

(b) Non-durable Types

(i) Quartzito

Pottijohn (1957, p. 554) postulates that pebbles of quartzite abrade four times faster than quartz. He quoted an example where pebbles of quartzite have attained a roundness of 0.59 after being transported for a maximum distance of Quartzite (Pottijohn, 1957, p. 553). The pebbles of quartzite found in the conglomerate layers of the Elsburg Stage are well rounded to extremely well rounded, which might indicate that these pebbles were transported at least 72 km. The well rounded pebbles of quartzite could also be the result that many of them

have been subjected to more than one cycle of sedimentation.

According to Borchers (1950) the Lower Division of the Witwatersrand System was exposed during the deposition of the Upper

Division as the shoreline retreated into the basin, and could
have suffered considerable erosion. It is, however, doubtful
whether pebbles of quartzite derived from the erosion of the
Lower Division would attain such a high grade of roundness in
the absence of long distance transportation.

(ii) Slate and Shale

Pebbles of slate and shale are composed of clay, with the result that they are structurally weak and will disintegrate easily when transportation takes place in fast flowing streams. These particles are markedly flattened and somewhat rounded to subangular in outline.

(iii) Porphyry

All the pebbles of quartz perphyry present in the layers of conglomerate are always subrounded to rounded, which indicates that the degree of abrasion amongst these pebbles was moderate.

2. Sphericity

Krumbein and Sloss (1963, p. 106) postulate that the relation of the particle intercepts to each other may be expressed as the sphericity of that particle. This was defined by Wadell in 1932 (Krumbein and Pettijohn, 1938) as:

True sphericity = Surface area of the particle
Surface area of a sphere of the same volume

The measurement of true sphericity of an irregular particle is not practically feasible, therefore the fundamental equation for measuring sphericity, as defined by Wadell, is:-

Optional sphericity = Volume of particle
Volume of the circumscribing sphere

The sphericity of a pebble partly controls its behaviour during transportation and deposition. Although

sphericity is increased by rounding, it is dependent to a large extend on the original shape of the particle.

Zingg in 1935 classified particles according to their shape (Krumbein and Sloss, 1963, p. 106). He showed that if the ratio of the intermediate to the maximum intercept $(\frac{b}{a})$ of a particle is plotted against the ratio of the shortest to the intermediate intercept $(\frac{c}{b})$, the particle may fall in one of four classes. A diagram of Zingg's classification is shown in Fig. 22 (Krumbein and Sloss, 1963, p. 107).




Fig. 22. - Shape classification of pebbles (after Zingg).

- A. Classification of pebble shapes, based on ratios of intercepts.
- B. Relation of intercept sphericity to Zingg's classification of pebble shapes.

Fig. 22B indicates the relation between sphericity and Zingg's shape indices. The curves represent lines of equal sphericity, and the fact that these lines are curved, indicates that particles of different appearance to the naked eye, may have the same numerical value of sphericity.

Comparison of Fig. A and B shows that the 0.5 line sweeps through the disk, blade and roller classes.

and particles with the same sphericity behave in similar manner under given conditions if their diameters and densities are the same. Due to the high degree of lithification, it was not possible to extract complete pebbles underground; hence pebbles could not be studied separately for determining their physical properties. Since the diagram of Zingg is based on the ratios of the three axes and not on their actual lengths, it could also be used to determine the shape of pebbles when the apparent a-, b- and c-axes are known.

The shape of each of the three pebble types, viz. quartz, massive black chart and quartzite, was determined separately. Twelve localities at Western Heldings No. 2 Shaft were selected for measuring the three apparent axes. The results obtained from these measurements, were used for the calculation of both the $\frac{b}{a}$ and $\frac{c}{b}$ ratios.

The measurements were taken on the 33 Haulage East, because the strike of this development end is almost parallel to the direction of the palaeocurrents as determined by the pebble-size distribution and preferred pebble orientation.

The following procedure was used in measuring the three apparent axes:

All measurements were carried out in places where <u>both</u> vertical as well as horizontal exposures of pebbles were found at the same location. The reason being, that either on a vertical or horizontal surface, the pebbles are seen in two dimensions only. By following this procedure, the parameters of the apparent and b-axes of the pebbles were obtained in the horizontal exposures (the operator was always dealing with pebbles on the hanging-wall or roof of the haulage), while the apparent a- and c-axes of the pebbles were obtained in vertical exposures.

Indications of pebbles orientated in preferred directions were observed. No indications of pebble imbrication,

however, are evident, and it may be assumed that the pebbles were thus deposited with their apparent a- and b-axes parallel to the depositional plane. While only the apparent a- and b-axes of a pebble could be measured in a horizontal plane and the apparent a- and c-axes along a vertical section, the operator had to select pebbles with approximately the same length of the a-axis on both planes. Thus, the length of the b-axis of a pebble of quartz as measured in the herizontal plane was then used to calculate the a:b:c ratios of that pebble with the same a-axis as measured in a vertical plane. The apparent a-, b- and c-axes of only the largest pebbles possible were measured so that the amount of error in measuring the a-axis in two different planes (horizontal and vertical planes) will be negligible small.

The arithmetic mean of the apparent longest, intermediate and shortest axes of the three pebble types (quartz, quartzite and massive black chart) were calculated for each station, and then compared and classified according to Zingg. Since the investigation was restricted to pebbles of approximately the same size (based on the length of the a-axis) this method is believed to yield fairly reliable results.

The ratios between the longest, intermediate and shortest intercepts of each pebble type, as well as the classification of its shape are shown in Tables VI, VII and VIII and in Fig. 23.

From Fig. 23 it is evident that the average shape of the pebbles of quartz is spheroidal, that of massive black chart also spheroidal, though some tend to be disk shaped, while that of quartzite have a tendency to be both spheroidal and disk shaped.

TABLE VI. - The ratios between the longest, intermediate and shortest intercepts of the pebbles of quartz.

(Western Holdings Limited No. 2 Shaft, 33 Haulage West).

Number	Bottom view a-axis x b-axis	Side view a-axis x c-axis	Ratio
station	(mm)	(mm)	a : b : c
Peg A4676	168.3 x 138.0	181.3 x 123.8	1 : 0.76 : 0.68
・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・	128.7 x 91.4	121.6 x 64.4	1 : 0.75 : 0.53
₽ ₽	140.5 x 87.6	138.2 x 66.1	1 : 0.63 : 0.47
f	106.3 x 79.1	117.0 x 64.7	1 : 0.72 : 0.58
₽₽.	251.5 x 179.3	247.3 x 109.0	1 : 0.71 : 0.44
t)	149.4 x 113.7	157.4 x 97.8	1 + 0.75 : 0.65
11	194.7 x 124.2	172.5 x 103.4	1 : 0.72 : 0.60
\$ 1	267.4 x 151.0	253.6 x 107.9	1 : 0.59 : 0.42
**	153.5 x 123.6	168.9 x 97.4	1 : 0.73 : 0.58
11	203.7 x 107.5	193.0 x 83.6	1 : 0.56 : 0.43
		•	
Pog H379	144.3 x 89.3	138.8 x 74.3	1 : 0.64 : 0.53
† †	203.3 x 149.7	205.7 x 123.1	1 : 0.73 : 0.60
ff	194.1 x 121.2	170.3 x 109.8	1 : 0.72 : 0.65
11	227.2 x 163.6	219.7 x 128.8	1 : 0.75 : 0.59
11	186.5 x 161.5	193.5 x 109.0	1 : 0.84 : 0.56
	111.3 x 76.5	114.6 x 58.7	1 : 0.67 : 0.51
11	128.8 x 97.4	130.4 x 79.3	1 : 0.75 : 0.61
इ र	221.7 x 151.1	217.6 x 129.3	1 : 0.70 : 0.60
18	124.6 x 112.2	127.8 x 93.6	1 : 0.88 : 0.73
17	129.0 x 103.1	144.9 x 87.5	1 : 0.71 : 0.61
	e 3 3 5 5 5 5 5 5 5 7 8 8 8 8 8 8 8 8 8 8 8 8		

TABLE VII. - The ratios between the longest, intermediate and shortest intercepts of the pebbles of quartzite

(Western Holdings Limited No. 2 Shaft, 33 Haulage West).

Number	Bottom view	Side view		7 alt <u>1985 pro-</u>	Ratio		or and the second se
of station	a-axis x b-axis	a-axis x c-axis (mm)	a	ŝ	Ъ	**	c
Pog A4676	131.4 x 106.3	136.3 x 86.7	1	ż	0.78	9	0•63
. † ‡	187.5 x 127.1	172.4 x 98.4	1	9 4	0.74	8	0.57
t#	274.2 x 168.7	259.5 x 104.5	1	**************************************	0.65	6.3	0.40
†1	143.7 x 102.9	151.0 x 74.3	1	a 8	0.68	9	0.49
# 1	197.3 x 149.8	189.1 x 113.2	1	0	0.79	ė e	0.60
**	203.5 x 169.4	211.5 x 121.1	1		0.80	0	0.57
11	154.0 x 123.7	161.3 x 94.5	1	0	0.77	0 B	0.59
# # # * * * * * * * * * * * * * * * * *	129.2 x 97.0	140.7 x 78.7	1	9	0.69	0	0.56
17	217.5 x 178.3	204.2 x 114.9	1	¢	0.87	a e	0.56
##	301.1 x 204.7	284.1 x 164.1	1	ņ	0.72	3	0.58
2 P	241.7 x 194.2	223.1 x 109.0	1	3	0.87	о *	0.49
87 4	164.3 x 107.5	158.5 x 89.5	1	0 2	0.68	0 0	0.56
tf i	138.4 x 112.0	143.9 x 84.0	1	20	0.78	4	0.58
Peg H744	179.5 x 124.5	161.6 x 96.0	1	9	0.77	8.7	0.59
\$1	102.6 x 89.9	113.1 x 61.5	1	5	0.79	ě	0.54
\$ \$ \$	157.1 x 101.7	162.2 x 79.3	1	0	0.63	o e	0.49
17	123.0 x 97.1	119.5 x 53.2	1	9	0.81	a e	0.45
F# ##	218.5 x 153.5	207.1 x 105.5	1	B.C.	0.74	ŝ	0.51
## ·	269.9 x 179.1	281.7 x 127.1	7	et S	0.64	2	0.45
\$# <u> </u>	129.2 x 86.0	132.1 x 73.7	1	9	0.65	**	0.56

TABLE VIII. - The ratios between the longest, intermediate and shortest intercepts of the pebbles of chert

(Western Holdings Limited, No. 2 Shaft, 33 Haulage West).

Numbor	Bottom view	Side view	Ratio
of station	a-axis x b-axis (mm)	a-axis x c-axis (mm)	a 2 b s c
Pog A4676	102.2 x 80.0	104.4 x 58.0	1 : 0.77 : 0.56
: : : :	138.5 x 98.5	143.7 x 53.7	1 : 0.69 : 0.37
1	97.0 x 62.0	99.1 x 51.2	1 : 0.63 : 0.52
} E	156.3 x 123.3	149.2 x 102.1	1 : 0.83 : 0.68
: : : : : :	112.5 x 79.7	107.3 x 61.6	1 : 0.74 : 0.57
; ; ; ;	84.2 x 61.2	89.5 x 53.5	1 : 0.68 : 0.60
\$ \$ \$ \$ \$	123.7 x 109.5	119.7 x 83.4	1 : 0.91 : 0.70
- 5 • ₹ 8	141.2 x 112.3	143.1 x 76.7	1 : 0.78 : 0.54
\$; ; ;	107.3 x 83.8	105.2 x 68.9	1 : 0.80 : 0.65
*	113.0 x 98.2	110.0 x 67.3	1 : 0.89 : 0.61
\$ \$ \$	161.4 x 130.5	157.5 x 102.0	1 : 0.83 : 0.65
ty .	143.1 x 114.9	139.8 x 97.0	1 : 0.82 : 0.69
† † †!	131.2 x 102.5	132.5 x 79.2	1 : 0.77 : 0.60
† † †	91.1 x 73.3	94.5 x 61.5	1 : 0.76 : 0.65
1 : †† :	101.7 x 89.7	103.0 x 69.0	1 : 0.87 : 0.67
1 Ft	112.2 x 84.2	109•5 x 61•3	1 : 0.77 : 0.56
**	139.3 x 102.5	137.3 x 78.5	1 : 0.75 : 0.57
# 1 1	170.9 x 134.2	161.7 x 101.2	1 : 0.83 : 0.63
\$ † \$ŧ \$	119.1 x 103.1	123.2 x 73.1	1 : 0.84 : 0.59
# 3f	105.0 x 74.3	102.1 x 59.4	1 : 0.73 : 0.58
f - I program of the control of the	1 · ·	t on dan keraga til de ogst omsti	1

FIG. 23. - Shape classification of the pebbles of quartz, quartzite and chert according to calculated parameters.


QUARTZ

² / ₃	Disk	•	Spheroid
b/a		•	•
į	Blade		Roller
	°/b	2/.	3

QUARTZITE

27.	Dísk	Spheroid
² / ₃	Blade	Roller
	c/ _b 2/	Z.

CHERT



F. MORPHOLOGY OF THE PEBBLES

The purpose of the study of pebble morphology is to bring the effect of pebble sizes in connection with pebble shape. This practice, shown by Sneed and Folk (1958), illustrates interesting effects within certain particle size ranges in a sedimentary rock. As Sneed and Folk (1958, p. 115) point out, pebble morphology is affected by numerous variables such as the

- (1) initial shape when released from the parent rock;
- (2) internal characteristics of the pebbles such as hardness, brittleness, bedding, cleavage, etc.;
- (3) original size;
- (4) transport distance;
- (5) transport agent; and
- (6) other obscure factors.

In the study of the shape, roundness, sphericity and orientation of pebbles during underground observations, the author noticed that a fairly high percentage of pebbles of the durable types (quartz and chert) as well as those of quartzite, are cracked or broken.

Pebbles which are chipped, are also quite common. In the borehole core examined, broken pebbles were rare, but chipped ones were frequently observed.

The tendency in pebbles to break or chip is controlled by

(1) physical property (hardness), (2) energy (stream velocity and mass
of the pebble) and (3) mode of transport (traction, saltation and
suspension). The many pebbles of chert and quartz that were chipped
can be ascribed to the hardness and homogeneity of the rock. The
broken pebbles may be the result of processes operating during transportation.

There are three modes of stream transport which have a fundamental effect on particle size and particle behaviour. The first is traction, in which particles roll, slide or tumble along the bottom. During saltation the particles bounce along the stream-bed in a series of short interrupted leaps, while in suspension the particles are swept along entirely free from the stream-bed (Krumbein and Sloss, 1963, p.203). According to Gilbert (Pittman and Ovenshine, 1968), particles being moved

by traction have a considerable lower velocity than the stream itself because of frictional loss of energy to the stream-bed. During saltation, the particles moved with a velocity nearly the same as that of the flowing water, while particles in suspension have a velocity almost equal to that of the stream.

Pittman and Ovenshine (1968) have found in the Merced River, U.S.A., that the critical factor in the breakage of pebbles is probably momentum [mass times velocity (MV)] and during the transportation of the pebbles, it can be suggested that the saltating intermediate sized pebbles might have attained the necessary velocity-mass product to break when they collide with stationary boulders in the stream-bed. Breakage of the pebbles occur if the energy of collision exceeds the fracture-strength of the pebble. The energy of collision will be a function of the momentum of the pebble at the moment of impact. Thus, for breakage to occur, there must be a critical value of the mass-velocity product.

Small pebbles that collide with a boulder may not possess sufficient mass, nor momentum, to fracture. A larger pebble, although moving at essentially the same velocity as the smaller pebbles, may fracture because of the larger mass which yields a greater momentum. Pebbles in the intermediate size therefore, will have the greatest momentum during the process of saltation and should be most subject to breakage.

During high flood stages, the movement of small pebbles is by suspension where these particles are swept along free from the stream-bed or stationary boulders. The pebbles in this size range also have not a sufficient mass or momentum to break during collision with each other.

They advanced a hypothesis to explain the relationship between pebble size and breakage of pebbles during transportation.

To express this relationship mathematically, they assume:

Collision energy = kmv

where m = mass of the pobble

v = its velocity

and k = a constant of proportionality.

These authors further assume that the fracture strength of the pebble may be expressed in terms of the collision energy required for the fracturing of the pebble. Thus:

Fracture strength = $(kmv)_c$ where $(kmv)_c$ = the collision energy at which rock rupture occurs.

The relationship between collision energy (kmv) and size of the pobbles is illustrated in Fig. 24.




Fig. 24. - Model illustrating the relationship between broken rounds and pebble size (after Pittman and Ovenshine, 1968).

- A. Distribution of collision energy (kmv) between moving clasts and stationary boulders as a function of size.
- B. Collision energy at which rock rupture occurs, (kmv)_c defines fields of broken and unbroken pebbles.
- C. A combination of plots A and B. The distribution of kmv versus clast size at some average stream velocity $(\bar{\mathbf{v}})$, exceeds $(\mathrm{kmv})_{\mathrm{C}}$ only for intermediate sized pebbles during saltation. Thus, intermediate sized pebbles break whereas larger and smaller pebbles with comparable physical properties do not break.

If the theory of Pittman and Ovenshine (1968) is valid it can be concluded that the broken peobles in the conglemerates of the Elsburg Stage could be ascribed to saltation movement in rapid flowing streams. This would apply that deposition took place in a high energy fluvial environment. The large peobles (128 mm in diameter) were moved by relling and sliding along the bettem with the result that very little fracturing took place. The smaller peobles were mainly transported in suspension and their momentum was not sufficient to affect fracturing, but chipping of the peobles took place.

G. VARIATION IN THE PERCENTAGE OF CONGLOMERATE

The percentage of conglomerate in the Elsburg Stage shows a definite down-current decrease. On Western Heldings Limited, a progressive change in the conglomerate-quartzite ratio in a south-easterly direction is observed. On the lease area of the Welkom Gold Mining Company a decrease in the ratio towards the north-east is evident (Plan 4). Abnormal conglomerate-quartzite ratios were obtained at several localities, but as this information was gathered from the intersections in surface bereholes, faulting might have influenced the data.

V. CONCLUSIONS

The most important concepts that have emerged from this investigation are:-

- 1. The transport direction of the sediments of the Elsburg Stage is dominantly from the northwest towards the southeast on Western Holdings Limited, and from the scuthwest towards the northeast on Welkom Mine east of the Arrarat Fault.
- 2. A general decrease in the average pebble-size in these directions are observed. These directions are emphasized by the sorting of the conglomerates which also improves in a down-current direction. A study of the preferred orientation of large rod-shaped pebbles indicates that these particles are laid down with their long axes parallel to the palaeocurrent direction. Pebble clusters, a feature previously not recognised in the Witwatersrand System, were also used to indicate the direction of transport.
- 3. A study of the pebble lithology proved that the presence of non-durable types show a definite decrease in the downstream direction perphyry, however, proves to be an exception, while the percentage of the durable types (quartz and chert) remains constant.
- 4. No clear picture of the environment of deposition can be postulated. The sorting which varies between 1.10 and 0.55 can be indicative of the transitional zone between a fluvial and a beach environment. Deposition in a beach environment is also stressed by the tendency of the pebbles to be spheroidal to disk-shape. The presence of pebble clusters and an abundance of broken pebbles point to deposition in fast-flowing streams. The distribution pattern of the conglomerates also favours deposition in a fluvial environment. It seems most likely that deposition took place on an alluvial fan bordering an inland lake or sea and that some resorting by wave action took place.

5. A very important factor brought out by this investigation is the strike-slip movement along the Arrarat Fault.

Various factors indicate that horizontal movement in the order of 6 000 m along the Arrarat Fault took place.

The eastern part of the lease area of Welkom Mine originally lay next to Freddies Consolidated Mines where it formed part of the northern flank of a delta. Evidence in this connection is borne out by the palaeocurrent directions, sorting of the conglomerates, pebble lithology, percentage of conglomerate and the distribution of gold values in the Basal Reef.

ACKNOWLEDGEMENTS

The author is indebted to:

The Anglo American Corporation of South Africa, Limited, for permission to undertake this research.

The Managements of the Welkom and Western Holdings Gold Mines for permission to collect data underground and to investigate the borehole core.

The staff of the Inter-Nine Services Data Processing Department and especially Messrs. Pearson, Nelson and Dippenaar and Mrs. B. Day for running the computer program.

Mrs. E.H. Sibthorpe for typing the text and Mrs. M. van Wyk for the drawing of the plans.

Mr. W. Hoogenhout for the use of figures compiled by him and for helpful comments during discussions.

I am grateful to Prof. B.J.V. Botha and Dr. J.N.J. Visser at the University of the Orange Free State, as well as Dr. T. Antrobus from the Anglo American Corporation for their guidance and valuable advice whilst promoting the project.

REFERENCES

ANTROBUS, E.S.A. (1956) :

The origin of the auriferous roofs in the Witwatersrand System: Trans. gool. Soc. S. Afr., 59, p. 3 - 15.

BAINES, V. (1949) :

The geology of the Odendaalsrus
Goldfield in relation to that of
the Klerksdorp District, and notes
on the correlation of the Upper
Division of the Witwatersrand
System: Trans. geol. Soc. S. Afr
52, p. 301 - 330.

BORCHERS, R. (1950) :

The Odendaalsrus - Virginia Goldfield and its relation to the Witwatersrand: D.Sc. Thesis, Univof S.A. (Unpubl.)

BORCHERS, R. and WHITE, G. (1943): Preliminary contribution to the geology of the Odendaalsrust

Soc.

Goldfield: Trans. geol. S. Afr.,

BROCK, B.B. and PRETORIUS, D.A. (1964): Rand basin sedimentation and tectonics; The geology of some ore deposits of Southern Africa,

Vol. 1: Geol. Soc. S.A., Johannesburg p. 549 - 599.

46, p. 127 - 153.

COETZEE, C.B. (1960) :

The geology of the Orange Free State Goldfield: Mem. geol. Surv. S.Afr., 49, p. 1 - 198.

DAL CIN, R. (1968) :

"Pebble clusters": their origin and utalization in the study of palaeocurrents. Sediment Geol., 2 (4), p. 233 - 241.

DOEGLAS, D.J. (1962) :

The structure of sedimentary deposits of braided rivers:
Sedimentology, 1 (3), p. 167 - 190.

FOLK, R.L. (1966) :

A review of grain-size parameters: Sedimentology, 6, p. 73 - 93.

HODGSON, F.D.I. (1967):

The relationship between the sedimentology and the gold distribution of the Basal Reef Zone, Harmony Gold Mine: M.Sc. Thesis, Univ. O.F.S. (Unpubl.)

INMAN, D.L. (1952) :

Measures for describing the size distribution of sediments: J. sediment. Petrol., 22, p. 125 - 145.

KNOWLES, A.G. (1966) :

A palaeocurrent study of the Ventersdorp Contact Reef at Western Deep
Levels, Ltd., on the Far Western
Rand: M.Sc. Thesis, Univ. Witwatersrand. (Unpubl.)

KRUMBEIN, W.C. (1939) :

Preferred orientation of pebbles in sedimentary deposits: J. Geol., 47, p. 673 - 706.

_____(1941) :

Measurement of geological significance of shape and roundness of sedimentary particles: J. sediment. Petrol., 2, p. 64 - 72.

KRUMBEIN, W.C. and PETTIJOHN, F.J. (1938): Manual of sedimentary petrography: Appleton - Century -Crofts, Inc., New York.

KRUMBEIN, W.C. and SLOSS, L.L. (1963): Stratigraphy and sedimentation:

W.H. Freeman and Co., San Francisco,

660 p.

McCAMMON, R.B. (1962) :

Efficiences of percentile measures for describing the mean size and sorting of sedimentary particles:

J. Geol., 70, p. 453 - 463.

McKINNEY, J.S., BELL, K.J.,
HICKS, E.C., HOOGENHOUT, W.J.,
LEUNER, W.R., SIMS, J.F.M.,

Geology of the Anglo American Group

Mines in the Welkom area, Orange

the Geology of

Free State Goldfield, in Some oro

deposits of Southern Africa, Vol. I:

WALKER, D.R.S., WEYERS, J.A. (1964): deposits of Southern Africa, Vol. I:

Geol. Soc. S.Afr., Johannesburg,

p. 451 - 489.

PETTIJOHN, F.J. (1957) :

Sedimentary Rocks: Harper and Brothers, New York, 718 p.

PIENAAR, J.P. (1969) :

Geological aspects of the Basal
Reef in the Free State Saaiplaas
Gold Mining Area: M.Sc. Thesis,
Univ. O.F.S. (Unpubl.)

PITTMAN, E. and OVENSHINE, T. (1968): Pebble morphology in the Merced
River (California): Sediment. Geol.,
2 (2), P. 125 - 137.

PLUMLEY, W.J. (1948):

Black Hills torrace gravels - A

study in sedimentary transport:

J. Geol., 56, p. 526 - 577.

POTTER, P.E. and PETTIJOHN, F.J. (1963): Palaeocurrent and basin analysis: Springer-Verlag, Berlin.

REINECKE, L. (1930): Origin of the Witwatersrand System:

Trans. geol. Soc. S.Afr., 33,

p. 111 - 133.

ROBERTS, E.R. and KRANSDORF, D. (1938): The Upper Witwatersrand System at Randfontein Estates: Trans.

geol. Soc. S.Afr., 41, p. 225 - 246.

ROSENFELD, M.A. and GRIFFITHS, J.C. (1953): An experimental test for visual comparison techniques in estimating two dimensional sphericity and roundness of quartz grains:

Amer. J., Sci., 251, p. 553 - 585.

SAMES, C.W. (1966):

Morphometric data of some recent pebble associations and their application to ancient deposits:

J. sediment. Petrol., 36, p. 126 - 142

SHARPE, J.W.M. (1949): The economic auriferous bankets of the Upper Witwatersrand beds and their relationship to sedimentation features: Trans. gool. Soc. S.Afr., 52, p. 265 - 300.

SIMPSON, D.J. (1951):

Some results of radiometric logging in the boreholes of the Orange Free State Goldfield and neighbouring areas: Trans. geol. Soc. S.Afr., 54, p. 99 - 133.

SIMS, J.F.M. (1969): The stratigraphy and palaeocurrent history of the Upper Division of the Witwatersrand System on President Steyn Mine and adjacent areas in the Orange Free State Goldfield with specific reference to the origin of the auriferous reefs:

D. Phil. Thesis, Univ. Witwatersrand (Unpubl.)

SNEED, E.D. and FOLK, R.L. (1958): Pebbles in the lower Colorado River,

Texas. A study in particle

morphogenesis: J. Geol., 66 (2),

p. 114 - 150.

STEYN, L.S. (1963) :

The sedimentology and gold distribution pattern of the Livingstone
Reefs on the West Rand: M.Sc. Thesis,
Univ. Witwatersrand. (Unpubl.)

TWENHOFEL, W.H. (1947) :

The environmental significance of conglomerates: J. sediment. Petrol., 17 (3), p. 119 - 128.

__ (1950) :

Principles of sedimentation:

McGraw-Hill Book Co., Inc., New York,

673 p.

VAN DER VYVER, G.P. (1956) :

The Rainbow Reefs of the Van Der

Heeversrust Area north of Odendaalsrus: M.Sc. Thesis, Univ. Pretoria.

(Unpubl.)

WHITESIDE, H.C.M. (1950):

The Kimberley-Elsburg Series in certain mines of the Far East Rands Trans. geol. Soc. S.Afr. 53, p. 124 - 127.

WINTER, H. De la R. (1957):

The Upper Division of the Witwatersrand System in the Virginia and
Merriespruit areas: M.Sc. Thesis,
Univ. Pretoria. (Unpubl.)

(1964) :

The geology of the northern section of the Orange Free State Goldfield, in The geology of some ore deposits of Southern Africa, Vol. I: Gool. Soc. S.Afr., Johannesburg, p. 417 - 448.

* South Pilercan Mining and Engineering Journal, Vol. 111: No. 8. (1960)



Plate I. - Specimen of typical Elsburg conglomerate (long axes of pebbles = 50 mm).



Plate II. - Specimens of Elsburg conglomerate with one sample showing the greenish tinge due to metamorphism.




Plate III. - Greenish coloured conglomerate near the top of Zone VS 1.




Plate IV. - Specimen showing pebbles of red jasper present in the conglomerates.



Plate V. - Method applied in the determination of pebble sizes on a borehole core.



Plate VI. - Specimens of borehole core with large pebbles showing cuts parallel to the apparent c-axis.



Plate VII. - Large pebbles of milky quartz orientated with their long axes parallel to the bedding-plane.



Plate VIII. - Pebbles deposited with their a-axes parallel to the bedding-plane.



Plate IX. - Specimen showing large pebbles of quartz and quartzite.



Plate X. - Specimen showing large pobbles of quartzite in comparison to other pebble types.



Plate XI. - Preferred orientation of rod-shaped pebbles (bottom view).



Plate XIII - Example of a pebble cluster with the arrow indicating the direction of the current.

ADDENDUM

PROGRAMS FOR I.B.M. COMPUTER

A. RUNNING OF THE PROGRAM

B. REGRESSION LINES

- 1. Outline of Program
- 2. Input to the Program
- 3. Processing
- 4. Calculations
- 5. Output
- 6. Interpretation of Results
- 7. Running the Program.

C. PEBBLE-SIZE DISTRIBUTION

- 1. Outline
- 2. Input
- 3. Calculations
- 4. Output
- 5. Interpretation of Results
- 6. Running the Program.

A. RUNNING OF THE PROGRAM

- 1. The program is coded in a computer language called FORTRAN.

 This code is read off punched cards by the machine and coded into FORTRAN. The calculations are then performed.
- 2. The data are punched onto cards, which are read by the machine. The computer then uses the above program, does the calculations and prints the results.
- 3. The computer has a printer which produces many hundred lines per second 132 characters per line can be printed.

Running Times

Regression lines: 25 seconds per 120 sets of data.

Pebble sizes: 18 seconds for each complete calculation.

B. REGRESSION LINES

1. Outline of Program

The program has been written to read in a large number of ordered pairs (e.g. X and Y co-ordinates) and to fit, by the method of least squares, the two most probable straight lines, that could be used to predict one element of a pair, given the other. These lines are known as the regression lines

The correlation coefficient, showing the degree of correlation between the two lines, is also calculated.

This program has been written with geological data specifically in mind, but may be adapted, with relatively few changes, to any application requiring regression line techniques.

2. Input to the Program

In order to use the program, the user must submit the data on punched cards. This data must be punched in a specific format.

Six different classes of pebbles will be dealt with, viz. quartz, shale, quartzite, black chert, porphyry and slate. For each pebble, the X co-ordinate is the length of the longest

axis (in mm) perpendicular to the bedding-plane and the $^{a}/_{c}$ ratio is the Y co-ordinate.

A large number of pebbles in each group is dealt with.

Each class is processed separately.

3. Processing

If the above sets of points were plotted on graph paper, a scatter diagram will be obtained. The program will fit a straight line by least squares to the dots on the scatter diagram.

The equations of two regression lines are calculated; firstly, to minimize the sum of the squares of the distances parallel to the Y-axis, from the dots to the line, and so to obtain the regression line of Y on X; the second line will be just the opposite, that of X on Y.

The user data consist of a large number of X and Y co-ordinates, which, if plotted onto squared paper, would yield a scatter diagram. Such a collection of data will be referred to as a "set" of data.

As many sets of data as required may be submitted to the computer. Each set is then punched onto cards which are fed into the computer.

4. Calculations

For each data set, the program goes through the following steps.

- (a) Reads in all data cards pertaining to the data set in question.
- (b) Counts up the total number of ordered pairs in the set, i.e. the total number of points that would be plotted on the scatter diagram.
- (c) Performs the following totalling operations:

 Total of all X co-ordinates

 Total of all Y co-ordinates

 Total of the squares of each X co-ordinate

 Total of the squares of each Y co-ordinate

 Total of the product of each X co-ordinate

 with its corresponding Y co-ordinate.

(d) Two regression lines equations are calculated and printed out in the form:

$$Y = bx+a$$
 and $X = b'y+a'$

(e) b is calculated from the formula:

$$b = N \sum_{i}^{N} x_{i}y_{i} - \sum_{i}^{N} x_{i} \sum y_{i}$$

$$N \sum_{i}^{N} x_{i}^{2} - \left(\sum_{i}^{N} x_{i}\right)^{2}$$

Where $x_i =$ the X co-ordinate

y_i = the Y co-ordinate

N = total number of pairs of
co-ordinates.

(f)
$$a = \left(\sum_{i=1}^{N} y_{i} - b \sum_{i=1}^{N} x_{i}\right) \div N$$

- (g) Inserting these values for a and b into y = bx + a will yield the equation of the regression line of Y on X.
- (h) b' is calculated from the formula:

$$b' = N \frac{\sum_{i}^{N} x_{i} y_{i} - \sum_{i}^{N} x_{i}}{N \sum_{i}^{N} y_{i}^{2} - (\sum_{i}^{N} y_{i})^{2}}$$

and

$$\mathbf{a'} = (\sum_{i}^{N} \mathbf{x}_{i} - \mathbf{b'} \sum_{i}^{N} \mathbf{y}_{i}) \div \mathbf{N}$$

- (i) Inserting these values for a a' and b' into y = b'x + a' will yield the equation of the regression line of X on Y.
- (j) Pearson's correlation coefficient is calculated to give a measure to the degree of correlation between the two lines. (R = correlation coefficient)

$$R = \frac{N \sum x y - \sum x \sum y}{(N \sum x^{2} - (\sum x)^{2})^{\frac{1}{2}}}$$

$$k = (N \sum y^{2} - (\sum y)^{2})^{\frac{1}{2}}$$

$$(k)$$

5. Output

Two reports are printed out by the computer.

(a) Input Listing

A list of pairs of X and Y co-ordinates, as read from the punched cards is printed out on this report. Six pairs of co-ordinates appear on each line. Decimal points are punched in their correct places. This enables the users to check that the correct information has been punched on the cards, and is being used in the calculations.

It is suggested that the user check this input data thoroughly before making actual use of the final results.

The Input Listing Report is headed with the description, as punched on Card 1.

The column under which the X co-ordinates are printed, is headed "C-AXIS", and the column under which the Y co-ordinates are printed, is headed "PEB AREA".

Six pairs of co-ordinates are printed per line, and there are 50 lines per page.

Since each line corresponds to a punch card, any incorrect data can readily be corrected, and the eards can, then be resubmitted.

(b) Regression Results

This report gives the following results:

- 1. The regression line of Y on X.
- 2. The regression line of X on Y.
- 3. The correlation coefficient.

The report is headed with the description as punched on Card 1.

The first result is the regression line of Y on X, printed in the form y = a + bx. Then the regression line of X on Y, printed in the form x = a' + b'y appears.

Pearson's correlation coefficient, rounded to three decimal places, is given to measure the degree of correlation between the two straight line equations.

The number of points (i.e. pairs of X and Y co-ordinates) is printed at the end of the report. This also serves as a check

on the correctness of the data used.

6. Interpretation of Results

(a) Regression Lines

The first regression line equation, i.e. the line of Y on X, will be used for estimating the value of Y, given X.

Thus, with regard to this geological problem, this equation would be used to predict the corresponding PEB. AREA, given the length of the C-AXIS.

The second line, that of X on Y, would be used for predicting the value of X, given Y.

With a fairly large sample, the probability of the predicted value being accurate, becomes very high (approximately 95%).

(b) Correlation Coefficient

The accuracy of the predictions made from the regression lines is bound up with the value of the correlation coefficient.

The quantity, called the "standard error of estimate" may be calculated to give the error to be expected in estimating Y for a given value of X.

When the correlation coefficient is zero, the "error estimate" becomes maximum, and thus, knowledge of X is of no value in predicting Y. As the modulus of the coefficient increases, i.e. as the coefficient approaches +1 or -1, the "error estimate" decreases.

For completeness, the deviation of the "standard error estimate" is given below. This formula may be used with the computer to estimate the errors likely to occur from use of the regression lines.

$$di = (y_i - Y_i)$$

From the scatter diagram above, the following definition can be made:

The average concentration of the points about the regression line is measured by (\sum d_i²)/N where d_i is the difference between an observed Y_i and a calculated Y_i from the regression line. This variance of the Y values about the regression line can be denoted by Sey².

Therefore
$$NSey^2 = \sum d_i^2$$
 (from definition)
= $\sum (y_i - Y_i)^2$

Before continuing, the theory of regression lines must be reconsidered.

If a large number of X values are available, the average value may be denoted by \bar{x} and the variance of X values defined as:

$$N S_{\mathbf{x}}^2 = \sum (\mathbf{x} - \overline{\mathbf{x}})^2$$

x is merely the arithmetic average

viz.
$$\bar{x} = (\sum x) / N$$

Similarly:

$$N S y^2 = \sum (y - \overline{y})^2 \qquad \text{and} \qquad$$

$$\overline{y} = (\sum y) / N$$

However, in the scatter diagram, pairs of X and Y values are present, and therefore the covariance of X and Y may be defined as:

$$N S x y = \sum (x - \overline{x}) \quad (y - \overline{y})$$

$$Multiply out = \sum (xy - \overline{x}y - \overline{x}y + \overline{x}\overline{y})$$

$$Simplify = \sum xy - \sum x \sum y - \sum x \sum y + \sum x \sum y$$

$$= \sum xy - \sum x \sum y - \sum x \sum y \quad also$$

$$N S_x^2 = \sum x^2 - 2 x x + \sum x x$$

$$= \sum x^2 - 2 x x + \sum x x$$

$$= \sum x^2 - (\sum x)^2 / N$$

Now refer back to the equations in 3(e) for b.

It will be seen that

$$b = \frac{s xy}{s x^2}$$

and in section 3(f) an equation is given for a, viz.

$$a = \left(\sum y - b \sum x\right) / N$$
$$= \sum_{N} y - b \sum_{N} x$$

$$a = \bar{y} - b\bar{x}$$

Therefore the equation of the regression line

becomes: y = a + b x

$$= y = (\bar{y} - \underbrace{S \times y}_{S \times 2} \bar{x}) + \underbrace{S \times y}_{S \times 2} x$$

i.e.
$$y - \bar{y} = \frac{S \times y}{S \times^2} (x - \bar{x})$$

Now return to equation (1)

From the above

$$y = \bar{y} + b (x - \bar{x})$$

Substituting in N S o $\pi^2 = \sum (y_i - Y_i)^2$

$$= \sum (y_i - \overline{y} - b (x_i - \overline{x}))^2$$

$$= \sum (y_{i} - \bar{y})^{2} + b^{2} \sum (x_{i} - \bar{x})^{2} - 2b \sum (x_{i} - \bar{x}) (y_{i} - \bar{y})$$

= Nsy
2
 = b 2 NS_x 2 - 2 b NSxy

from (3)
$$b^2 S_x^2 = b S xy$$
.

Further, it may be proved that the correlation

coefficient
$$r = \frac{S \times y}{S \times S y}$$

$$\mathbf{r}^2 \mathbf{S}_{\mathbf{y}}^2 = \frac{\mathbf{S}_{\mathbf{x}\mathbf{y}}}{\mathbf{S}\mathbf{x}^2} = \mathbf{b} \mathbf{S}_{\mathbf{x}\mathbf{y}}$$

i.e.
$$b^2 S_x^2 = b S_x = r^2 S_y^2$$

Substitute in (4)

$$S ext{ ey}^2 = S y^2 + r^2 Sy^2 - 2 r^2 Sy^2$$

= $Sy^2 - r^2 Sy^2$
= $Sy^2 (1 - r^2)$

and this may be used to calculate the standard error of estimate.

7. Running the Program

** psecj

The program will be run off the object deck. The user must supply the data cards, sorted into correct order.

The following Job Centrol Cards will be used to run the program.

```
p denotes a blank. $ denotes a dollar sign.

**p$$JOBGEOLI

**p$$PRTD

//bJOBbGEOLI

//bOPTIONbLINK

INCLUDE

Object Deck

/*

//bexecblnkedt

//bexec

Data Cards
/*

/&
```

DETERMINATION OF PEBBLE AREAS AT UNDERGROUND LOCALITIES.

Locality: Western Holdings Ltd. - No. 2 Shaft

33 West Haulage Peg: A.4676

Co-ordinates: X + 30590.50 Y + 35249.17 ft.

X + 9323.98 Y + 10743.95 m.

PEBBLE TYPE	PEBBLE SHAPE Spherical	A X 1	E S	PEBBLE AREA		
	Oval Rectangular Elongated	A Axis (mm)	C Axis (mm)	$\frac{1}{2}$ A x $\frac{1}{2}$ C x 3.14 cm ²)		
Quartz	Spherical	81.3	52.6	3,356		
Quartz	Spherical	71.0	48.8	2,719		
Shale	Elongated	63.2	48.1	2,385		
Quartzite	Spherical	82.8	37.4	2,430		
Black Chert	Oval	71.2	43.7	2,442		
Quartz	Oval	123.6	91.4	8,866		
Quartzite	Spherical	92.1	62.0	4,482		
Quartzite	Oval	93.6	48.3	3,548		
Quartz	Oval	116.3	92.6	8,453		
Quartzite	Oval	134.4	128.6	13,567		
Quartzite	Oval	91.0	73.7	5,264		
Quartz	Spherical	133.0	98.4	10,372		
Quartzite	Cval	87.3	71.6	4,906		
Quartzite	Oval	138.4	86.1	9,354		
Black Chert	Oval	117.0	64.7	5,941		
Quartz	Spherical	247.0	183.6	35,598		
Quartz	Spherical	87.1	61.7	4,218		
Quartz	Spherical	97.4	69.0	5 , 275		
Quartzite	Spherical	153.8	107.0	12,851		
Quartzite	Oval	148.3	111.0	12,921		
Quartz	Spherical	109.8	92.1	7,938		
Quartzite	Spherical	131.0	58.3	5,993		
Quartz	Spherical	183.9	138.6	20,008		
Shale	Elongated	105.0	36.3	2,991		
Porphyry	Spherical	103.1	89.9	7,267		
Quartz	Spherical	172.3	131.1	17,731		
Quartz	Spherical	118.2	112.3	10,419		
Quartz	Spherical	147.3	98.6	11,400		
Quartzite	Spherical	141.0	87.2	9,651		
Quartzite	Spherical	116.3	98.7	9,010		
Shale	Elongated	107.3	43.2	3,638		
Quartz	Spherical	186.3	121.3	17,739		
Quartz	Spherical	97.4	64.1	4,900		
Quartz	Spherical	283.3	141.0	31,356		
Quartz	Spherical	157.3	105.7	13,050		
Quartz	Spherical	102.1	85.4	6,844		
Quartzite	Oval	75.0	49.3	2,902		

Locality: Western Holdings Ltd. - No. 2 Shaft

33 West Haulage Peg: A 4676

Co-ordinates: X + 30590.50 X + 9323.98 Y + 35249.17 ft.

Y + 10743.95 m.

PEBBLE TYPE	PEBBLE SHAPE Spherical	A X	E S	PEBBLE AREA	
	Oval Rectangular Elongated	A Axis	C Axis	$\frac{1}{2}A \times \frac{1}{2}C \times 3.14$ (xm ²)	
Black Chert	Oval	86.1	41.0	2,771	
Black Chert	Oval	149.3	97.2	11,391	
Black Chert	Oval	97.1	33.5	2,552	
Banded Chert	Rectangular	58.2	47.1	2,151	
Black Chert	Spherical	72.1	46.3	2,620	
Quartz	Spherical	148.3	105.6	12,293	
Black Chert	Spherical	76.0	45.0	2,684	
Shale	Oval	56.3	31.0	1,369	
Shale	Rectangular	55.6	45.3	1,976	
Quartz	Oval	163.9	93.7	12,055	
Quartzite	Oval	137.2	57.0	6,138	
Quartz	Spherical	158.1	108.6	13,477	
Black Chert	Spherical	91.7	49.5	3,563	
Quartzite	Spherical	126.3	83.5	8,278	
Quartzite	Oval	174.5	64.9	8,890	
Quartz	Spherical	193.2	103.6	15,711	
Shale	Elongated	157.9	74.5	9,231	
Black Chert	Oval	87.5	43.4	2,980	
Porphyry	Oval	139.2	63.8	6,970	
Quartz	Spherical	164.0	118.3	15,191	
Quartzite	Oval	111.3	56.0	4,879	
Quartz	Spherical	138.8	79.7	8,683	
Quartzite	Spherical	361.8	225.3	63,987	
Quartzite	Oval	158.6	34.3	4,269	
Quartz	Oval	181.2	64.9	9,094	
Quartz	Spherical	153.0	103.2	12,394	
Black Chert	Oval	59.4	41.0	1,911	
Quartzite	Spherical	84.1	52.1	3,439	
Shale	Oval	107.8	38.6	3,266	
Quartzite	Spherical	134.4	112.4	11,858	
Black Chert	Spherical	97.2	76.7	5,852	
Black Chert	Spherical	139.6	124.0	13,588	
Quartzite	Spherical	387.2	193.4	58,783	
Quartz	Spherical	184.5	113.2	16,394	
Porphyry	Spherical	152.6	75.2	9,007	
Quartzite	Spherical	103.2	91.5	7,411	
Quartz	Spherical	79.0	42.6	2,641	

Locality: Western Holdings Ltd. - No. 2 Shaft

33 West Haulage Feg: A 4676

Co-ordinates: X + 30590.50 Y + 35249.17 ft.

X + 9323.98 Y + 10743.95 m.

Spherical A Axis	PEBBLE TYPE	PEBBLE SHAPE	A X	E S	PEBBLE AREA
Rectangular Axis	1 1 1	Spherical	, A.A	er en	redder Akra
Quartzite Oval 204.6 143.7 21,998 Shale Oval 104.5 51.3 4,207 Black Chert Oval 119.7 36.2 3,401 Quartz Spherical 143.1 108.8 12,221 Black Chert Oval 119.0 46.5 4,343 Quartz Spherical 79.3 38.1 2,564 Quartz Spherical 79.5 38.1 2,564 Quartzite Oval 293.6 161.4 37,603 Porphyry Spherical 271.3 193.8 41,258 Quartz Spherical 1271.3 193.8 41,258 Quartz Spherical 1271.3 193.8 41,258 Quartz Spherical 127.1 116.0 11,072 Shale Oval 107.0 59.4 4,988 Slate Oval 115.2 56.1 4,984 Quartzite Spherical 78.3 75.3 <td< th=""><th></th><th>Rectangular</th><th></th><th></th><th>^</th></td<>		Rectangular			^
Shale Oval 104.5 51.3 4,207 Black Chert Oval 119.7 36.2 3,401 Quartz Spherical 143.1 108.8 12,221 Black Chert Oval 119.0 46.5 4,343 Quartz Spherical 98.9 71.7 5,566 Quartz Spherical 79.3 38.1 2,364 Quartzite Oval 293.6 161.4 37,505 Porphyry Spherical 271.3 193.8 41,258 Quartz Spherical 271.3 193.8 41,258 Quartz Spherical 271.3 193.8 41,258 Quartz Spherical 121.6 116.0 11,072 Shale Oval 107.0 59.4 4,988 Slate Oval 113.2 56.1 4,988 Slate Oval 186.2 36.7 2,482 Quartz Spherical 155.0 128.1 15,385 </td <td>Quartz</td> <td>Oval</td> <td>143.3</td> <td>67.1</td> <td>7,547</td>	Quartz	Oval	143.3	67.1	7,547
Black Chert Oval 119.7 36.2 3,401	Quartzite	Oval	204.6	143.7	21,998
Quartz Spherical 143,1 108,8 12,221 Black Chert Oval 119,0 46.5 4,343 Quartz Spherical 98.9 71.7 5,566 Quartz Spherical 79.3 38.1 2,564 Quartzite Oval 293.6 161.4 37,603 Porphyry Spherical 271.3 193.8 41,258 Quartz Spherical 121.6 116.0 11,072 Shale Oval 107.0 59.4 4,988 State Oval 115.2 56.1 4,984 Quartzite Oval 86.2 36.7 2,482 Quartz Spherical 98.3 75.3 5,809 Quartzite Spherical 153.0 128.1 15,385 Black Chert Spherical 78.2 49.9 3,063 Quartz Oval 152.6 87.5 10,481 Quartz Oval 172.1 121.5 16,4	Shale	Oval	104.5	51.3	4,207
Black Chert Oval 119.0 46.5 4,343	Black Chert	Oval	119.7	36.2	3,401
Quartz Spherical 98.9 71.7 5,566 Quartz Spherical 79.3 38.1 2,364 Quartzite Oval 293.6 161.4 37,603 Porphyry Spherical 271.3 193.8 41,258 Quartz Spherical 121.6 116.0 11,072 Shale Oval 107.0 59.4 4,988 Slate Oval 113.2 56.1 4,984 Quartzite Oval 86.2 36.7 2,482 Quartzite Oval 86.2 36.7 2,482 Quartz Spherical 98.3 75.3 5,809 Quartz Spherical 153.0 128.1 15,385 Black Chert Spherical 78.2 49.9 3,063 Quartz Oval 97.5 31.3 2,395 Shale Spherical 172.1 121.5 16,414 Quartzite Spherical 241.7 103.6 19,65	Quartz	Spherical	143.1	108.8	12,221
Quartz Spherical 79.3 38.1 2,364 Quartzite Oval 293.6 161.4 37,603 Porphyry Spherical 271.3 193.8 41,258 Quartz Spherical 121.6 116.0 11,072 Shale Oval 107.0 59.4 4,988 Slate Oval 113.2 56.1 4,984 Quartzite Oval 86.2 36.7 2,482 Quartz Spherical 98.3 75.3 5,809 Quartzite Spherical 153.0 128.1 15,385 Black Chert Spherical 78.2 49.9 3,063 Quartz Oval 97.5 31.3 2,395 Shale Spherical 172.1 121.5 16,414 Quartz Oval 97.5 31.3 2,395 Shale Spherical 241.7 103.6 19,656 Quartz Spherical 98.2 79.0 6,089 <td>Black Chert</td> <td>Oval</td> <td>119.0</td> <td>46.5</td> <td>4,343</td>	Black Chert	Oval	119.0	46.5	4,343
Quartzite Oval 293.6 161.4 37,603 Porphyry Spherical 271.3 193.8 41,258 Quartz Spherical 121.6 116.0 11,072 Shale Oval 107.0 59.4 4,988 Slate Oval 113.2 56.1 4,984 Quartzite Oval 86.2 36.7 2,482 Quartz Spherical 98.3 75.3 5,809 Quartz Spherical 155.0 128.1 15,385 Black Chert Spherical 155.0 128.1 15,385 Black Chert Spherical 78.2 49.9 3,063 Quartz Oval 152.6 87.5 10,481 Quartz Oval 97.5 31.3 2,395 Shale Spherical 172.1 121.5 16,414 Quartz Spherical 269.3 237.1 48,139 Quartz Spherical 241.7 103.6 <t< td=""><td>Quartz</td><td>Spherical</td><td>98.9</td><td>71.7</td><td>5,566</td></t<>	Quartz	Spherical	98.9	71.7	5,566
Porphyry Spherical 271.3 193.8 41,258 Quartz Spherical 121.6 116.0 11,072 Shale Oval 107.0 59.4 4,988 Slate Oval 113.2 56.1 4,984 Quartzite Oval 86.2 36.7 2,482 Quartz Spherical 98.3 75.3 5,809 Quartz Spherical 155.0 128.1 15,385 Black Chert Spherical 78.2 49.9 3,063 Quartz Oval 152.6 87.5 10,481 Quartz Oval 97.5 31.3 2,395 Shale Spherical 172.1 121.5 16,414 Quartzite Spherical 269.3 237.1 48,139 Quartz Spherical 241.7 103.6 19,656 Quartz Spherical 79.9 41.2 2,583 Quartz Spherical 79.9 41.2 2,5	Quartz	Spherical	79.3	38.1	2,364
Quartz Spherical 121.6 116.0 11,072 Shale Oval 107.0 59.4 4,988 Slate Oval 113.2 56.1 4,984 Quartzite Oval 86.2 36.7 2,482 Quartz Spherical 98.3 75.3 5,809 Quartzite Spherical 153.0 128.1 15,385 Black Chert Spherical 78.2 49.9 3,063 Quartz Oval 152.6 87.5 10,481 Quartz Oval 97.5 31.3 2,395 Shale Spherical 172.1 121.5 16,414 Quartzite Spherical 269.3 237.1 48,139 Quartz Spherical 241.7 103.6 19,656 Quartz Spherical 98.2 79.0 6,089 Quartz Spherical 79.9 41.2 2,583 Quartz Spherical 163.1 114.3 14,	Quartzite	Oval	293.6	161.4	37,603
Shale Oval 107.0 59.4 4,988 Slate Oval 113.2 56.1 4,984 Quartzite Oval 86.2 36.7 2,482 Quartz Spherical 98.3 75.3 5,809 Quartzite Spherical 153.0 128.1 15,385 Black Chert Spherical 78.2 49.9 3,063 Quartz Oval 152.6 87.5 10,481 Quartz Oval 97.5 31.3 2,395 Shale Spherical 172.1 121.5 16,414 Quartzite Spherical 269.3 237.1 48,139 Quartz Spherical 241.7 103.6 19,656 Quartz Spherical 98.2 79.0 6,089 Quartz Spherical 79.9 41.2 2,583 Quartz Spherical 97.3 68.0 5,193 Quartz Spherical 149.0 91.5 10,701<	Porphyry	Spherical	271.3	193.8	
Shale Oval 107.0 59.4 4,988 Slate Oval 113.2 56.1 4,984 Quartzite Oval 86.2 36.7 2,482 Quartz Spherical 98.3 75.3 5,809 Quartz Spherical 153.0 128.1 15,385 Black Chert Spherical 78.2 49.9 3,063 Quartz Oval 152.6 87.5 10,481 Quartz Oval 97.5 31.3 2,395 Shale Spherical 172.1 121.5 16,414 Quartzite Spherical 269.3 237.1 48,139 Quartz Spherical 241.7 103.6 19,656 Quartz Spherical 98.2 79.0 6,089 Quartz Spherical 79.9 41.2 2,583 Quartz Oval 163.1 114.3 14,633 Quartz Spherical 179.3 68.0 5,193	Quartz	Spherical	121.6	116.0	11,072
Quartzite Oval 86.2 36.7 2,482 Quartz Spherical 98.3 75.3 5,809 Quartzite Spherical 153.0 128.1 15,385 Black Chert Spherical 78.2 49.9 3,063 Quartz Oval 152.6 87.5 10,481 Quartz Oval 97.5 31.3 2,395 Shale Spherical 172.1 121.5 16,414 Quartzite Spherical 269.3 237.1 48,139 Quartz Spherical 241.7 103.6 19,656 Quartz Spherical 241.7 103.6 19,656 Quartz Spherical 79.9 41.2 2,583 Quartz Spherical 79.9 41.2 2,583 Quartz Oval 163.1 114.3 14,633 Quartz Spherical 179.0 91.5 10,701 Shale Oval 104.4 63.7	Shale	Oval	107.0	59.4	
Quartz Spherical 98.3 75.3 5,809 Quartzite Spherical 153.0 128.1 15,385 Black Chert Spherical 78.2 49.9 3,063 Quartz Oval 152.6 87.5 10,481 Quartz Oval 97.5 31.3 2,395 Shale Spherical 172.1 121.5 16,414 Quartzite Spherical 269.3 237.1 48,139 Quartz Spherical 241.7 103.6 19,656 Quartz Spherical 98.2 79.0 6,089 Quartzite Spherical 79.9 41.2 2,583 Quartz Spherical 79.9 41.2 2,583 Quartz Spherical 97.3 68.0 5,193 Quartz Spherical 149.0 91.5 10,701 Shale Oval 104.4 63.7 5,220 Black Chert Spherical 171.3 127.1	Slate	Oval	113.2	56.1	4,984
Quartzite Spherical 153.0 128.1 15,385 Black Chert Spherical 78.2 49.9 3,063 Quartz Oval 152.6 87.5 10,481 Quartz Oval 97.5 31.3 2,395 Shale Spherical 172.1 121.5 16,414 Quartzite Spherical 269.3 237.1 48,139 Quartz Spherical 241.7 103.6 19,656 Quartz Spherical 98.2 79.0 6,089 Quartz Spherical 79.9 41.2 2,583 Quartzite Oval 163.1 114.3 14,633 Quartz Spherical 97.3 68.0 5,193 Quartz Spherical 149.0 91.5 10,701 Shale Oval 104.4 63.7 5,220 Black Chert Spherical 171.3 127.1 17,091 Quartz Oval 123.3 94.3	Quartzite	Oval	86.2	36.7	2,482
Black Chert Spherical 78.2 49.9 3,063 Quartz Oval 152.6 87.5 10,481 Quartz Oval 97.5 31.3 2,395 Shale Spherical 172.1 121.5 16,414 Quartzite Spherical 269.3 237.1 48,139 Quartz Spherical 241.7 103.6 19,656 Quartzite Spherical 98.2 79.0 6,089 Quartzite Spherical 79.9 41.2 2,583 Quartzite Oval 163.1 114.3 14,633 Quartz Spherical 97.3 68.0 5,193 Quartz Spherical 149.0 91.5 10,701 Shale Oval 104.4 63.7 5,220 Black Chert Spherical 171.3 127.1 17,091 Quartz Oval 123.3 94.3 9,127 Quartz Oval 113.0 67.2 <t< td=""><td>Quartz</td><td>Spherical</td><td>98.3</td><td>75.3</td><td>5,809</td></t<>	Quartz	Spherical	98.3	75.3	5,809
Black Chert Spherical 78.2 49.9 3,063 Quartz Oval 152.6 87.5 10,481 Quartz Oval 97.5 31.3 2,395 Shale Spherical 172.1 121.5 16,414 Quartzite Spherical 269.3 237.1 48,139 Quartz Spherical 241.7 103.6 19,656 Quartzite Spherical 98.2 79.0 6,089 Quartzite Spherical 79.9 41.2 2,583 Quartzite Oval 163.1 114.3 14,633 Quartz Spherical 97.3 68.0 5,193 Quartz Spherical 149.0 91.5 10,701 Shale Oval 104.4 63.7 5,220 Black Chert Spherical 171.3 127.1 17,091 Quartz Oval 123.3 94.3 9,127 Quartz Oval 113.0 67.2 <t< td=""><td>Quartzite</td><td>Spherical</td><td>153.0</td><td>128.1</td><td>15,385</td></t<>	Quartzite	Spherical	153.0	128.1	15,385
Quartz Oval 152.6 87.5 10,481 Quartz Oval 97.5 31.3 2,395 Shale Spherical 172.1 121.5 16,414 Quartzite Spherical 269.3 237.1 48,139 Quartz Spherical 241.7 103.6 19,656 Quartzite Spherical 98.2 79.0 6,089 Quartz Spherical 79.9 41.2 2,583 Quartzite Oval 163.1 114.3 14,633 Quartzite Oval 163.1 114.3 14,633 Quartzite Spherical 97.3 68.0 5,193 Quartzite Spherical 149.0 91.5 10,701 Shale Oval 104.4 63.7 5,220 Black Chert Spherical 171.3 127.1 17,091 Quartzite Spherical 171.3 127.1 17,091 Quartz Oval 123.3 94.3	Black Chert	Spherical	78.2	49.9	
Quartz Oval 97.5 31.3 2,395 Shale Spherical 172.1 121.5 16,414 Quartzite Spherical 269.3 237.1 48,139 Quartz Spherical 241.7 103.6 19,656 Quartzite Spherical 98.2 79.0 6,089 Quartz Spherical 79.9 41.2 2,583 Quartzite Oval 163.1 114.3 14,633 Quartzite Spherical 97.3 68.0 5,193 Quartzite Spherical 149.0 91.5 10,701 Shale Oval 104.4 63.7 5,220 Black Chert Spherical 67.4 42.9 2,340 Quartzite Spherical 171.3 127.1 17,091 Quartz Oval 123.3 94.3 9,127 Quartz Oval 113.0 67.2 5,960 Porphyry Spherical 104.3 79.8	Quartz	Oval	152.6	87.5	
Shale Spherical 172.1 121.5 16,414 Quartzite Spherical 269.3 237.1 48,139 Quartz Spherical 241.7 103.6 19,656 Quartzite Spherical 98.2 79.0 6,089 Quartz Spherical 79.9 41.2 2,583 Quartzite Oval 163.1 114.3 14,633 Quartz Spherical 97.3 68.0 5,193 Quartzite Spherical 149.0 91.5 10,701 Shale Oval 104.4 63.7 5,220 Black Chert Spherical 67.4 42.9 2,340 Quartzite Spherical 171.3 127.1 17,091 Quartz Oval 123.3 94.3 9,127 Quartz Oval 113.0 67.2 5,960 Porphyry Spherical 151.5 113.6 13,509 Slate Spherical 343.1 213.7 <td>Quartz</td> <td>Oval</td> <td>97.5</td> <td>31.3</td> <td></td>	Quartz	Oval	97.5	31.3	
Quartzite Spherical 269.3 237.1 48,139 Quartz Spherical 241.7 103.6 19,656 Quartzite Spherical 98.2 79.0 6,089 Quartz Spherical 79.9 41.2 2,583 Quartzite Oval 163.1 114.3 14,633 Quartz Spherical 97.3 68.0 5,193 Quartz Spherical 149.0 91.5 10,701 Shale Oval 104.4 63.7 5,220 Black Chert Spherical 67.4 42.9 2,340 Quartzite Spherical 171.3 127.1 17,091 Quartz Oval 123.3 94.3 9,127 Quartz Oval 113.0 67.2 5,960 Porphyry Spherical 151.5 113.6 13,509 Slate Spherical 104.3 79.8 6,531 Quartzite Spherical 343.1 213.7 57,556	Shale	Spherical	172.1	121.5	
Quartzite Spherical 98.2 79.0 6,089 Quartz Spherical 79.9 41.2 2,583 Quartzite Oval 163.1 114.3 14,633 Quartz Spherical 97.3 68.0 5,193 Quartzite Spherical 149.0 91.5 10,701 Shale Oval 104.4 63.7 5,220 Black Chert Spherical 67.4 42.9 2,340 Quartzite Spherical 171.3 127.1 17,091 Quartz Oval 123.3 94.3 9,127 Quartz Oval 113.0 67.2 5,960 Porphyry Spherical 151.5 113.6 13,509 Slate Spherical 104.3 79.8 6,531 Quartzite Spherical 343.1 213.7 57,556	Quartzite	Spherical	269.3	237.1	
Quartz Spherical 79.9 41.2 2,583 Quartzite Oval 163.1 114.3 14,633 Quartz Spherical 97.3 68.0 5,193 Quartzite Spherical 149.0 91.5 10,701 Shale Oval 104.4 63.7 5,220 Black Chert Spherical 67.4 42.9 2,340 Quartzite Spherical 171.3 127.1 17,091 Quartz Oval 123.3 94.3 9,127 Quartz Oval 113.0 67.2 5,960 Porphyry Spherical 151.5 113.6 13,509 Slate Spherical 104.3 79.8 6,531 Quartzite Spherical 343.1 213.7 57,556	Quartz	Spherical	241.7	103.6	19,656
Quartzite Oval 163.1 114.3 14,633 Quartz Spherical 97.3 68.0 5,193 Quartzite Spherical 149.0 91.5 10,701 Shale Oval 104.4 63.7 5,220 Black Chert Spherical 67.4 42.9 2,340 Quartzite Spherical 171.3 127.1 17,091 Quartz Oval 123.3 94.3 9,127 Quartz Oval 113.0 67.2 5,960 Porphyry Spherical 151.5 113.6 13,509 Slate Spherical 104.3 79.8 6,531 Quartzite Spherical 343.1 213.7 57,556	Quartzite	Spherical	98.2	79.0	6,089
Quartz Spherical 97.3 68.0 5,193 Quartzite Spherical 149.0 91.5 10,701 Shale Oval 104.4 63.7 5,220 Black Chert Spherical 67.4 42.9 2,340 Quartzite Spherical 171.3 127.1 17,091 Quartz Oval 123.3 94.3 9,127 Quartz Oval 113.0 67.2 5,960 Porphyry Spherical 151.5 113.6 13,509 Slate Spherical 104.3 79.8 6,531 Quartzite Spherical 343.1 213.7 57,556	Quartz	Spherical	79.9	41.2	2,583
Quartzite Spherical 149.0 91.5 10,701 Shale Oval 104.4 63.7 5,220 Black Chert Spherical 67.4 42.9 2,340 Quartzite Spherical 171.3 127.1 17,091 Quartz Oval 123.3 94.3 9,127 Quartz Oval 113.0 67.2 5,960 Porphyry Spherical 151.5 113.6 13,509 Slate Spherical 104.3 79.8 6,531 Quartzite Spherical 343.1 213.7 57,556	Quartzite	Oval	163.1	114.3	14,633
Shale Oval 104.4 63.7 5,220 Black Chert Spherical 67.4 42.9 2,340 Quartzite Spherical 171.3 127.1 17,091 Quartz Oval 123.3 94.3 9,127 Quartz Oval 113.0 67.2 5,960 Porphyry Spherical 151.5 113.6 13,509 Slate Spherical 104.3 79.8 6,531 Quartzite Spherical 343.1 213.7 57,556	Quartz	Spherical	97.3	68.0	5,193
Black Chert Spherical 67.4 42.9 2,340 Quartzite Spherical 171.3 127.1 17,091 Quartz Oval 123.3 94.3 9,127 Quartz Oval 113.0 67.2 5,960 Porphyry Spherical 151.5 113.6 13,509 Slate Spherical 104.3 79.8 6,531 Quartzite Spherical 343.1 213.7 57,556	Quartzite	Spherical	149.0	91.5	10,701
Quartzite Spherical 171.3 127.1 17,091 Quartz Oval 123.3 94.3 9,127 Quartz Oval 113.0 67.2 5,960 Porphyry Spherical 151.5 113.6 13,509 Slate Spherical 104.3 79.8 6,531 Quartzite Spherical 343.1 213.7 57,556	Shale	Oval	104.4	63.7	5,220
Quartz Oval 123.3 94.3 9,127 Quartz Oval 113.0 67.2 5,960 Porphyry Spherical 151.5 113.6 13,509 Slate Spherical 104.3 79.8 6,531 Quartzite Spherical 343.1 213.7 57,556	Black Chert	Spherical	67.4	42.9	2,340
Quartz Oval 123.3 94.3 9,127 Quartz Oval 113.0 67.2 5,960 Porphyry Spherical 151.5 113.6 13,509 Slate Spherical 104.3 79.8 6,531 Quartzite Spherical 343.1 213.7 57,556	Quartzite	Spherical	171.3	127.1	17,091
Porphyry Spherical 151.5 113.6 13,509 Slate Spherical 104.3 79.8 6,531 Quartzite Spherical 343.1 213.7 57,556	Quartz	,	123.3	94.3	9,127
Slate Spherical 104.3 79.8 6,531 Quartzite Spherical 343.1 213.7 57,556	Quartz	Oval	113.0	67.2	5,960
Slate Spherical 104.3 79.8 6,531 Quartzite Spherical 343.1 213.7 57,556	Porphyry	Spherical	151.5	113.6	13,509
Quartzite Spherical 343.1 213.7 57,556	Slate	familian in a company of the company	چه د صد د سو د سو د سو چ سور د سو و سده سه اغ	. Take a second	r y was y year a gent a combia de tra ment tenta a ment a monta a monta de la combia de la combia.
and the second contract of the second contrac	Quartzite	and the second s		ه جسته آم مطوعه مطوعه مستور مسور منبيو د خييد لا مديد و	Annual Company and the state of the company of the
	Black Chert	Spherical		هم خواه د همه د ممه د او	

Locality: Western Holdings Ltd. - No. 2 Shaft

> 33 West Haulage Peg: A 3574

Co-ordinates: X + 30618.56 X + 9332.54 Y + 34188.15 ft.

Y + 10420.55 m

PEBBLE TYPE	PEBBLE SHAPE				
I IIIIIII I I I I I	Spherical	A X	E S	PEBBLE AREA	
	Oval Rectangular Elongated	A Axis	C Axis	$\frac{1}{2}A \times \frac{1}{2}C \times 3.14$ (mm ²)	
Quartz	Spherical	102.3	57.8	4,640	
Black Chert	Spherical	191.2	151.3	22,713	
Shale	Spherical	73.1	31.0	1,778	
Black Chert	Spherical	196.3	143.7	22,143	
Quartzite	Spherical	195.8	156.8	24,100	
Quartzite	Spherical	102.4	68.3	5,489	
Quartz	Spherical	146.3	132.7	15,239	
Quartzite	Spherical	191.6	166.3	25,012	
Banded Chert	Oval	123.4	68.3	6,615	
Porphyry	Spherical	94.1	78.4	5,790	
Quartzite	Spherical	94.3	68.7	5,085	
Black Chert	Oval	188.6	93.8	13,886	
Quartzite	Spherical :	91.4	58.6	4,204	
Quartz	Spherical	80.6	34.9	2,207	
Black Chert	Oval	162.4	81.7	10,415	
Quartzite	Oval	126.0	69.3	6,853	
Quartz	Spherical	174.9	128.4	17,628	
Quartz	Spherical	191.6	114.8	17,266	
Slate	Spherical	122.8	97.9	9,437	
Quartzite	Spherical !	184.3	126.7	18,329	
Shale	Spherical	79.0	55.3	3,428	
Slate	Spherical	92.6	43.8	3,183	
Quartz	Spherical	153.1	139.6	16,777	
Black Chert	Oval	181.3	51.2	7,286	
Quartzite	Spherical	163.7	120.4	15,471	
Quartz	Spherical	168.9	154.3	20,459	
Shale	Elongated	110.3	37.9	3,281	
Black Chert	Oval	138.1	71.4	7 , 740	
Quartzite	Oval	118.3	91.7	8,515	
Quartzite	Oval	121.7	89.5	8,620	
Quartz	Oval	102.0	56.3	4,507	
Porphyry	Spherical	92.4	67.8	4,917	
Quartzite	Spherical	91.1	72.9	5,213	
Quartzite	Oval	119.3	84.6	7,922	
Black Chert	and the second of the second o	105.7	49.6 j	4,114	
Quartzite	Spherical	86.8	71.2	4,851	
Quartzite	Spherical	166.3	128.4	16,761	

Locality:

Western Holdings Ltd. - No. 2 Shaft

33 West Haulage

Peg: A 3574

Co-ordinates:

X + 30618.56

Y + 34188.15 ft.

X + 9332.54

Y + 10420.55 m.

PEBBLE TYPE	PEBBLE SHAPE Spherical	A X 1	E S	PEBBLE AREA
	Oval Rectangular Elongated	A Axis (mm)	C Axis (mm)	½A x ½C x 3.14 (mm ²)
Shale	Spherical	170.8	121.4	16,276
Black Chert	Oval	169.1	114.8	15,238
Black Chert	Oval	103.0	54.7	4,422
Shale	Oval	76.3	45.9	2,749
Black Chert	Spherical	183.9	149.3	21,552
Quartzite	Oval	120.1	62.8	5,920
Quartz	Cval	107.4	47.9	4,038
Shale	Spherical	168.3	112.5	14,862
Black Chert	Oval	163.1	49.3	63,114
Porphyry	Spherical	83.7	39.6	2,601
Quartzite	Oval	114.3	52.8	4,737
Slate	Spherical	71.2	43.1	2,408
Quartz	Oval	105.3	56.1	4,636
Porphyry	Spherical	87.4	68.3	4,685
Black Chert	Oval	121.4	49.1	4,678
Quartzite	Spherical	94.6	43.7	3,245
Quartzite	Oval	117.2	38.6	3,550
Shale	Oval	107.4	56.2	4,737
Chert	Oval	98.3	46.7	3,603
Quartzite	Oval	107.2	42.9	3,609
Quartz	Oval	92.4	56.8	4,119
Quartz	Spherical	79.3	51.2	3,187
Quartzite	Oval	84.8	34.2	2,276
Porphyry	Oval :	111.8	58.9	5,169
Black Chert	Oval	161.0	79.0	9,982
Porphyry	Spherical	75.3	41.0	2,423
Quartz	Spherical	97.5	64.2	4,913
Quartzite	Oval	121.3	56.2	5,351
Chert	Oval	93.4	48.3	3,541
Quartz	Oval	117.2	46.8	4,304
Quartzite	Oval	107.3	49.2	4,144
Quartzite	Oval	102.7	57.8	4,659
Shale	Spherical	91.2	59.5	4,261
Quartzite	Oval	102.3	47.8	3,838
Quartzite	Spherical	89.2	53.4	3,669
Quartzite	Oval	112.6	47.8	4,233
Shale	Elongated	131.0	71.4	7,339

Locality: Western Holdings Ltd. - No. 2 Shaft

33 West Haulage Peg: A 3574

Co-ordinates: X + 30618.56 Y + 34188.15 ft.

X + 9332.54 Y + 10420.55 m.

PEBBLE TYPE	PEBBLE SHAPE Spherical	A X E	S	PEBBLE AREA
	Oval Rectangular Elongated	A Axis (mm)	C Axis (mm)	$\frac{1}{2}A \times \frac{1}{2}C \times 3.14$ (mm ²)
Shale	Oval	131.3	59•7	6,148
Quartzite	Oval	196.2	87.4	13,460
Black Chert	Oval	127.4	59.8	5,980
Quartzite	Spherical	99.1	64.7	5,032
Black Chert	Oval	93.7	38.6	2,838
Quartz	Oval	103.2	59.6	4,827
Banded Chert	Spherical	58.7	32.9	1,515
Black Chert	Spherical	147.2	103.5	11,959
Porphyry	Spherical	73.1	32.7	18,761
Shale	Oval	105.2	58.6	4,837
Quartz	Spherical	148.2	129.4	15,053
Quartzite	Spherical	187.2	163.4	24,011
Quartzite	Oval	123.9	62.0	6,029
Shale	Spherical	94.4	62.7	4,645
Quartzite	Oval	180.4	97.8	13,849
Quartz	Spherical	91.3	52.9	3, 790
Black Chert	Oval	156.2	69.6	8,533
Slate	Oval	128.2	93.4	9,398
Quartzite	Spherical	168.4	126.4	16,708
Quartz	Spherical	153.2	127.1	15,284
Black Chert	Oval	182.4	59.6	8,533
Quartzite	Oval	162.8	119.4	15,258
Quartz	Spherical	169.2	151.3	20,095
Shale	Spherical	110.5	49.2	4,267
Black Chert	Oval	135.6	91.2	11,139
Quartzite	Spherical	128.1	96.8	9,734
Quartzite	Oval	126.4	89.8	8,909
Quartz	Oval	102.0	64.4	5,155
Porphyry	Spherical	96.8	59.6	4,528
Quartzite	Spherical	91.8	76.7	5,527
Quartzite	Oval	120.3	86.4	8,158
Quartz	Oval	106.8	46.4	3,889
Black Chert	Oval	163.3	79.1	10,137
Quartzite	Spherical	162.1	123.7	15,740
Shale	Spherical	173.8	123.4	16,835
Black Chert	Oval	169.3	102.1	13,568

Locality:

Western Holdings Ltd. - No. 2 Shaft

Peg A.3787

Co-ordinates:

33 West Haulage X + 30,541.20

Y + 34,637.17 ft.

X + 9308.96

Y + 10557.41 m.

PEBBLE TYPE	PEBBLE SHAPE Spherical	AX	E S	PEBBLE AREA
	Oval Rectangular Elongated	A Axis (mm)	C Axis (mm)	¹ / ₂ A x ¹ / ₂ C x 3.14 (mm ²)
Quartz	Spherical	151.2	126.8	15,050
Quartzite	Oval	80.6	40.1	2,522
Shale	Spherical	161.1	128.4	16,233
Quartzite	Oval	95.2	51.6	3,840
Quartzite	Spherical	136.5	114.9	12,311
Shale	Spherical	129.1	56.3	5,685
Shale	Spherical	142.6	121.8	13,555
Quartz	Spherical	83.7	56.1	3,697
Quartzite	Oval	141.8	58.2	6,378
Quartzite	Spherical	163.3	137.1	17,568
Black Chert	Oval	109.6	51.3	4,255
Quartz	Oval	172.4	126.5	17,119
Quartz	Oval	105.1	37.3	3 , 077
Quartz	Spherical	144.3	128.7	14,491
Quartz	Spherical	66.1	41.9	21,344
Quartzice	Oval	161.3	127.1	16,093
Quartz	Oval	104.8	52.9	4 , 269
Shale	Oval	92.8	31.4	2,779
Black Chert	Spherical	149.7	130.0	15,275
Quartzite	Spherical	160.5	123.8	15,597
Shale	Oval	117.4	64.9	5,958
Shale	Oval	102.3	58.6	4,695
Quartzite	Spherical	149.2	121.0	12,047
Quartz	Spherical	158.1	122.3	15,190
Quartz	Cval	141.6	97.3	11,436
Shale	Oval	139.4	57.0	6,311
Quartz	Spherical	146.2	117.3	13,461
Quartz	Spherical	178.1	132.4	17,517
Black Chert	Spherical	143.2	136.5	15,343
Quartz	Oval	152.4	91.6	10,934
Quartz	Spherical	154.3	137.2	16,617
black Chort	Oval	109.9	58.4	4,881
Quartz	Spherical	123.3	102.1	9,517
Quartzite	Spherical	158.0	126.7	15,813
Black Chert	Oval	126.1	59.7	5,990
Black Chert	Oval	146.3	62.3	7,151

Locality: Western Holdings Ltd. - No. 2 Shaft.

33 West Haulage Peg: A 3787

Co-ordinates: X + 30541.20 Y + 34657.17 ft.

X + 9308.96 Y + 10557.41 m.

PEBBLE TYPE	PEBBLE SHAPE Spherical	A X 1	E S	PEBBLE AREA
 	Oval Rectangular Elongated	A Axis	C Axis (mm)	½A x ½C x 3.14 (mm ²)
Quartz	Sphorical	187.1	149.2	21,913
Quartz	Oval	148.1	68.3	7,940
Quartz	Spherical	123.7	101.4	9,859
Quartz	Oval	102.8	59.3	5 , 607
Quartz	Oval	176.1	69.2	9,201
Quartz	Spherical	151.7	122.6	14,599
Quartzite	Oval	102.8	49.1	3,705
Quartz	Oval	118.4	94.6	8,724
Black Chert	Spherical	166.9	135.7	17,778
Black Chert	Oval	132.6	85.4	9,905
Shale	Oval	91.3	45.7	3,509
Porphyry	Spherical	93.8	61.2	4,467
Quartzite	Spherical	63.9	49.4	2,448
Quartz	Spherical	153.0	130.3	15,648
Quartzite	Spherical	172.8	116.1	15,748
Porphyry	Spherical	148.1	132.6	15,446
Black Chert	Spherical	169.5	137.1	18,241
Quartzite	Oval :	126.1	97.4	9,550
Quartzite	Oval	118.4	66.7	6,140
Shale	Spherical :	164.8	132.6	17,395
Porphyry	Spherical	149.6	119.1	13,986
Slate	Oval	137.1	61.0	6,249
Quartzite	Oval	158.6	41.4	4,641
Quartz	Oval	106.4	39.7	3,368
Quartz	Spherical	146.2	118.9	13,645
Black Chert	Spherical	184.3	112.4	16,276
Black Chert	Oval	119.7	47.3	4,410
Shale	Oval	206.3	141.2	21,912
Porphyry	Spherical	98.1	64.4	5,017
Black Chert	Oval	114.0	69.5	6,147
Quartz	Spherical	151.7	142.9	17,016
Shale	Oval	104.3	82.7	6,682
Quartzite	Spherical	162.3	121.0	15,364
Quartzite	Oval	101.1	53.7	4,260
Quartz	Oval	144.2	48.6	5,440
Quartz	Spherical	163.2	129.7	16,623

Locality: Western Holdings Ltd. - No. 2 Shaft.

33 West Haulage Peg: A 3787

Co-ordinates: X + 30541.20 Y + 34637.17 ft.

X + 9308.96 Y + 10557.41 m.

PEBBLE TYPE	PEBBLE SHAPE Spherical	AXES		PEBBLE AREA
	Oval Rectangular Elongated	A Axis (mm)	C Axis (mm)	½A x ½C x 3.14 (mm ²)
Porphyry	Spherical	98.3	51.8	4,807
Slate	Spherical	86.4	56.1	3 , 910
Quartz	Spherical	112.7	101.3	9,200
Quartz	Spherical	143.6	106.3	12,016
Black Chert	Oval	113.7	43.2	3 , 821.
Quartzite	Oval	119.4	59.9	5,611
Quartz	Spherical	99.1	88.7	7,010
ର୍uartzite	Oval	108.3	64.3	5,482
Quartzite	0val	129.2	56.4	5,093
Black Chert	Spherical	99.8	71.4	5,609
Quartzite	Oval	140.0	59.6	6,377
Quartzite	Spherical	163.8	129.4	17,064

Locality: Western Holdings Ltd. - No. 2 Shaft.

33 East Haulage Peg: F 9144 + 500'

Co-ordinates: X + 30457.11 Y + 33162.96 ft.

X + 9283.33 Y + 10108.07 m.

PEBBLE TYPE	PEBBLE SHAPE	л X Е	S	PEBBLE AREA
: :	Spherical Oval	A Axis	C Axis	½A x ½C x 3.14
* * * * * * * * * * * * * * * * * * *	Rectangular Elongated	(mb)	(mm)	(mm ²)
Quartz	Spherical	80.6	43.8	2,771
Shale	Spherical	47.1	31.0	1,146
Quartzite	Spherical	65.2	32.6	1,668
Quartzite	Spherical	90.1	51.8	3,663
Quartz	Spherical	95.3	40.7	3,044
Quartz	Spherical	85.2	33.6	2,246
Porphyry	Spherical	75.0	62.1	3 , 655
Quartzite	Spherical	88.2	43.7	3,025
Quartz	Spherical	102.3	68.9	5,532
Shale	Spherical	91.1	51.4	3,675
Quartzite	Spherical	72.8	51.9	2,965
Black Chert	Oval	78.1	30.3	1,857
Black Chert	Oval	127.4	56.3	5,630
Slate	Oval	79.1	32.4	2,011
luartzite	Oval	101.1	53.8	4,269
Shale	Spherical	180.2	102.3	14,470
Black Chert	Oval	123.6	78.1	7,577
Black Chert	Oval	142.0	91.1	10,154
Shale	Spherical	112.2	41.1	3,621
Quartzite	Oval	107.1	43.9	3,696
Quartzite	Spherical	81.0	61.0	3,878
Quartz	Oval	95.6	39.4	2,956
Quartzite	Oval	97.0	59.3	4,515
Black Chert	Oval	69.1	33.8	1,832
Quartzite	Oval	100.2	47.0	3,696
Quartz	Spherical	78.3	59.6	3,662
Quartz	Oval	83.1	42.7	2,785
Black Chert	Oval	114.3	89.8	8,057
Shale	Oval	91.2	51.1	3,658
Quartz	Oval	107.0	34.3	2,880
Quartz	Oval	88.0	40.0	2,763
Quartzite	Spherical	71.2	51.0	2,850
Black Chert	Oval	115.5	53.8	4,879
Porphyry	Oval	131.0	35.7	3,648
Shale	Oval	82.3	36.9	2,383
Quartz	Spherical	87.1	62.3	4,259
Black Chert	Oval	102.7	37.1	2,990

Locality :

Western Holdings Ltd. - No. 2 Shaft.

33 East Haulage

Peg: F 9144 + 5001

X + 9283.33

Y + 10108.07 m.

PEBBLE TYPE	PEBBLE SHAPE		نسهيد فليور نخست فقطف نبيره جواب دائم جاند جند	e de la composition della comp
	Spherical	AXE	S	PEBBLE AREA
	Oval Rectangular Elongated	A Axis (mm)	C Axis (mm)	$\frac{1}{2}A \times \frac{1}{2}C \times 3.14$ (mm ²)
Quartzite	Oval	96.9	31.0	2,357
Shale	Spherical	68.5	41.7	2,241
Black Chert	Oval	112.8	30.4	2,691
Black Chert	Oval	97.8	32.3	2,479
Quartz	Oval	107.2	58.8	4,947
Quartzite	Spherical	78.6	58.2	3,467
Black Chert	Oval	104.4	41.3	3,384
Porphyry	Spherical	69.3	36.0	1,957
Quartzite	Spherical	97.1	52.7	4,016
Quartzite	Spherical	93.4	54.2	3,973
Black Chert	Oval	80.8	36.8	2,333
Quartz	Spherical	94.9	52.4	3,903
Quartz	Oval	121.2	24.7	2,349
Shale	Oval	92.7	30.2	2,197
Quartz	Oval	76.0	48.9	2,917
Quartzite	Oval	126.3	42.0	4,163
Quartzite	Oval	148.5	34.1	4,079
Quartz	Spherical	68.0	54.5	2,909
Black Chert	Oval	97.7	29.4	2,254
Quartzite	Oval	86.9	62.2	4,242
Quartzite	Oval	102.1	26.7	2,139
Shale	Spherical	69.5	51.1	2,787
Quartzite	Oval	80.0	36.5	2,292
Quartz	Oval	103.2	49.1	3,977
Slate	Oval	126.3	37.1	3,677
Shale	Oval	90.7	43.0	3,061
Quartzite	Spherical	94.6	59.3	4,432
Quartz	Spherical	84.5	40.7	2,699
Black Chert	Oval	79.2	47.2	2,934
Quartzite	Oval	104.8	45.9	3,775
Porphyry	Oval	91.7	31.1	2,238
Quartz	Spherical	87.3	63.7	4,365
Quartzite	Oval	126.9	59.5	5,926
Black Chert	Gval	114.1	39.0	3,492
Quartzite	Oval	84.0	31.3	2,063
Quartzite	Oval	104.0	30.7	2,505
Quartz	Spherical	78.4	46.2	2,843
Quartzite	Spherical	92.6	54.8	3,983

Locality : Western Holdings Ltd. - No. 2 Shaft.

33 East Haulage Peg: F 9144 + 500'

Co-ordinates: X + 30457.11

¥ + 33162.96 ft.

X + 928**3.33**

Y + 10108.07 m.

PEBBLE TYPE	PEBBLE SHAFE Spherical	A X E S		PEBBLE AREA
, ter - ter	Oval	A Axis	C Axis	½A x ½C x 3.14
1	Rectangular Elongated	(mm)	(mm)	(nm ²)
Black Chert	Oval	89.4	33.6	2,357
Quartzite	Cval	102.2	64.9	5,199
Shale	Spherical	107.3	43.3	3,846
Quartz	Oval	121.9	46.7	4,468
Black Chert	Oval	84.2	38.1	2,518
Black Chert	Oval	97.3	27.0	2,062
Quartzite	Oval	110.7	35.3	3,066
Quartz	Spherical	84.4	51.9	3,438
Shale	Oval	97.7	26.8	2 , 055
Black Chert	Oval	101.3	23.6	1,876
Quartzite	Spherical	89.9	56.2	3,965
Quartzite	Spherical	76.5	62.5	3,753
Quartzite	Oval	103.4	51.0	4,139
Quartzite	Spherical	92.0	57.7	4,166
Shale	Oval	112.7	45.9	4,060
Black Chert	Oval	97.1	34.2	2,606
Forphyry	Oval	109.2	32.7	2,802
Quartzite	Spherical	88.7	62.3	4,337
Quartz	Spherical	76.3	38.7	2,317
Black Chert	Oval	195.0	39.9	6,107
Quartz	Spherical	63.4	42.8	3,131
Quartzite	Oval	113.7	46.0	4,105
Quartz	Spherical	97.3	51.8	4,055
Quartzite	Spherical	88.8	56.2	3,917
Slate	Spherical	67.1	46.7	2,459
Quartzite	Oval	121.0	24.3	2,307
Quartzite	Spherical	89.7	52.4	3,689
Slate	Spherical	78.2	61.7	3,786
Black Chert	Oval	123.9	56.9	5,533
Black Chert	Oval	171.3	93.2	12,532
Quartz	Oval	79.6	36.1	2,255
Guartz	Oval	108.6	43.0	3,665
Black Chert	Oval	114.1	49.3	4,414
Shale	Oval	84.5	36.0	2,387
Porphyry	Oval	107.0	39.5	3,317
Quartzito	Spherical	79.0	64.9	4,024
Quartzite	Oval	117.3	36.2	3,333

Locality:

Western Holdings Ltd. - No. 2 Shaft.

33 East Haulage

Peg: F.9117

Co-ordinates:

X + 30457.17

Y + 32926.42 ft.

X + 9283.34

Y + 10035.97 m.

FEBBLE TYPE	PEBBLE SHAPE		ر مود میواد شود شوار در چیار میدار سد . سال است. ا	nente Anea	
1	Spherical	AXE		PEBBLE AREA	
	Oval Rectangular Elongated	A Axis (mm)	C Axis (mm)	$\frac{1}{2}$ A $\times \frac{1}{2}$ C $\times 3.14$ (mm ²)	
Quartz	Spherical	217.4	130.0	22,185	
Porphyry	Oval	143.6	95.4	10,753	
Quartzite	Oval	127.2	93.3	9,315	
Quartzite	Spherical	170.8	123.7	16,584	
Quartzite	Oval	153.0	72.6	8,718	
Quartzite	Spherical	93•3	56.6	4,144	
Quartzite	Oval	135.5	93.2	9,912	
Black Chert	Spherical	89.9	51.0	3,598	
Quartzite	Oval	197.2	86.9	13,451	
Quartzite	Oval	114.1	88.0	7,881	
Black Chert	Spherical	144.1	81.1	9,175	
Black Chert	Spherical	110.5	83.5	7,242	
Shale	Spherical	87.4	54.3	3,724	
Shale	Oval	103.3	56.5	4,581	
Quartzite	Oval	134.2	91.7	9,660	
Porphyry	Oval	173.6	82.1	11,187	
Shale	Oval	112.5	67.7	5,978	
Quartzite	Oval	219.9	114.2	19,712	
Quartz	Gval	124.8	87.9	8,610	
Porphyry	Oval	190.1	83.3	12,430	
Black Chert	Cval	103.4	48.6	3,944	
Quartz	Spherical	92.2	51.2	3,705	
Quartzite	Oval	102.5	56.3	4,529	
Quartz	Oval	88.3	38.8	2,689	
Slate	Oval	82.8	49.1	3,191	
Quartzite	Oval	134.2	52.2	5,498	
Quartzite	Oval	196.5	41.9	6,462	
Black Chert	Oval	92.9	38.9	2,836	
Quartz	Spherical	87.0	52.4	3,578	
Porphyry	Oval	107.4	38.3	3,228	
Quartzite	Oval	94.7	43.8	3,255	
Quartzite	Oval	116.3	54.5	4,975	
Slate	Oval	85.8	56.2	3,784	
Quartzite	Oval	72.5	36.6	2,082	
Shale	Oval	101.2	39.7	3,153	
Quartz	Spherical	74.7	60.9	3,570	
Black Chert	Oval	97.9	42.1	3,234	

Locality:

Western Holdings Ltd. - No. 2 Shaft.

Peg: F.9117

Co-ordinates: X + 30457.17

33 East Haulage

Y + 32926.42 ft.

X + 928**3.3**4

Y + 10035.97 m.

PEBBLE TYPE	PEBBLE SHAPE Spherical	A X E	S	PEBBLE AREA
	Oval Rectangular Elongated	A Axis (mm)	C Axis (mm)	¹ ⁄ ₂ A x ½C x 3.14 (mm ²)
Black Chert	Oval	107.1	38.4	3,227
Quartzite	Oval	142.0	63.4	7,066
Black Chert	Oval	93.3	48.2	3,530
Black Chert	Oval	114.8	51.4	4,631
Shale	Spherical	69.2	30.6	1,661
Quartzite	Spherical	98.0	31.1	2,391
Quartz	Oval	119.4	36.3	3,402
Quartzite	Spherical	73.6	68.5	3,957
Porphyry	Ovel	102.9	42.2	3,408
Shale	Elongated	93.2	35.9	2,625
Black Chert	Oval	192.1	43.1	6,499
Quartz	Oval	102.5	49.7	3,998
Quartz	Oval	84.3	36.3	2,402
Black Chert	Oval	172.8	48.5	6,578
Black Chert	Cval	123.7	23.4	2,271
Slate	Cval	121.2	52.7	5,012
Quartzite	Spherical	89.4	61.2	4,294
Quartzite	Oval.	121.3	24.1	2,294
Slate	Oval	132.0	46.5	4,818
Quartzite	Oval	180.5	51.3	7,268
Quartz	Oval	93.2	59.9	4,381
Black Chert	Oval	112.0	41.8	3,674
Quartz	Spherical	92.6	66.1	4,804
Black Chert	Oval	102.5	32.5	2,614
Quartz	Oval	176.5	38.0	5,264
Slate	Spherical	88.3	53.0	3,673
Porphyry	Oval	106.4	39.4	3,290
Quartz	Spherical	99.3	46.5	3,524
Porphyry	Cval_	114.9	42.3	3,815
Black Chert	Spherical	93.2	51.8	3,789
Porphyry	Oval	107.4	51.9	4,373
Quartzite	Spherical	76.1	68.0	4,061
Quartz	Spherical	89.0	61.3	4,282
Quartzite	Oval	121.9	47.1	4,506
Black Chert	Oval	109.8	39.5	3,404
Slate	Spherical	89.0	51.4	3,590
Slate	Oval	100.0	36.3	2,849

Locality:

Western Holdings Ltd. - No. 2 Shaft.

33 East Haulage

Peg: F.9117

Co-ordinates:

X + 30457.17

Y + 32926.42 ft.

X + 9283.34

Y + 10035.97 m.

PEBBLE TYPE	PEBBLE SHAPE Spherical	A X	E S	PEBELE AREA
	Oval Rectangular Elongated	A A xis (mm)	C Axis	$\frac{1}{2}$ A x $\frac{1}{2}$ C x 3.14 (mm ²).
Black Chert	Oval	123.4	29.7	2,876
Quartz	Spherical	98.5	45.2	3,549
Quartzite	Spherical	141.2	112.1	12,424
Quartzite	Oval	92.5	36.1	2,621
Slate	Oval	98.6	49.2	3,808
Elack Chert	Spherical	117.0	73.7	6 , 768
Porphyry	Spherical	148.3	91.3	10,628
Quartz	Oval	279.9	137.9	30,299
Quartzite	Spherical	98.1	60.0	4,620
Black Chert	Spherical	183.4	119.3	17,175
Quartz	Oval	159.5	56.0	7,011
Black Chert	Oval	130.6	89.5	10,578
Shale	Elongated	189.1	53.5	7,941
Quartz	Oval	127.4	73.3	7,330
Quartzite	Oval	183.5	62.2	8,959
Quartzite	Oval	104.7	78.9	4,847
Shale	Oval	112.0	44.0	3,868
Slate	Spherical	98.9	58.3	4,525
Quartz	Spherical	94.0	83.5	6,161
Porphyry	Oval	195.1	57.2	8,759
Black Chert	Oval	124.6	63.0	6,159
Black Chert	Spherical	96.7	62.5	4,743
Quartzite	Spherical	112.2	71.7	6,317
Shale	Oval	123.2	69.7	6,740
Quartzite	Oval	114.5	88.3	7,936
Shale	Spherical	105.0	92.8	7,649
Quartz	Oval	123.3	72.6	7,026
Porphyry	Oval	195.9	61.5	9,456
Black Chert	Spherical	120.8	81.0	7,680
Quartz	Spherical	150.4	96.3	11,391
Quartzite	Oval	193.2	104.6	15,863

Locality: Western Holdings Ltd. - No. 2 Shaft.

33 East Haulage Peg: H. 379

Co-ordinates: X + 30194.04 Y + 32305.60 ft.

X + 9203.14 Y + 9846.75 m.

PEBBLE TYPE	PEBBLE SHAPE				
	Spherical	A X	E S	PEBBLE AREA	
	Oval Rectangular Elongated	A Axis (mm)	C Axis	$\frac{1}{2}$ A x $\frac{1}{2}$ C x 3.14 (mm ²)	
Quartz	Spherical	170.4	125.3	16,760	
Shale	Spherical	130.7	98.7	10,126	
Quartzite	Spherical	205.2	140.2	22,583	
Quartzite	Spherical	219.9	163.9	28,290	
Quartzite	Oval	190.0	88.8	13,242	
Quartz	Oval	150.3	80.1	9,450	
Shale	Oval	140.8	73.5	8,123	
Quartz	Spherical	145.2	120.4	13,723	
Quartzite	Spherical	168.5	98.2	12,988	
Quartzite	Spherical	114.7	80.6	7,256	
Quartz	Spherical	132.3	90.5	9,398	
Quartzite	Spherical	121.2	100.9	9,599	
Porphyry	Spherical	193.5	131.2	19,928	
Quartzite	Spherical	150.8	105.0	12,429	
Quartz	Spherical :	120.4	84.3	7,967	
Black Chert	Oval	195.3	65.7	9,979	
Forphyry	Oval	123.2	78.8	15,470	
Quartz	Spherical	105.5	69.5	5,755	
Shale	Spherical	114.9	83.4	7,521	
Quartzite	Oval	123.7	56.6	5,496	
Shale	Spherical	112.2	97.5	8 , 587	
Quartzite	Spherical	93.8	56.3	4,144	
Black Chert	Oval	107.5	44.2 !	3,729	
Black Chert	Oval	195.7	71.9	11,044	
Porphyry	Spherical	94.0	52.1	3,844	
Slate	Spherical	98.2	55.5	4,278	
Shale	Spherical	130.3	73.4	7,507	
Quartzite	Spherical	104.8	71.6	5,889	
Quartzite	Oval	183.5	73.6	10,601	
Quartz	Spherical	128.2	71.2	7,164	
Shale	Spherical	88.7	53.9	3,752	
Black Chert	Oval	193.1	66.0 \	10,004	
Quartz	Oval	107.7	48.2	4,074	
Black Chert	Spherical	184.6	120.7	17,490	
Quartzite	Spherical	92.0	61.0	4,405	
Quartz	Oval	281.1	140.3	30,958	
Porphyry	Oval	153.8	99.8	12,048	

Locality: Western Holdings Ltd. - No. 2 Shaft.

33 East Haulage Peg: H. 379

Co-ordinates: X + 30194.04 Y + 32305.60 ft.

X + 9203.14 Y + 9846.75 m.

Spherical A Axis C Axis Fax C x 3.14	PEBBLE TYPE	PEBBLE SHAPE	ΑXΕ	S	PEBBLE AREA
Stack Chert Oval 101.4 85.2 6,781	; ; ; ; ;	Oval Rectangular			½A x ½C x 3.14
Slate Spherical 95.2 41.6 3,108 Black Chert Oval 121.3 41.4 3,941 Shalo Oval 106.4 49.4 4,167 Quartzite Spherical 271.2 136.2 29,019 Guartz Oval 144.0 72.4 8,183 Quartz Spherical 107.7 89.4 7,558 Porphyry Spherical 151.1 73.1 8,670 Quartz Spherical 183.5 104.3 15,007 Quartzite Spherical 183.5 104.3 15,007 Quartzite Spherical 281.2 181.3 40,020 Black Chert Spherical 137.5 118.7 12.811 Black Chert Spherical 134.1 104.8 11,031 Shale Oval 107.1 46.0 3,866 Quartzite Spherical 92.5 51.4 3,731 Black Chert Spherical 161.0	Blook Chomb	ರ್ಷನ್ ನಿರ್ವಹಿಸಲಾಗಿ ಹೇಳು ಬಹುಗೆ ಬಗ್ಗೆ ಬ ಕ	androughth man man read resolves of		بداء فتا فكالمائية والمتار فيتا فيأم فيأم فيام فيام فيام المام والمام والمائية والمائية والمائية والمتار
Black Chert Oval 121.3	·	The same of the sa			
Shalo Oval 106.4 49.4 4,167 Quartzite Spherical 271.2 136.2 29,019 Quartz Oval 144.0 72.4 8,183 Quartz Spherical 81.5 51.8 3,313 Quartzite Spherical 107.7 89.4 7,558 Porphyry Spherical 151.1 75.1 8,670 Quartz Spherical 183.3 104.3 15,007 Quartzite Spherical 281.2 181.3 40,020 Black Chert Spherical 137.5 118.7 12,811 Black Chert Spherical 91.9 72.2 5,208 Quartzite Spherical 134.1 104.8 11,031 Shale Oval 107.1 46.0 3,866 Quartzite Spherical 92.5 51.4 3,731 Black Chert Spherical 161.0 107.6 13,598 Quartz Spherical 162.0	The street of the form of the contract of the	manyan in manangan kanangan k		·	ar arm a sale t apper a part of ages a last to part or taken a last of ages to grow to deter or ages in taken to sale
Quartzite Spherical 271.2 135.2 29,019 Quartz Oval 144.0 72.4 8,183 Quartz Spherical 81.5 51.8 5,313 Quartzite Spherical 107.7 89.4 7,558 Porphyry Spherical 151.1 73.1 8,670 Quartz Spherical 183.3 104.3 15,007 Quartzite Spherical 281.2 181.3 40,020 Black Chert Spherical 137.5 118.7 12,811 Black Chert Spherical 91.9 72.2 5,208 Quartzite Spherical 134.1 104.8 11,031 Shale Oval 107.1 46.0 3,866 Quartzite Spherical 92.5 51.4 3,731 Black Chert Spherical 92.5 51.4 2,062 Quartz Spherical 161.0 107.6 13,598 Quartz Spherical 162.0	E description of the form of the contract of t	the same of the sa	the second control of	Carriera de la procesa de la p	بر مين د مين د مين د مين د مين د مين المين د مين د . -
Quartz Oval 144.0 72.4 8,183 Quartz Spherical 81.5 51.8 3,313 Quartzite Spherical 107.7 89.4 7,558 Porphyry Spherical 151.1 73.1 8,670 Quartz Spherical 183.3 104.3 15,007 Quartzite Spherical 281.2 181.3 40,020 Black Chert Spherical 137.5 118.7 12,811 Black Chert Spherical 91.9 72.2 5,208 Quartzite Spherical 134.1 104.8 11,031 Shale Oval 107.1 46.0 3,866 Quartzite Spherical 92.5 51.4 3,731 Black Chert Spherical 53.2 49.4 2,062 Quartz Spherical 161.0 107.6 13,598 Quartz Spherical 162.4 66.3 9,493 Quartz Spherical 133.2		فيوم موادمت ميدند بمدادي الباديي المسال التا		The same and an experience of the same and a	, <u></u>
Quartz Spherical 81.5 51.8 3,313 Quartzite Spherical 107.7 89.4 7,558 Porphyry Spherical 151.1 75.1 8,670 Quartz Spherical 183.3 104.5 15,007 Quartzite Spherical 281.2 181.3 40,020 Black Chert Spherical 137.5 118.7 12,811 Black Chert Spherical 91.9 72.2 5,208 Quartzite Spherical 134.1 104.8 11,031 Shale Oval 107.1 46.0 3,866 Quartzite Spherical 92.5 51.4 3,731 Black Chert Spherical 53.2 49.4 2,062 Quartz Spherical 161.0 107.6 13,598 Quartz Spherical 182.4 66.3 9,493 Quartz Oval 158.3 38.1 4,734 Quartzite Spherical 133.2	g . Te page ya rapa rapa ran ran ran ran barran d	para and and Construction of the construction	- <u> </u>		
Quartzite Spherical 107.7 89.4 7,558 Porphyry Spherical 151.1 73.1 8,670 Quartz Spherical 183.3 104.3 15,007 Quartzite Spherical 281.2 181.3 40,020 Black Chert Spherical 137.5 118.7 12,811 Black Chert Spherical 91.9 72.2 5,208 Quartzite Spherical 134.1 104.8 11,031 Shale Oval 107.1 46.0 3,866 Quartzite Spherical 92.5 51.4 3,731 Black Chert Spherical 92.5 51.4 3,731 Black Chert Spherical 161.0 107.6 13,598 Quartz Spherical 161.0 107.6 13,598 Quartz Spherical 182.4 66.3 9,493 Quartz Spherical 136.7 217.7 61,798 Quartz Spherical 1	The Transport of the Control of the				
Forphyry Spherical 151.1 73.1 8,670 Quartz Spherical 183.3 104.3 15,007 Quartzite Spherical 281.2 181.3 40,020 Black Chert Spherical 137.5 118.7 12,811 Black Chert Spherical 91.9 72.2 5,208 Quartzite Spherical 134.1 104.8 11,031 Shale Oval 107.1 46.0 3,866 Quartzite Spherical 92.5 51.4 3,731 Black Chert Spherical 53.2 49.4 2,062 Quartz Spherical 161.0 107.6 13,598 Quartz Spherical 182.4 66.3 9,493 Quartz Spherical 158.3 38.1 4,734 Quartzite Spherical 133.2 72.7 61,798 Quartz Spherical 133.2 72.4 7,569 Quartz Spherical 163.7 <th>i su Tanggan manggan samu unu unu mangan pangga B</th> <th>and the state of t</th> <th></th> <th><u> </u></th> <th></th>	i su Tanggan manggan samu unu unu mangan pangga B	and the state of t		<u> </u>	
Quartz Spherical 185.3 104.3 15,007 Quartzite Spherical 281.2 181.3 40,020 Black Chert Spherical 137.5 118.7 12,811 Black Chert Spherical 91.9 72.2 5,208 Quartzite Spherical 134.1 104.8 11,031 Shale Oval 107.1 46.0 3,866 Quartzite Spherical 92.5 51.4 3,731 Black Chert Spherical 53.2 49.4 2,062 Quartz Spherical 161.0 107.6 13,598 Quartz Spherical 182.4 66.3 9,493 Quartz Oval 158.3 38.1 4,734 Quartz Spherical 361.7 217.7 61,798 Quartzite Spherical 133.2 72.4 7,569 Quartz Spherical 133.1 81.3 8,813 Quartz Oval 101.3 <	E	, — , — , — ; — , — , — , — , — , — , —	and the state of t)	
Quartzite Spherical 281.2 181.3 40,020 Black Chert Spherical 137.5 118.7 12,811 Black Chert Spherical 91.9 72.2 5,208 Quartzite Spherical 134.1 104.8 11,031 Shale Oval 107.1 46.0 3,866 Quartzite Spherical 92.5 51.4 3,731 Black Chert Spherical 53.2 49.4 2,062 Quartz Spherical 161.0 107.6 13,598 Quartz Spherical 182.4 66.3 9,493 Quartz Oval 158.3 38.1 4,734 Quartzite Spherical 361.7 217.7 61,798 Quartzite Spherical 133.2 72.4 7,569 Quartz Spherical 138.1 81.3 8,813 Quartz Oval 101.3 52.8 4,198 Quartz Oval 138.0 6	Entra Maria de la maria della maria della maria della della maria	and the second s	· · · · · · · · · · · · · · · · · · ·	dan kananan kanalan banan baran berana. Banan banan b	
Black Chert Spherical 137.5 118.7 12,811 Black Chert Spherical 91.9 72.2 5,208 Quartzite Spherical 134.1 104.8 11,031 Shale Oval 107.1 46.0 3,866 Quartzite Spherical 92.5 51.4 3,731 Black Chert Spherical 53.2 49.4 2,062 Quartz Spherical 161.0 107.6 13,598 Quartz Spherical 182.4 66.3 9,493 Quartz Spherical 182.4 66.3 9,493 Quartz Oval 158.3 38.1 4,734 Quartzite Spherical 361.7 217.7 61,798 Quartzite Spherical 133.2 72.4 7,569 Quartz Spherical 133.1 81.3 8,813 Quartz Oval 101.3 52.8 4,198 Quartz Oval 138.0 61.1 </th <th>Eradisus raarimisus sur sur raarium raarium raari B</th> <th>د حسد د منود ادر حسد حسد ادر عادی عادی دادی . در قاطع و سرو سروی . ع</th> <th></th> <th>(</th> <th></th>	Eradisus raarimisus sur sur raarium raarium raari B	د حسد د منود ادر حسد حسد ادر عادی عادی دادی . در قاطع و سرو سروی . ع		(
Black Chert Spherical 91.9 72.2 5,208 Quartzite Spherical 134.1 104.8 11,031 Shale Oval 107.1 46.0 3,866 Quartzite Spherical 92.5 51.4 3,731 Black Chert Spherical 53.2 49.4 2,062 Quartz Spherical 161.0 107.6 13,598 Quartz Spherical 182.4 66.3 9,493 Quartz Spherical 158.3 38.1 4,734 Quartzite Spherical 361.7 217.7 61,798 Quartzite Spherical 133.2 72.4 7,569 Quartz Spherical 133.1 81.3 8,813 Quartz Spherical 163.7 108.9 13,993 Quartz Oval 138.0 61.1 1,618 Black Chert Spherical 89.1 46.0 3,216 Quartzite Oval 187.3 <td< th=""><th>Quartzite</th><th>Spherical</th><th></th><th>-</th><th></th></td<>	Quartzite	Spherical		-	
Quartzite Spherical 134.1 104.8 11,031 Shale Oval 107.1 46.0 3,866 Quartzite Spherical 92.5 51.4 3,731 Black Chert Spherical 53.2 49.4 2,062 Quartz Spherical 161.0 107.6 13,598 Quartz Spherical 182.4 66.3 9,493 Quartz Oval 158.3 38.1 4,734 Quartzite Spherical 361.7 217.7 61,798 Quartzite Spherical 133.2 72.4 7,569 Quartz Spherical 138.1 81.3 8,813 Quartz Oval 101.3 52.8 4,198 Quartzite Oval 101.3 52.8 4,198 Quartz Spherical 163.7 108.9 13,993 Quartz Oval 138.0 61.1 1,618 Black Chert Spherical 89.1 46.0	Black Chert	Spherical	gardin and a single same is made at some at the contract of the south		a make a mangapang a mangapang ang ang mangapang ang mangapang ang a mangapang ang ang ang ang ang ang ang ang
Shale Oval 107.1 46.0 3,866 Quartzite Spherical 92.5 51.4 3,731 Black Chert Spherical 53.2 49.4 2,062 Quartz Spherical 161.0 107.6 13,598 Quartz Spherical 182.4 66.3 9,493 Quartz Oval 158.3 38.1 4,734 Quartzite Spherical 361.7 217.7 61,798 Quartzite Spherical 133.2 72.4 7,569 Quartz Spherical 133.1 81.3 8,813 Quartz Spherical 101.3 52.8 4,198 Quartzite Oval 101.3 52.8 4,198 Quartz Spherical 163.7 108.9 13,993 Quartz Oval 138.0 61.1 1,618 Black Chert Spherical 140.0 71.4 7,803 Shale Oval 187.3 109.0	Black Chert	Spherical	91.9	72.2	ومغطم وطعت بتيهم وطعو ومطر ويتباك ببيد رجيب منهدي ميدي بيدون سيروسد
Quartzite Spherical 92.5 51.4 3,731 Black Chert Spherical 53.2 49.4 2,062 Quartz Spherical 161.0 107.6 13,598 Quartz Spherical 182.4 66.3 9,493 Quartz Oval 158.3 38.1 4,734 Quartzite Spherical 361.7 217.7 61,798 Quartzite Spherical 133.2 72.4 7,569 Quartz Spherical 138.1 81.3 8,813 Quartz Oval 101.3 52.8 4,198 Quartz Spherical 163.7 108.9 13,993 Quartz Oval 138.0 61.1 1,618 Black Chert Spherical 89.1 46.0 3,216 Quartzite Oval 140.0 71.4 7,803 Shale Oval 187.3 109.0 16,025 Quartzite Oval 131.2 86.3	Quartzite	Spherical	134.1	104.8	11,031
Black Chert Spherical 53.2 49.4 2,062 Quartz Spherical 161.0 107.6 13,598 Quartz Spherical 182.4 66.3 9,493 Quartz Oval 158.3 38.1 4,734 Quartzite Spherical 361.7 217.7 61,798 Quartzite Spherical 133.2 72.4 7,569 Quartz Spherical 138.1 81.3 8,813 Quartz Spherical 101.3 52.8 4,198 Quartzite Oval 101.3 52.8 4,198 Quartz Spherical 163.7 108.9 13,993 Quartz Oval 138.0 61.1 1,618 Black Chert Spherical 89.1 46.0 3,216 Quartzite Oval 140.0 71.4 7,803 Shale Oval 187.3 109.0 16,025 Quartzite Oval 131.2 86.3	Shale	Oval	107.1	46.0	3,866
Quartz Spherical 161.0 107.6 13,598 Quartz Spherical 182.4 66.3 9,493 Quartz Oval 158.3 38.1 4,734 Quartzite Spherical 361.7 217.7 61,798 Quartzite Spherical 133.2 72.4 7,569 Quartz Spherical 138.1 81.3 8,813 Quartz Oval 101.3 52.8 4,198 Quartzite Oval 163.7 108.9 13,993 Quartz Spherical 163.7 108.9 13,993 Quartz Oval 138.0 61.1 1,618 Black Chert Spherical 89.1 46.0 3,216 Quartzite Oval 140.0 71.4 7,803 Shale Oval 187.3 109.0 16,025 Quartzite Oval 131.2 86.3 8,887 Black Chert Oval 92.6 48.9 3,5	Quartzite	Spherical	92.5	51.4	3,731
Quartz Spherical 182.4 66.3 9,493 Quartz Oval 158.3 38.1 4,734 Quartzite Spherical 361.7 217.7 61,798 Quartzite Spherical 133.2 72.4 7,569 Quartz Spherical 138.1 81.3 8,813 Quartz Oval 101.3 52.8 4,198 Quartz Spherical 163.7 108.9 13,993 Quartz Oval 138.0 61.1 1,618 Black Chert Spherical 89.1 46.0 3,216 Quartzite Oval 140.0 71.4 7,803 Shale Oval 187.3 109.0 16,025 Quartzite Oval 122.9 61.0 5,884 Black Chert Oval 131.2 86.3 8,887 Black Chert Oval 92.6 48.9 3,554 Quartzite Spherical 151.5 112.0 1	Black Chert	Spherical	53.2	49.4	2,062
Quartz Oval 158.3 38.1 4,734 Quartzite Spherical 361.7 217.7 61,798 Quartzite Spherical 133.2 72.4 7,569 Quartz Spherical 138.1 81.3 8,813 Quartz Oval 101.3 52.8 4,198 Quartz Spherical 163.7 108.9 13,993 Quartz Oval 138.0 61.1 1,618 Black Chert Spherical 89.1 46.0 3,216 Quartzite Oval 140.0 71.4 7,803 Shale Oval 187.3 109.0 16,025 Quartzite Oval 122.9 61.0 5,884 Black Chert Oval 131.2 86.3 8,887 Black Chert Oval 92.6 48.9 3,554 Quartzite Spherical 151.5 112.0 13,319 Quartz Oval 139.0 52.1 5,684	Quartz	Spherical	161.0	107.6	13,598
Quartzite Spherical 361.7 217.7 61,798 Quartzite Spherical 133.2 72.4 7,569 Quartz Spherical 138.1 81.3 8,813 Quartzite Oval 101.3 52.8 4,198 Quartz Spherical 163.7 108.9 13,993 Quartz Oval 138.0 61.1 1,618 Black Chert Spherical 89.1 46.0 3,216 Quartzite Oval 140.0 71.4 7,803 Shale Oval 187.3 109.0 16,025 Quartzite Oval 122.9 61.0 5,884 Black Chert Oval 131.2 86.3 8,887 Guartzite Spherical 151.5 112.0 13,319 Quartz Oval 139.0 52.1 5,684	Quartz	Spheri c al	182.4	66.3	9,493
Quartzite Spherical 133.2 72.4 7,569 Quartz Spherical 138.1 81.3 8,813 Quartzite Oval 101.3 52.8 4,198 Quartz Spherical 163.7 108.9 13,993 Quartz Oval 138.0 61.1 1,618 Black Chert Spherical 89.1 46.0 3,216 Quartzite Oval 140.0 71.4 7,803 Shale Oval 187.3 109.0 16,025 Quartzite Oval 122.9 61.0 5,884 Black Chert Oval 131.2 86.3 8,887 Black Chert Oval 92.6 48.9 3,554 Quartzite Spherical 151.5 112.0 13,319 Quartz Oval 139.0 52.1 5,684	Quartz	Oval	158.3	38.1	4,734
Quartz Spherical 138.1 81.3 8,813 Quartzite Oval 101.3 52.8 4,198 Quartz Spherical 163.7 108.9 13,993 Quartz Oval 138.0 61.1 1,618 Black Chert Spherical 89.1 46.0 3,216 Quartzite Oval 140.0 71.4 7,803 Shale Oval 187.3 109.0 16,025 Quartzite Oval 122.9 61.0 5,884 Black Chert Oval 131.2 86.3 8,887 Black Chert Oval 92.6 48.9 3,554 Quartzite Spherical 151.5 112.0 13,319 Quartz Oval 139.0 52.1 5,684	Quartzite	Spherical	361.7	217.7	61,798
Quartzite Oval 101.3 52.8 4,198 Quartz Spherical 163.7 108.9 13,993 Quartz Oval 138.0 61.1 1,618 Black Chert Spherical 89.1 46.0 3,216 Quartzite Oval 140.0 71.4 7,803 Shale Oval 187.3 109.0 16,025 Quartzite Oval 122.9 61.0 5,884 Black Chert Oval 131.2 86.3 8,887 Black Chert Oval 92.6 48.9 3,554 Quartzite Spherical 151.5 112.0 13,319 Quartz Oval 139.0 52.1 5,684	Quartzite	Spherical	133.2	72.4	7,569
Quartz Spherical 163.7 108.9 13,993 Quartz Oval 138.0 61.1 1,618 Black Chert Spherical 89.1 46.0 3,216 Quartzite Oval 140.0 71.4 7,803 Shale Oval 187.3 109.0 16,025 Quartzite Oval 122.9 61.0 5,884 Black Chert Oval 131.2 86.3 8,887 Black Chert Oval 92.6 48.9 3,554 Quartzite Spherical 151.5 112.0 13,319 Quartz Oval 139.0 52.1 5,684	Quartz	Spherical	138.1	81.3	8,813
Quartz Oval 138.0 61.1 1,618 Black Chert Spherical 89.1 46.0 3,216 Quartzite Oval 140.0 71.4 7,803 Shale Oval 187.3 109.0 16,025 Quartzite Oval 122.9 61.0 5,884 Black Chert Oval 131.2 86.3 8,887 Black Chert Oval 92.6 48.9 3,554 Quartzite Spherical 151.5 112.0 13,319 Quartz Oval 139.0 52.1 5,684	Quartzite	Oval	101.3	52.8	4,198
Quartz Oval 138.0 61.1 1,618 Black Chert Spherical 89.1 46.0 3,216 Quartzite Oval 140.0 71.4 7,803 Shale Oval 187.3 109.0 16,025 Quartzite Oval 122.9 61.0 5,884 Black Chert Oval 131.2 86.3 8,887 Black Chert Oval 92.6 48.9 3,554 Quartzite Spherical 151.5 112.0 13,319 Quartz Oval 139.0 52.1 5,684	Quartz	Spherical	163.7	108.9	13,993
Quartzite Oval 140.0 71.4 7,803 Shale Oval 187.3 109.0 16,025 Quartzite Oval 122.9 61.0 5,884 Black Chert Oval 131.2 86.3 8,887 Black Chert Oval 92.6 48.9 3,554 Quartzite Spherical 151.5 112.0 13,319 Quartz Oval 139.0 52.1 5,684	Quartz	Oval	138.0	61.1	1,618
Shale Oval 187.3 109.0 16,025 Quartzite Oval 122.9 61.0 5,884 Black Chert Oval 131.2 86.3 8,887 Black Chert Oval 92.6 48.9 3,554 Quartzite Spherical 151.5 112.0 13,319 Quartz Oval 139.0 52.1 5,684	Black Chert	Spherical	89.1	46.0	3,216
Quartzite Oval 122.9 61.0 5,884 Black Chert Oval 131.2 86.3 8,887 Black Chert Oval 92.6 48.9 3,554 Quartzite Spherical 151.5 112.0 13,319 Quartz Oval 139.0 52.1 5,684	Quartzite	Oval	140.0	71.4	7,803
Quartzite Oval 122.9 61.0 5,884 Black Chert Oval 131.2 86.3 8,887 Black Chert Oval 92.6 48.9 3,554 Quartzite Spherical 151.5 112.0 13,319 Quartz Oval 139.0 52.1 5,684	Shale	Oval	187.3	109.0	16,025
Black Chert Oval 92.6 48.9 3,554 Quartzite Spherical 151.5 112.0 13,319 Quartz Oval 139.0 52.1 5,684	Quartzite	Oval	122.9	61.0	
Black Chert Oval 92.6 48.9 3,554 Quartzite Spherical 151.5 112.0 13,319 Quartz Oval 139.0 52.1 5,684	Black Chert	Oval	131.2	86.3	8,887
Quartzite Spherical 151.5 112.0 13,319 Quartz Oval 139.0 52.1 5,684	(- pargram ramaga e e abril este vide vide vide e abril e a B	Oval	للقهور المطاح محموا لقعد والمساو متداد المحاد متدا	ang and a second contract and a second contract. I	رست منظام به خط عند خواها في المهام المطالب و المطالب و حيث و حيث و حيث و حيث و الميان و منا و منا و منا و و
Quartz Oval 139.0 52.1 5,684	·	Spherical		*·=·=·=·=·	
	and the second contract of the second contrac		. بين د يين د يين د يين د يين د د دين _{د ي} ين د يين د د د يين	`~	و هيئيا و خطو نه خينه د خينه د خين د خطو يو مشد ه نشيد و دينيه ه چين و نسي خديب و نينو و دينيا ا
والمنظم والمنظم والمنظم والمنطون والمنط والمنطون والمنط والمنطون والمنطون والمنطون والمنطون والمنطون والمنطون والمنطون والمنطون و	grandan rangan sangan mengangkan kebagai sangan sangan sangan sangan sangan sangan sangan sangan sangan sangan Rangan sangan			j	خصاد علي المعلق والشواط مورد علي المعلق علي المهاد والمؤيد ويستاد فينت مسيد ميساد ويسد ، جريد ، جيدن أحسد المعلق والعلم المورد علي الموساء علي المهاد والمؤيد ويستاد فينت مسيد ميساد ويساد ، جريد ، جريد ، جيدن
Quartzite Spherical 55.4 43.5 1,891	I - mar or processors of come a great a great a great a great a great and a great and a great and a great and a great				, o a porte a gante a gante a page a page o pag -
Porphyry Spherical 58.7 36.2 1,667	graduram com com com com com com com com com co	Barrine was suggested in the contract of the second of the contract of		g	

Locality: Western Holdings Ltd. - No. 2 Shaft.

33 East Haulage Peg: H. 379

Co-ordinates: X + 30194.04 Y + 32305.60 ft.

X + 9203.14 Y + 9846.75 m.

PEBBLE TYPE	PEBBLE SHAPE Spherical	AXI	E S	PEBBLE AREA
	Oval Rectangular Elongated	A Axis	C Axis (mm)	$\frac{1}{2}A \times \frac{1}{2}C \times 3.14$ (mm ²)
Slate	Spherical	72.1	48.3	2,733
Quartz	Spherical	143.2	106.9	12,016
Slate	Spherical	70.3	44.0	2,428
Slate	Spherical	56.8	39.6	1,765
Quartzite	Oval	123.3	92.7	8,971
Quartzite	Oval	146.0	91.0	10,429
Quartz	Oval	151.0	87.3	10,347
Quartz	Spherical	112.3	110.3	9,723
Quartz	Spherical	171.2	127.5	17,134
Porphyry	Spherical	106.0	93.2	7 ,75 5
Porphyry	Oval	108.5	3 8.5	3,278
Shale	Spherical	181.7	132.8	18,941
Quartzite	Spherical	123.6	64.3	6,238
Quartzite	Oval	119.5	59.8	5,609
Slate	Oval	137.5	89.3	9,638
Quartzite	Spherical	326.5	120.6	30,909
Slate	Oval	110.5	56.5	4,899
Quartz :	Spherical	99.6	89.0	6 , 958
Quartzite	Oval	153.3	53.2	6,401
Black Chert	Spherical	179.0	131.9	18,533
Quartzite	Oval	158.5	69.1	8,597
Black Chert	Oval	92.2	42.4	3,068
Quartzite	Oval	84.7	59•5	3,955
Slate	Oval	108.3	64.6	5,491
Shale	Spherical	119.8	112.6	10,588
Quartz	Oval	123.9	87.5	8,510
Porphyry	Spherical	270.1	156.0	33,075
Porphyry	Oval	298.1	146.2	34,211
Quartzite	Oval	78.3	39.5	2,427
Quartz	Spherical	99.8	72.0	5,640
Quartzite	Oval	117.2	59.0	5,427

Locality: Western Holdings Ltd. - No. 2 Shaft.

33 East Haulage Peg: H. 744

Co-ordinates: X + 29847.07 Y + 31886.07 ft.

X + 9097.39 Y + 9718.87 m.

PEBBLE TYPE	PEBBLE SHAPE Spherical	. A X	F C	TO TOTAL TO THE CONTRACT OF TH
	Oval	frence ve ververe en	ويؤوما ومويما بالمداعة المداعدة سروا	PEBBLE AREA
	Rectangular Elongated	A Axis	C Axis (mm)	$\frac{1}{2}A \times \frac{1}{2}C \times 3.14$ $(mm2)$
Quartzite	Oval	218.8	160.0	27,475
Quartz	Oval	240.4	112.5	21,230
Quartzite	Oval	173.7	143.4	19,420
Black Chert	Oval	128.0	98.3	9,876
Quartz	Spherical	191.2	173.8	26,085
Black Chert	Spherical	117.8	69.9	6,463
Quartz	Spherical	205.4	93.2	15,027
Maroon Slate	Spherical	193.1	152.4	23,100
Quartzite	Spherical	216.0	184.6	31,300
Forphyry	Spherical	107.5	63.3	5,341
Maroon Slate	Spherical	219.2	58.0	9,971
Quartz	Spherical	284.9	168.5	32,922
Black Chert	Spherical	159.8	103.5	12,986
Shale	Spherical	169.3	64.2	8,532
Quartzite	Spherical	209.5	147.0	24,174
Quartz	Spherical	327.6	69.1	17,770
Black Chert	Spherical	96.4	52.1	3,942
Slate	Spherical	135.3	79.4	8,430
Maroon Slate	Spherical	109.0	81.5	6,973
Maroon Slate	Spherical	124.1	93.2	9,079
Quartzite	Spherical	154.9	150.6	18,317
Black Chert	Spherical	402.6	123.3	35,296
Quartz	Spherical	373.8	104.8	30,751
Quartzite	Spherical	281.0	160.5	35,403
Slate	Spherical	171.3	87.2	11,725
Quartzite	Spherical	190.5	93.7	13,870
Quartzite	Spherical	400.2	214.3	67,323
Porphyry	Spherical	191.5	92.2	14,016
Quartz	Spherical	174.5	161.5	22,122
Quartzite	Spherical	211.0	84.0	13,913
Slate	Spherical	134.0	63.9	6,721
Quartzite	Spherical	193.3	151.5	22,987
Quartzite	Spherical	128.2	46.6	4,689
Quartz	Spherical	310.8	72.7	17,737
Maroon Slate	Spherical	268.1	100.8	21,046
Quartzite	Spherical	194.0	167.9	25,569
Shale	Spherical	155.1	146.6	17,846

Locality:

Western Holdings Ltd. - No. 2 Shaft.

33 East Haulage

Peg: H. 744

Co-ordinates:

X + 29847.07

Y + 31886.07 ft.

X + 9097.39

Y + 9718.87 m.

PEBBLE TYPE	PEBBLE SHAPE Spherical	AXE	SS	FEBBLE AREA
	Oval Rectangular Elongated	A A xi s (mm)	C Axis (mm)	$\frac{1}{2}$ A x $\frac{1}{2}$ C x 3.14 (mm ²)
Quartz	Spherical	271.6	52.1	15,197
Quartz	Spherical	214.6	56.4	9,500
Quartzite	Spherical	116.3	92.8	8,471
Black Chert	Spherical	134.4	128.6	13,567
Quartz	Spherical	138.3	86.1	9,346
Quartz	Oval	117.4	64.7	5,962
Maroon Slate	Oval	247.3	183.6	35,642
Maroon Slate	Oval	253.6	107.1	21,320
Porphyry	Oval	149.6	97.3	11,426
Black Chert	Oval	102.3	58.6	4 , 695
Quartzite	Spherical	157.3	102.6	12,668
Maroon Chert	Oval	286.1	163.2	36,652
Quartzite	Spherical	180.4	114.3	16,185
Quartzite	Oval	107.3	56.2	4,733
Porphyry	Oval	144.2	59.2	4,581
Maroon Slate	Oval	218.4	142.7	24,464
Porphyry	Spherical	183.3	143.9	20,705
Quartzite	Spherical	109.2	89.0	7,528
Quartz	Spherical	136.8	74.2	8,064
Quartz	Spherical	164.0	118.4	15,242
Quartzite	Spher ic al	119.6	103.2	9,688
Quartzite	Oval	176.3	64.9	8,981
Black Chert	Oval	139.4	57.0	6,302
Quartz	Spherical	148.3	107.2	12,465
Shale	Spherical	161.4	141.7	17,951
Quartzite	Spherical	184.0	113.2	16,349
Slate	Spherical	136.4	110.5	11,831
Quartzite	Oval	181.2	63.9	9,086
Porphyry	Spherical	153.0	121.1	14,544
Quartzite	Oval	152.3	81.4	9,731
Slate Slate	Oval	144.6	103.0	11,692
Maroon Slate	Spherical	123.3	90.2	8,729
Quartzite	Spherical	147.2	98.1	11,335
Quartz	Oval	244.0	103.2	19,766
Slate	Oval	152.4	91.4	10,934
Porphyry	Spherical	193.2	102.6	15,813
Quartzite	Spherical	204.7	114.2	18,350

Locality :

Western Holdings Ltd. - No. 2 Shaft.

33 East Haulage Peg: H. 744

Co-ordinates:

X + 29847.07

Y + 31886.07 ft.

X + 9097.39 Y + 9718.87 m.

PEBBLE TYPE	PEBBLE SHAPE Spherical	AXE	S	PEBBLE AREA
	Oval Rectangular Elongated	A Axis	C Axis	½A x ½C ₂ x 3.14 (mm ²)
Quartz	Spherical	276.3	121.3	26,309
Quartzite	Spherical	303.1	210.2	50,013
Porphyry	Oval	191.2	91.4	13,717
Slate	Oval	122.5	121.4	11,676
Black Chert	Oval	191.1	126.3	18,945
Quartzite	Oval	142.0	89.3	9,953
Quartz	Spherical	133.4	77.2	8,083
Slate	Spherical	126.0	89.3	8,832
Quartzite	Oval	102.6	59.3	4,775
Shale	Spherical	181.4	103.0	14,666
Quartz	Oval	147.0	94.3	10,865
Quartzite	Spherical	164.3	112.8	14,548
Maroon Slate	Oval	110.2	61.3	5,302
Porphyry	Oval	269.0	126.2	26,648
Quartzite	Spherical	134.0	101.6	10,686
Quartzite	Oval	153.6	52.4	6,317
Slate	Oval	118.0	49.0	4,538
Quartzite	Oval	191.7	100.5	15,123
Black Chert	Oval	163.0	112.6	14,407
Quartz	Oval	152.3	93.2	11,142
Quartzite	Spherical	171.0	123.7	16,604

Locality :

Welkom G.M. Co. Ltd. - No. 3 Shaft.

30 Level Connection to J.V.S.

Co-ordinates:

X + 28329.87

Y + 22133.56 ft.

X + 8634.94

Y + 6746.31 m.

PEBBLE TYPE	PEBBLE SHAPE	E AXES		PEBBLE AREA
ŧ	Spherical Oval	A Axis		ر الله و الله الله الله و
	Rectangular Elongated	(mm)	C Axis	$\frac{1}{2}$ 4 x $\frac{1}{2}$ C x 3.14 (mm ²)
Black Chert	Oval	90.1	41.3	2,920
Black Chert	Spherical	33.6	32.5	1,406
Quartzite	Oval	74.0	34.3	1,876
Quartzite	Oval	74.4	48.6	2,837
Shale	Spherical	42.0	34.8	1,133
Black Chert	Oval	110.1	55.6	4,806
Shale	Oval	73.7	43.0	2,488
Chert	Oval	103.3	47.5	3,852
Shale	Oval	74.8	39.9	2,342
Quartz	Spherical	118.2	50.3	4,667
Quartzite	Oval	85.2	50.0	3,352
Chert	Oval	92.8	38.9	2,834
Shale	Oval	77.4	49.0	2,978
Quartzite	Oval	106.1	35.8	2,981
Shale	Oval	107.2	67.3	5,662
Shale	Oval	113.7	61.0	5,446
Black Chert	Oval	77.5	47.8	2,907
Black Chert	Oval	78.5	42.6	2,590
Shale	Oval	86.4	31.4	2,130
Black Chert	Spherical	76.1	54.0	3,227
Shale	Oval	85.3	47.2	3,160
Black Chert	Oval	72.8	40.4	2,308
Quartzite	Spherical	87.6	49.8	3,391
Black Chert	Spherical	60.9	45.0	2,151
Black Chert	Oval	102.4	31.4	2,521
Black Chert	Spherical	89.1	57.7	4,037
Black Chert	Oval	95.5	51.2	3,848
Black Chert	Oval	85.0	43.8	2,920
Quartzite	Oval	60.8	33.2	1,584
Quartz	Spherical	109.8	58.5	5,044
Black Chert	Spherical	37.2	30.0	876
Black Chert	Oval	80.1	38.6	2,679
Quartzite	Oval	118.4	61.2	5,686
Black Chert	Spherical	79.9	63.0	3,950
Shale	Oval	80.8	30.8	1,953
Shale	Oval	87.1	47.4	3,239
Shale	Spherical	54.0	30.5	1,292

Locality: Welkom G.M. Co. Ltd. - No. 3 Shaft.

30 Level Connection to J.V.S.

Co-ordinates: X + 28329.87 Y + 22133.56 ft.

X + 8634.94 Y + 6746.31 m.

PEBBLE TYPE	FEBBLE SHAPE Spherical	АХЕ	S	FEBBLE AREA
	Oval Rectangular Elongated	A Axis	C Axis (mm)	½A x ½C x 3.14 (mm ²)
Black Chert	Spherical	83.9	59.9	<i>3,</i> 943
Black Chert	Oval	92.8	33.6	2,448
Quartzite	Spherical	41.7	34.6	1,131
Black Chert	Oval	92.8	53.7	3,862
Shale	Rectangular	58.4	38.7	1,774
Shale	Rectangular	95.4	40.3	2,995
Quartzite	Oval	115.0	61.2	5,524
Black Chert	Oval	109.2	55.5	4,713
Black Chert	Oval	97.7	51.5	3,910
Black Chert	Oval	82.0	38.0	2,446
Shale	Spherical	79.6	44.0	2,749
Shale	Spherical	118.4	69.9	6,415
Shale	Oval	60.5	32.5	1,526
Black Chert	Spherical	76.9	53.1	3,154
Black Chert	Spherical	76.8	51.2	3,074
Shale	Spherical	69.3	41.3	2,230
Shale	Spherical	89.5	47.7	2,565
Black Chert	Oval	120.7	60.4	5,686
Shale	Spherical	79.7	51.0	3,189
Black Chert	Oval	98.1	47.6	4,006
Shale	Spherical	55.3	45.5	1,975
Quartzite	Oval	90.0	33.0	2,332
Shale	Oval	87.1	30.3	2,051
Black Chert	and a superior of the contract	81.6	37.7	2,370
Black Chert		106.3	49.2	4,089
Shale	Oval	78.5	38.9	2,396
Quartzite	Oval	128.9	56.3	5,666
Shale	Oval	130.1	69.9	7,079
Black Chert	Oval	92.2	42.7	3,038
Black Chert	Same a sure a Sure a sure a	113.0	63.3	5,589
Quartz	Rectangular	98.1	38.5	2,927
Black Chert	aging and a participate and a second	60.1	30.0	1,416
Shale	Rectangular	59.1	41.7	1,902
Black Chert	Oval	147.5	57.2	6,614
Quartzite	Oval	90.9	49.4	3,495
Black Chert	Spherical	82.3	33.0	2,129
Quartz	Rectangular	48.7	44.0	1,681

Locality: Welkom G.M. Co. Ltd. - No. 3 Shaft

30 Level Connection to J.V.S.

Co-ordinates: X + 28329.87 Y + 22133.56 ft.

X + 8634.94 Y + 6746.31 m.

PEBBLE TYPE	PEBBLE SHAPE Spherical	A X :	E S	PEBBLE AREA	
	Oval Rectangular Elongated	A Axis (mm)	C Axis (mm)	½A x ½C x 3.14 (mm ²)	
Black Chert	Spherical	62.1	48.3	2,343	
Quartzite	Oval	104.8	52.3	4,275	
Shale	Spherical	66.0	41.0	2,122	
Quartzite	Oval	92.6	39.4	2,833	
Quartzite	Oval	105.1	37.3	3,077	
Quartzite	Oval	81.4	31.7	2,026	
Black Chert	Oval	95.1	38.1	2,844	
Shale	Spherical	82.0	62.1	3,954	
Black Chert	Oval	97.0	30.4	2,314	
Black Chert	Oval	96.1	41.0	3,092	
Black Chert	Spherical	101.1	53.7	4,260	
Quartzite	Oval	102.7	46.0	3,706	
Quartzite	Oval	93.9	32.3	2,381	
Black Chert	Oval	141.8	59.8	6,654	
Black Chert	Oval	144.2	48.0	5,432	
Quartzite	Oval	99.9	34.2	2,681	
Shale	Spherical	54.4	31.2	1,332	
Quartzite	Spherical	53.9	34.1	1,891	
Black Chert	Oval	88.4	39.5	2,742	
Black Chert	Oval	146.3	62.3	7,151	
Quartzite	Spherical	92.0	51.8	3,741	
Quartz	Spherical	108.9	66.2	5,656	
Quartz	Rectangular	82.3	47.0	3,037	
Quartzite	Oval	102.8	37.1	2,993	
Black Chert	Oval	89.4	32.9	2,308	
Quartzite	Spherical	93.8	53.4	3,931	

Locality:

Welkom G.M. Co. Ltd. - No. 3 Shaft.

26 Level Station

Co-ordinates: X + 28329.87

Y + 22133.56 ft.

X + 8634.94

Y + 6746.31 m.

PEBBLE TYPE	PEBBLE SHAPE Spherical	A X	ES	PEBBLE AREA
	Oval Rectangular Elongated	A Axis	C Axis	$\frac{1}{2}A \times \frac{1}{2}C \times 3.14$ (mm ²)
Shale	Spherical	74.2	55.6	3,211
Chert	Oval	116.2	61.3	5,590
Chert	Oval	57.0	48.7	3,326
Quartzite	Spherical	86.9	59.2	4,037
Chert	Oval	75.0	38.9	2,289
Shale	Spherical	132.0	64.0	6,632
Quartzite	Oval	85.7	43.4	2,919
Quartz	Spherical	52.0	30.3	1,230
Quartz	Oval	102.4	68.6	5,515
Quartzite	Spherical	78.6	51.0	3,148
Chert	Spherical	63.0	46.1	2,279
Quartzite	Spherical	69.1	35.0	1,895
Shale	Oval	81.4	39.2	2,503
Quartz	Spherical	85.7	54.5	3,665
Chert	Oval	90.9	35.4	2,526
Quartzite	Spherical	55 .3	37.8	1,620
Quartz	Rectangular	97.3	59.0	4,504
Chert	Oval	99.4	47.7	3,645
Quartz	Spherical	109.5	63.2	5,434
Quartz	Oval	108.7	68.2	5,819
Quartzite	Oval	93.2	38.1	2,787
Chert	Oval	102.1	58.9	4,721
Chert	Spherical	66.2	51.2	2,661
Shale	Spherical	83.3	56.5	3,695
Chert	Spherical	51.9	31.0	1,263
Quartzite	Oval	109.1	46.4	3,974
Quartzite	Oval	78.4	51.0	3,139
Chert	Oval	122.6	67.0	6,448
Chert	Oval	78.3	40.7	2,502
Quartz	Spherical	57.9	48.3	2,195
Chert	Oval	85.6	34.0	2,285
Shale	Spherical	117.0	63.5	5,832
Chert	Oval	131.9	69.8	7,227
Chert	Spherical	105.3	50.3	4,158
Chert	Oval	100.4	41.0	3,231
Chert	Spherical	78.8	38.1	2,357
Quartzite	Oval	86.1	31.0	2,095

Locality :

Welkom G.M. Co. Ltd. - No. 3 Shaft.

26 Level Station

Co-ordinates: X + 28329.87 Y + 22133.56 ft. X + 8634.94 Y + 6746.31 m.

PEBBLE TYPE	PEBBLE SHAPE Spherical	A X .	E S	PEBBLE AREA	
والمنافرة	Oval Rectangular Elongated	A Axis (mm)	C Axis	½A x ½C x 3.14 (mm ²)	
Shale	Spherical	85.9	47.5	3,203	
Chert	Spherical	84.8	58.0	3,861	
Shale	Spherical	55.7	31.9	1,395	
Quartz	Spherical	83.7	62.1	4,080	
Shale	Spherical	37.1	30.4	885	
Quartzite	Spherical	81.4	61.8	3,949	
Chert	Oval	88.8	47.4	3,304	
Chert	Oval	100.6	45.5	3,593	
Quartz	Spherical	93.2	60.0	4,390	
Quartzite	Oval	65.3	43.0	2,204	
Shale	Oval	79.4	43.4	2,705	
Quartzite	Spherical	108.9	56.1	4,796	
Shale	Spherical	57.5	33.0	1,490	
Quartzite	Spherical	89.4	53.0	3,719	
Quartzite	Oval	80.4	40.0	2,525	
Quartzite	Oval	115.9	61.5	5,595	
Quartz	Spherical	45.7	33.0	1,184	
Shale	Oval	95.4	51.3	3,842	
Quartzite	Oval	80.4	39.7	2,506	
Quartz	Oval	121.7	66.4	6,343	
Quartzite	Oval	72.8	41.0	2,343	
Quartzite	Spherical	77.2	53.5	3,242	
Chert	Oval	109.6	49.5	4,259	
Shale	Oval	80.9	39.0	2,477	
Shale	Oval	129.1	56.1	5,685	
Chert	Oval	132.7	68.9	7,177	
Quartzite	Spherical	63.9	40.9	2,052	
Quartzite	Spherical	67.0	46.1	2,425	
Quartzite	Oval	142.6	57.0	6,381	
Chert	Oval	87.5	33.5	2,301	
Quartz	Oval	107.4	52.4	4,418	
Shale	Oval	75.2	41.2	2,432	
Quartzite	Spherical	83.7	56.1	3,686	
Quartz	Spherical	38.5	33.0	997	
Quartz	Oval	95.4	39.0	2,921	
Quartzite	Oval	91.1	42.4	3,032	
Shale	Spherical	46.2	35.1	1,273	

C. PEBBLE-SIZE DISTRIBUTION

1. Outline

This program will calculate the pebble-size parameters of mean size, sorting, skewness and kurtosis, according to the number of pebbles in each of 40 size groups.

Two sets of parameters will be calculated, using the Inman and Folk and Ward formulae. These formulae will be somewhat modified from their usual form, in that size in square millimetres will be used instead of phi size. The method of moment measures will be used to calculate mean size and mean deviation.

2. Input

Input to the program is in the form of punched cards, submitted by the user.

Information pertaining to a particular SAMPLE of pebbles is required for one calculation. Basically, the input data consist of the number of pebbles, counted in each of the 40 size groups. Thus, the size (i.e. total number of pebbles) of the sample will depend entirely on the user.

Although the program does refer to 40 separate groups, the user may find that only a limited number of these groups contain pebbles in a particular sample. Only seldom (if ever), will there be a sample, with pebbles in each and every group. Thus, the actual definition of a sample is entirely up to the user; i.e. the user must decide on the size of the sample and its location.

For each sample, four punched cards must be submitted to the computer.

3. Calculations

The program goes through the following steps:

(a) The number of pebbles in each of the 40 size groups, is totalled up.

- (b) The percentage of the total pebbles in each group, is calculated:

 Percentage in group = Number in group x 100

 Total number
- (c) The cumulative percentage in each group is calculated.

The cumulative percentage in the fortieth size group (group 60001 - 70000 mm²) is the actual percentage of the total in that group. The cumulative percentage of the next group is obtained by adding the just calculated cumulative percentage of the previous group to the actual percentage of the total in the group in question. This is repeated for each of the 40 groups; the first size group, which is last calculated, will thus have a cumulative percentage of 100.

- (d) The average square millimetre size of each group is now calculated. The arithmetic average is used,
 e.g. Group 25 50 mm², average size = $\frac{(25 + 50)}{2}$ = 37.5 mm²
- (c) A "graph" of average size versus cumulative percentage is "stored".
- (f) In order to make the necessary calculations, the average sizes at seven critical percentages are required, and these are "calculated" from the "graph". The seven critical percentages are: 5, 16, 25, 50, 75, 84 and 95.
- (g) Using these results, the Inman formulae are used to calculate mean size, sorting, skewness and kurtosis.
 N.B. MM₅ = average mm² size at cumulative % 5, etc.

Mean Size =
$$\frac{(MM_{16} + MM_{84})}{2}$$

Sorting =
$$\frac{(MM_{84} - MM_{16})}{2}$$

Skewness =
$$\frac{(MM_5 + MM_{95} - 2MM_{50})}{(MM_{84} - MM_{16})}$$

Kurtosis =
$$\frac{(MM_{95} - MM_{5}) - (MM_{84} - MM_{16})}{(MM_{84} - MM_{16})}$$

(h) The Folk and Ward formulae are then used to calculate mean size, sorting, skewness and kurtosis.

Mean size =
$$\frac{(MM_{16} + MM_{50} + MM_{84})}{3}$$
Sorting =
$$\frac{MM_{84} - MM_{16}}{4} + \frac{(MM_{95} - MM_{5})}{6.6}$$
Skewness =
$$\frac{MM_{16} + MM_{84} - 2MM_{50}}{2(MM_{84} - MM_{16})} + \frac{MM_{5} + MM_{95} - 2MM_{50}}{2(MM_{95} - MM_{5})}$$

Kurtosis =
$$\frac{(MM_{95} - MM_{5})}{2.44 (MM_{75} - MM_{25})}$$

(i) The Method of Moments is used to calculate the mean size, as follows:-

Mean size =

$$\sum$$
 (% pobbles in each group) (mean size (mm²))

(j) The mean deviation is calculated by first totalling for each size group, the product of the percentage of pebbles in each group, with the square of the difference between mean size and average size in each group; this total is then divided by 100, and the square root is calculated to give the mean deviation.

Mean deviation =

$$(\sum (\% \text{ pebbles}) (\text{mean size} - \text{average size})^2)^{\frac{1}{2}}$$

4. Output

Program output consists of a two page report for each sample submitted.

Page 1

This report is headed with an identification of the sample, e.g. borehole number. Further identification in the

form of the location, co-ordinates, depth and rock type is printed.
Rock type is always given as 'ELSBURG CONGLOMERATE'.

Then the sizes in square millimetres, the numbers of pebbles in each group, the percentages of total pebbles and the cumulative percentages are tabulated. The size groups are listed in descending order.

This report could be used as a check on the correctness of the input, i.e. on the number of pebbles in each group.

The percentages are given, rounded to two decimal places, and the cumulative percentage for the smallest size group, should in all cases be 100.00.

Page 2

This report contains the mean size, sorting, skewness and kurtosis, as calculated by the Inman and Folk and Ward formulated mean size and mean deviation, as calculated by the method of moment measures are also given. These results are printed alongside each other for comparison purposes.

Finally, a list of the mean square millimetre size at the critical cumulative percentages of 5, 16, 25, 50, 75, 84 and 95 is given below. All results are given correct to two decimal places.

5. Interpretation of Results

The cumulative percentages and their corresponding square millimetre sizes may be used together with the cumulative percentages on the first page to plot an accurate graph of size (mm²) versus cumulative percentage. If the results from the first page are used in plotting the graph, the maximum and minimum sizes of the group in question should be arithmetically meaned.

The results on the second page may be used to make various deductions about the sample, e.g. grade, etc.

6. Running the Program The program will be run off the object deck. The following Job Control Cards are required:-(N.B. % denotes a blank. \$ denotes a dellar sign.) Tystobarol2 TASSPRID //øJOB/GEOL2 //XOPTIONYLINK RINGLUDE Object duck of program. /52 //kexecktnkedt //XEXEC Data cards. /³⁸ /& ** XXXEOJ

The uses need only supply the data cards.

Timing

Compilation time = 1 minute 38 seconds Running time = 0 minutes 32 seconds

N.B. Actual running times may differ due to running under P O W E R.

- 128 - PEBBLE-SIZE DISTRIBUTION BOREHOLE TR5.

SAMPLE LOCATION	WESTERN HOLDI	NGS LTD.							
COORDINATES	Y+ 42560.13 Y+ 12972.3	X+ 32299.23							
DEPTH			5.6 met r e)						
ROCK TYPE		193 - 1357 ft. (58.8 - 413.6 metre) ELSBURG CONGLOWERATE							
			. CUMULATIVE %						
60001 - 70000 50001 - 60000 40001 - 50000 30001 - 40000 25001 - 30000 20001 - 25000 17501 - 20000 15001 - 17500 12501 - 15000 9501 - 10000 9501 - 9500 8501 - 9000 8501 - 9000 8501 - 7500 6501 - 7500 6501 - 7000 6501 - 7000 6501 - 5500 4501 - 5000 4501 - 5000 4501 - 3500 2501 - 3000 2501 - 500	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 4 3 0 3 5 4 17 19 56 102 83 107 641 924 1231 1076 979 1286 217 103 124 124 127 107 107 107 107 107 107 107 107 107 10	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0						
MEAN SIZE	1051.87	975.04	942.20						
SORTING SKEWNESS	-589.13 -0.99	-662.77 [¥] -0.43							
KURTOSIS MEAN DEV.	1.06	1.62	771.82						
	AT CUM. PERCENT	PAGES OF							
5%	2617.0								
16% 25% 50% 75%	1641.0 1212.6 821.4 598.1								
84% -95%	462.7 186.9								

^{*}See Fig. 14.

PEBBLE -SIZE DISTRIBUTION BOREHOLE MH2.

SAMPLE LOCATION	WESTERN HOLDING		
COORDINATES	Y+ 4030.12 Y+ 13115.5		
DEPTH	789 - 1519 ft.	(240.4 - 462	.9 metro)
ROCK TYPE	ELSBURG CONGLO	MERATE.	
•	NO. OF PEBBL	ES. S OF TOTAL	L CUMULATIVE %.
60001 - 70000 50001 - 60000 40001 - 50000 30001 - 40000 25001 - 30000 20001 - 25000 17501 - 20000 15001 - 17500 12501 - 15000 10001 - 12500 9501 - 10000 9501 - 9000 8501 - 9000 8501 - 9000 8001 - 8500 7501 - 8000 7501 - 7000 6501 - 7000 6501 - 7000 6501 - 5500 4501 - 5000 4501 - 3500 2501 - 3000 2501 - 3000 2501 - 3000 2501 - 2000 1501 - 2000 1501 - 2000 1501 - 2000 1501 - 2000 1501 - 2000 1501 - 800 601 - 700 501 - 800 601 - 700 501 - 800 601 - 700 501 - 600 401 - 500 301 - 3500 201 - 3000 201 - 3000 201 - 3000 201 - 3000 201 - 3000 201 - 500 301 - 500 301 - 500 301 - 500 301 - 500 301 - 500 301 - 500 301 - 500 301 - 500 301 - 500	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 3 8 2 1 1 9 1 1 8 1 1 9 1 1 8 1 9 1 1 8 1 9 1 1 9 1 1 1 1	0.0 0.0 0.0 0.0 0.02 0.02 0.02 0.04 0.02 0.04 0.05 0.05 0.05 0.05 0.05 0.05 0.05	0.0 0.0 0.0 0.0 0.02 0.09 0.11 0.15 0.16 0.22 0.36 0.51 0.83 1.11 1.34 1.76 2.34 2.72 3.48 4.39 5.68 13.76 18.83 25.89 34.77 42.31 46.70 53.46 58.71 64.99 70.31 75.47 80.05 83.22 83.42 97.66 100.00 MOMENT MEASURES
MEAN SIZE SORTING SKEWNESS	1634.66 -1394.78 -1.02	1390.34 -1371.80* -0.58	1452.43
KURTOSIS MEAN DEV.	0.60	0.98	1691.14
SIZE (SQ MM.) AS	CUM. PERCENTA	GES OF	
5% 16% 25% 50% 75% 84% 95%	4551.9 3029.4 2313.4 901.7 459.6 239.9 100.9		

[¥]See Fig. 14.

PEBBLE-SIZE DISTRIBUTION BOREHOLE MB5.

CAMPIE LOCATION	LET VON COTT				
SAMPLE LOCATION COORDINATES	WELKOM GOLD				
COORDINATES	Y+ 18780.71 Y+ 5724.3				
DEPTH	841 - 1980 f	eet (256.3 - 60	3.5 metre)		
ROCK TYPE	ELSBURG CONG	LOMERATE.			
SIZE IN SQ MM.	NO. OF PEBBLES	. % OF TOTAL.	CUMULATIVE %		
60001 - 70000	0	0.0	0.0		
50001 - 60000 40001 - 50000	O O	0.0 0.0	0.0 0.0		
30001 - 40000	O	0.0	0.0		
25001 - 30000 20001 - 25000	0	0.0	0.0		
17501 - 20000	0	0.0 0.0	0.0 0.0		
15001 - 17500	0	0.0	0.0		
12501 - 15000 10001 - 12500	O O	0.0 0.0	0.0 0.0		
9501 - 10000	Ö	0.0	0.0		
9001 - 9500 8501 - 9000	0	0.0	0.0		
8001 - 8500	0	0.0 0.0	0.0 0.0		
7501 - 8000	0	0.0	0.0		
7001 - 7500 6501 - 7000	O O	0.0 0.0	0.0		
6001 - 6500	Ö	0.0	0.0		
5501 - 6000 5001 - 5500	0	0.0	0.0		
4501 - 5000	0	0.0 0.0	0.0		
4001 - 4500	0	0.0	0.0		
3501 - 4000 3001 - 3500	O 1	0.0 0.02	0.0 0.02		
2501 - 3000	3 2	0.05	0.07		
2001 - 2500 1501 - 2000	5 2	0.03	0.10		
1001 - 1500	4	0.03 0.07	0.13 0.20		
901 - 1000	9	0.15	0.35		
801 - 900 701 - 800	11 28	0.18 0.47	0.54 1.01		
601 - 700	74	1.24	2.25		
501 - 600 401 - 500	138 429	2.32 7.21	4.57 11.78		
301 - 400	764	12.84	24.62		
201 - 300	1034	17.38	41.99		
151 - 200 101 - 150	983 891	16.52 14.97	58.51 73.48		
51 - 100	623	10.47	83.95		
25 - 50	955	16.05	100.00		
			ENT MEASURES		
MEAN SIZE SORTING	246.51 -171.12	235.72 -160.59**	214.21		
SKEWNESS	-0.48	-0.26			
KURTOSIS MEAN DEV.	0.45	0.88	175.22		
SIZE (SQ MM.) AT	CIM. PERCENTAGI	ES OF.			
5%	544.5				
16%	417.6				
25% 50%	348.3 214.1				
75%	118.3				
84% 95%	75.4 49. 3				
*See Fig. 14.	- / - /	در المراجع الم			

PEBBLE-SIZE DISTRIBUTION BOREHOLE MB4.

SAMDIE	: T <i>(</i>	OC A TITOM	1:3777	KOM (GOLD M	TNITN	c co	`				
SAMPLE LOCATION COORDINATES									٥٢			
COORDINATED			Y+	5531	6.67 .1	Х+	60	93•	3			
DEPTH			1522 - 2932 feet (463.9 - 893.6 metre)									
ROCK TYPE			ELS	BURG	CONGL	OMER	ATE	•				
	IN	SQ MM.	NO.	OF PI	EBBLES	•	% 01	F T	OTAL	. cu	MULATIV	E %
60001	-	70000 60000		0				0.0			0.0	
50001 40001	_	50000		0				0.0			0.0	
30001	_	40000		0				0.0			0.0	
25001		30000		Ō				0.0			0.0	
20001	-	25000		0				0.			0.0	
17501	-	20000	0			0.0					0.0	
15001	-	17500		0				0.			0.0	
12501 10001	_	15000 12500		0				0.0			0.0	
9501	_	10000		0				0.			0.0	
9001	_	9500		Õ				0.			0.0	
8501	_	9000		0				0.			0.0	
8001	_	8500		0				0.0			0.0	
7501	-	8000		0				0.			0.0	
7001 6501	_	7500 7000		0				0.			0.0	
6001	_	6500		0				0.			0.0	
5501		6000		0				0.			0.0	
5001	-	5500	O			0.0				0.0		
4501		5000	0					0.			0.0	
4001		4500 4000		0				0.			0.0	
3501 3001	_	3500		0				0.			0.0	
2501		3000		Ō				0.			0.0	
2001	_	2500		3				0.	03		0.03	
1501	-	2000		14				0.			0.19	
1001	•	1500		41				0.			0.64 1.42	
901 801		1000 900		71 193					70 12		3.54	
701	_	800		289				3.			6.72	
601	-	700		406				4.	47		11.19	
501	_	600		597				6.			17.75	
401	-	500		842				9.			27.02 38.05	
301 201	_	400 300		1003 1125				11. 12.			50.42	
151	***	200		1086				11.			62.37	
101		150		981				10.	79		73.16	
	-	100		1256				13.			86.98	
25	-	50		1184				13.	UZ		100.00	,
				INMAN)LK 8			Ĩ.		MEASURE	S
MEA.				331.7		30	5.80) *		28	84.83	
SOR'			-	245.4 0.7-	7 '1	-23	0.70 0.39					
SKE' KUR'				0.5			5.87					
MEA					-					2	40.61	
SIZ	E (SQ MM.)	AT CU	M. P	ERCEN	rage:	s of	٠.				
		5%		804								
		16%		577								
		25%		472								
		50% 75%		253 118								
		84%		86								
		95%			2.1							
≭ Se€	∍ F:	ig. 1 4.										

PEBBLE-SIZE DISTRIBUTION BOREHOLE MB3.

SAMPLE	: T _i O	CATION	WELK	OM GOL	D MINI	NG CO.				
COORDINATES						+ 22202	. 01			
			Y+ 5	337.6	Х	+ 6767.	4			
DEPTH			1356	1356 - 2971 feet (413.3 - 905.6 metre)						
ROCK T	YPE	1	ELSBURG CONGLOMERATE							
SIZE	IN	SQ MM.	NO. 0	F PEBBI	LES.	% OF T	OTAL.	CUMULATIVE %		
60001	-	70000		Ċ		0.		0.0		
50001	-	60000		0		0.		0.0		
40001		50000		0		0.		0.0		
30001 25001	_	40000 30000		0		0. 0.		0.0 0.0		
20001	_	25000		0		0.		0.0		
17501	-	20000		Ô		o.		0.0		
15001		17500		Ō		0.		0.0		
12501	_	15000		0		0.		0.0		
10001	_	12500		0		0.	0	0.0		
9501	_	10000		0		0.		0.0		
9001	-	9500		0		٥.		0.0		
8501	-	9000		0		0.		0.0		
8001		8500		0		0.		0.0		
7501	-	8000		0		0. 0.		0.0 0.0		
7001 6501	_	7500 7000		0		0.		0.0		
6001	_	6500		0		0.		0.0		
5501	_	6000		Ö		Ō.		0.0		
5001	_	5500		0		О.		0.0		
4501	_	5000		О		Ο.		0.0		
4001	-	4500		1			Cl	0.01		
3501	-	4000		2		Ç.	0.03			
3001	-	3500		2			02	0.05		
2501	-	3 000		4			04 08	0.10 0.18		
2001 1501	_	2500 2000		7 21			23	0.41		
1001	_	1500		69			76	1.16		
	-	1000		127			39	2.56		
801		900		240			64	5.19		
	_	800		301			31	8,50		
601		700		373			10	12.59		
501		600		487			35	17.94		
401		500		749			22	26.17 36.06		
301		400		901 969		9. 10.		46.70		
201 151		300 200		246		13.		60.38		
101		1 5 0		187		13.		73.42		
51		100		094		12,		85,43		
25		50	1	327		14.	57	100.00		
			IN	MAN	FOLK	& WARD	MOH	ENT MEASURES		
MEAI	v si	IZE	334	.13	-	300.23		288 . 29		
SOR?	PINC	i		.69		248.66 ^{3€}				
SKE				.88		-0.48				
KUR' MEA			C	.60		0.96		277.32		
SIZ	E (S	SQ MM.)	AT CUM.	PERC	ENTAGI	ES OF.				
	-	5%		857.9						
		16%		586.8						
		25%		464.7						
		50%		232.4						
		75%		118.9						
		84%		81.4						
₹	_	95%		50.5						
^Se	e F	ig. 14.								

PEBBLE-SIZE DISTRIBUTION BOREHOLE W3.

SAMPLE LOCATION	WELKOM GOLI	MINING CO.						
COORDINATES	Y+ 15280.0 Y+ 4657.3	X+ 30251.0 X+ 9220.5						
DEPTH		954 - 2156 feet (290.7 - 657.1 metre)						
ROCK TYPE	ELSBURG CONGLOMERATE.							
SIZE IN SQ MM.	NO. OF PEBBLE	es. % of total.	CUMULATIVE %					
60001 - 70000 50001 - 60000 40001 - 50000 30001 - 40000 25001 - 30000 20001 - 25000 17501 - 20000 15001 - 17500 12501 - 15000 10001 - 12500 9501 - 10000 9001 - 9500 8501 - 9000 8001 - 8500 7501 - 8000 7501 - 8000 7501 - 8000 7501 - 8000 5501 - 6000 5501 - 5000 4501 - 4500 3501 - 4000 3501 - 4000 3501 - 4000 3501 - 4000 3501 - 400 2501 <td< td=""><td>0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0</td><td>0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0</td><td>0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0</td></td<>	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0					
			MENT MEASURES					
MEAN SIZE SORTING	366.92 -227.83	349.23 -229.40 [∞] -0.29	341.65					
SKEWNESS KURTOSIS	-0.57 0.67	1.01	710 67					
MEAN DEV.			349.63					
SIZE (SQ MM.)		NTAGES OF.						
5% 16%	825.9 594.7							
25% 50%	495.4 313. 9							
75%	185.4							
84% 9 5 %	139.1 63.7							
*See Fig. 14.		· · · · · · · · · · · · · · · · · · ·						

PEBBLE-SIZE DISTRIBUTION BOREHOLE U2.

SAMPI		LOCATION		ELKOM + 1161			G CO. 29259	. 06	
000112		1111		+ 3540			8918.		và.
DEPTH	į		1	711 -	3487	feet	(521	•5 - 10	62.8 metre)
ROCK	TYI	E	E	LSBURG	CONG	LOMEF	RATE.		
SIZE	IN	SQ MM.	NO.	OF PEE	BLES.	%	OF TOT	AL. C	CUMULATIVE %
40001 30001 25001		70000 60000 50000 40000 20000 17500 12500 12500 12500 9500 9500 9500 6500 6500 6500 4500 4000 3500 2500 2000 1500 1000 900 800 700 600 500 1500 1500 1500 1500 1500 1500		00000000000000000000000000000000000000			0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
				NMAN	FO]	LK & 1			r MEASURES
MEAI SORT SKEV KURT MEAI	rin WNE ros	G SS IS	- 25	64.67 67.53 -0.35 -0.34		346.3 232.9 -0	8 * 24	, i	313.55 243.94
SIZ	E (sq mm.)	AT CUM	i. PE	RCENT	AGES	OF.		
≆. Se	e F	5% 16% 25% 50% 75% 84% 95%		742 622 506 309 154 107 54	.2 .3 .8				
20		-0- -4 -	 <u></u>						

PEBBLE-SIZE DISTRIBUTION BOREHOLE MTK3.

SAMPLE LOCATION	WESTERN HOLD	INGS LTD.	
COORDINATES		X+ 21150.17 X+ 6446.5	
DEPTH	2464 - 4280	feet (751.0	- 1304.5 metre)
ROCK TYPE	ELSBURG CONG	LOMERATE.	
•	NO. OF PEBBI	LES. % OF TOT	AL. CUMULATIVE %
60001 - 70000 50001 - 60000	0	0.0 0.0	0.0
40001 - 50000	0	0.0	0.0
30001 - 4 0000	Ō	Q.C	0.0
25001 - 3 0000	0	ଦୁ.ତ	0.0
20001 - 25000 17501 - 20000	0	0.0 0.0	0.0 0.0
15001 - 17500	3	0.03	
12501 - 15000	2	0.02	0.05
10001 - 12500	1	C.O1	
9501 - 10000 9001 - 9500	2 7	0.02 0.06	•
8501 - 9000	4	0.04	
8001 - 8500	0	0.0	0.18
7501 - 8000	2	0.02	•
7001 - 7500 6501 - 7000	4 6	0.04 0.06	
6001 - 6500	5	G.05	
5501 - 6000	9	0.08	
5001 - 5500 4501 - 5000	11 17	0.10 0.16	
4001 - 4500	29	G.27	The state of the s
3501 - 4000	42	€.39	
3001 - 3500 2501 - 3000	84 155	0.77 1.43	
2001 - 2500	224	2.07	· · · · · · · · · · · · · · · · · · ·
1501 - 2000	471	4.34	9.94
1001 - 1500	460 614	4.24 5.66	14.18 19.85
901 - 1000 801 - 900	1176	10.85	30 . 69
701 - 800	325	3. 00	33.69
601 - 700	342	3.15 4.41	36.84
501 - 600 401 - 500	478 645	5.95	41.25 47.20
301 - 400	1326	12.23	59.43
201 - 300	986	9.09	68 . 52 78 .3 7
151 - 200 101 - 150	1068 781	9.85 7.20	
51 - 100	912	8.41	9399
25 - 50	652	6.01	100.00
	INMAN	FOLK & WARD	MOMENT MEASURES
MEAN SIZE SORTING	645.37 -508.93	572.78 -606.91 [™]	654.03
SKEWNESS	-1.58	-0.56	
KURTOSIS	1.29	1.36	only ch
MEAN DEV.			874.64
Ť	AT CUM, PERCE		
5% 16%	2395.3 1154.3		
25%	903.0		
50%	427.6		
75% 84%	201,2 136.4		
95%	69.1		
XSee Fig. 14.			
			

PEBBLE_SIZE DISTRIBUTION BOREHOLE DG1.

SAMPLE LOCATION	WESTERN HOLE	OINGS LTD.	
COORDINATES		X+ 26370.45 X+ 8037.7	5
DEPTH	2437 - 3006	feet (742.7 -	916.2 metre)
ROCK TYPE	ELSBURG CONG	ELCMERATE.	
SIZE IN SQ MM.	NO. OF PEBE	BLES. % OF TCT	CAL. CUMULATIVE %
60001 - 70000 50001 - 60000 40001 - 50000 30001 - 40000 25001 - 30000 20001 - 25000 17501 - 2000 15001 - 17500 12501 - 15000 10001 - 12500 9501 - 10000 9001 - 9500 8501 - 9000 8501 - 9000 8501 - 9000 7501 - 8000 7001 - 7500 6501 - 7000 6501 - 7000 501 - 4000 3501 - 4000 3501 - 2500 1501 - 2000 1501 - 2000 1501 - 2000 1501 - 300 200 -<	00000034453668716032057247379688753386687160320572413796887533866448481294	0.000000000000000000000000000000000000	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
	INMAN	FOLK & WARD	MCMENT MEASURES
MEAN SIZE SORTING SKEWNESS KURTOSIS MEAN DEV.	775.63 -565.54 -1.12 1.18	741.67 -656.62* -0.35 1.77	778.71 822.45
SIZE (SQ MM.)	AT CUM. PERCE	NTAGES OF.	
5% 16% 25% 50% 75% 84% 95% **See Fig. 1 4 .	2541.6 1341.2 926.8 673.7 354.0 210.1 74.2		

PEBBLE-SIZE DISTRIBUTION BOREHOLE MB7.

SAMPLE LO	CATION	WELKOM GOL	D MINING CO.	
COORDINAT	ES	Y+ 14070.0 Y+ 4288.5		
DEPTH		3 0 3 8 - 477	7 feet (925.	9 - 1456.0 metro)
ROCK TYPE	ž.	ELSBURG CO	NGLOMERATE.	
SIZE IN	SQ MM.	NO. OF PEBBL	ES. % OF TOTA	LL. CUMULATIVE %
60001 - 50001 - 40001 - 30001 - 25001 - 17501 - 15001 - 12501 - 10001 - 9501 - 8001 - 7001 - 6501 - 6501 - 5001 - 4001 - 3501 - 3001 - 2501 - 4001 - 3501 - 3001 - 2501 - 1001 - 1001 - 1001 - 2501	70000 60000 50000 25000 25000 17500 15000 12500 10000 9500 8500 8500 8500 8500 4500 4500 4500 4	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
MEAN SIZE	G	INMAN 172.95	162.40_	139.42
SORTING SKEWNESS		-101.65 -0.72	-101.12** -0.38	
KURTOSIS MEAN DEV		0.63	1.03	120.14
SIZE (SQ		CUM. PERCENT	AGES OF.	
v	5%	380.0		
	16% 25%	274.6 221.9		
	50%	141.3		
	75% 84%	89.6 71.3		
	95%	48.1		•
*See Fig.	14			

PEBBLE-SIZE DISTRIBUTION BCREHOLE EF2.

SAMPLE LO	CATION	WESTER	N HOLD	INGS 1	LTD.			
COORDINAT	ES	Y+ 397 Y+ 121			24194. 7374.5			
DEPTH		1465 -	3328	feet	(446	5.5 -	1014.3	metre)
ROCK TYPE		ELSBUR	G CONG	LOMER	ATE			
SIZE IN	SQ MM.	NO. O	F PEBB	LES.	∭ OI	TOT:	L. C	UMULATIVE %
60001 - 50001 - 40001 - 25001 - 15001 - 15001 - 15001 - 7501 - 7501 - 6501 - 6501 - 4501 - 2501 - 1001 - 901 - 801 - 701 - 601 - 501 - 1001 - 501 - 1001 - 501 - 251 - 101 - 251 - 25	40000 30000 25000 17500 15000 12500 10000 9500 9000 8500 8000 7500 7500 6500 6000 5500 4500 4000 3500 2500 2000	1	0004369212447873098872188657863454579 AND	FOLK		00000000000000000000000000000000000000	-CMENT	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
MEAN SIZE	Ε	189 - 159	96.76 92.59 -1.11		1664.7 1666.7 -0.5	3 3 * *		1.61
SKEWNESS KURTOSIS MEAN DEV.		-	0.80		1.0		213	3,20
SIZE (SQ		CUM. PI	ERCENT	AGES C	F.			
	5% 16% 25% 50% 75% 84% 95%	58 ⁴ 346 278 120 51 30	47.4 89.3 87.2 00.7 58.4 04.2					
*See Fig.	14.							

PEBBLE-SIZE DISTRIBUTION BOREHOLE JR1.

SAMPLE LOCATION	WESTERN HOLDINGS LTD.					
	Y+ 44853.51 X+ 2814 Y+ 13671.3 X+ 8578	* :				
DEPTH	718 - 1302 feet (21	.8.8 - 396.8 metre)				
ROCK TYPE	ELSBURG CONGLOMERATE.					
v		OF TOTAL. CUMULATIVE %				
60001 - 70000 50001 - 60000 40001 - 50000 30001 - 40000 25001 - 30000 20001 - 25000 17501 - 20000 15001 - 17500 12501 - 15000 10001 - 12500 9501 - 10000 9501 - 9000 8501 - 9000 8501 - 9000 8001 - 8500 7501 - 8000 7501 - 8000 7501 - 8000 7501 - 7000 6501 - 7000 6501 - 5000 4501 - 4500 3501 - 4000 3501 - 3500 2501 - 3000 2501 - 3000 2501 - 300 1501 - 2000 1501 - 2000 1501 - 800 601 - 700 501 - 600 400 - 700	3 4627549112115369253144563159314455612861281343551134355	0.02 0.02 0.03 0.06 0.05 0.11 0.02 0.12 0.06 0.18 0.04 0.22 0.03 0.25 0.15 0.40 0.09 0.49 0.10 0.59 0.04 0.72 0.11 0.82 0.21 1.04 0.40 1.43 0.34 1.77 0.44 2.22 0.83 3.05 1.14 4.19 1.65 5.84 2.55 8.39 4.01 12.40 4.15 16.54 4.83 21.37 4.31 25.68 5.43 47.73 4.11 51.84 3.28 55.12 4.54 59.66 6.08 7.4 7.12 8.66 8.11 4.55 4.55 8.66 4.13 89.80 3.51 97.13				
	INMAN FOLK & WA					
MEAN SIZE SORTING SKEWNESS KURTOSIS MEAN DEV.	2051.55 1666.1 -1764.52 -1700.25 -1.08 -0.6 0.53 0.9	4 ≭ 8				
		-				
•	CUM. PERCENTAGES OF.					
5% 16% 25% 50% 75% 84% 95%	5504.5 3816.1 2829.5 895.3 424.5 287.0 105.8					
*See Fig. 14.						

PEBBLE-SIZE DISTRIBUTION BCREHOLE TR2.

SAMPLE LOCAT	'TON WI	ESTERN HOL	DINGS 1	T.TD.					
CCORDINATES		+ 38002.82		29878.32					
		+ 11583.2							
DEPTH		823 - 2262 feet (250.8 - 689.5 metre)							
ROCK TYPE	El	ELSBURG CONGLOMERATE.							
SIZE IN SQ	MM. NO	O. OF PEBE	LES.	% OF TO	TAL. C	UMULATIVE %			
· ·	000 000	О О		0.0 0.0		0.0 0.0			
-	000	0		Ŭ.Ċ		0.0			
-	000	C G		0.0 0.0		0.0 0.0			
	000 000	3		0.02		0.0			
	000	5		0.04		0.06			
	'500 1000	5 3 2		0.02 0.01		0.08 0.09			
10001 - 12	1500	9		0.06		0.15			
• •	:000 : 500	3 4		0.02 0.03		0.18 0.20			
8501 - 9	COC	4		C.03		0.23			
	3500 3000	.8 3		0.06 0.02		C.29 C.31			
7001 - 7	'5 00	7		0.05		0.36			
	2000 5 00	18 41		0.13 0.29		0.49 0.77			
	5000	48		(. 34		1.11			
	5500 :000	6 3 97		C.44 C.68		1.56 2.24			
-	5000 1 5 00	113		0.80		3.03			
	F000	187		1.32 3.75		4.35 8.10			
	3500 3000	533 694		4.88		12.98			
2001 - 2	25GC	887		6.24 7.38		19.22 26.60			
_	20 00 L 5 00	1049 1287		7.50 9.06		35.66			
901 - 1	LOCO	1491		10.49		46.15			
801 - 701 -	900 800	1304 1534		9.18 10.79		55 .33 66 . 12			
601 -	700	1211		8.52		74.64			
501 - 401 -	600 500	793 517		5.58 3.64		80,22 83,86			
301 -	4CG	524		3.69		87.55			
	3 00 2 00	675 251		4.75 1.77		92.30 94.06			
101 -	150	248		1.75		95.81			
51 - 25 -	100 50	267 329		1.88 2.31		97.68 100.00			
***** <i>J</i>	7 -	INMAN	FCLK	& W/.RD	MOMENT	MEASURES			
MEAN SIZE		1477.69	12	87.98		58.47			
SORTING		-1031.03		48.09**					
SKEWNESS KURTOSIS		-0.97 0.70		-0.56 1.19					
MEAN DEV.				,	12	56.70			
SIZE (SQ MM	.) AT CUM	M. PERCEN	TAGES C	F.					
5%		3663.6							
169 259		2508.7 1859.2							
509	%	908.6							
759 849		644 . 1 446.7							
95		148.6							
*See Fig. 14	J.								

PEBBLE-SIZE DISTRIBUTION BCREHOLE MH5.

SAMPLE LO	CATION	WESTERN HOI	LDINGS LTD.		
COORDINAT	ES	Y+ 41480.82 Y+ 12643.3		-	
DEPTH		1239 - 2629) feet (37	7.6 - 8	301.3 metre)
ROCK TYPE	· · · · · · · · · · · · · · · · · · ·	ELSBURG CON	NGLOMERATE		
SIZE IN	SQ MM.	NO. OF PEBBI	LES. % OF	TOTAL.	CUMULATIVE %
60001 - 50001 - 40001 - 30001 - 25001 - 20001 - 17501 - 15001 - 12501 - 10001 - 9501 - 9001 - 8501 - 8001 - 7001 - 6501 - 6001 - 5501 - 5001 - 4501 - 4001 - 3501 - 3501 - 3501 - 3001 - 4001 - 3501 - 6001 - 501 - 6001 -	70000 60000 50000 40000 30000 25000 25000 17500 15000 10000 9500 9500 7500 7500 7500 6500 6500 4500 4000 3500 3500 3000 2500 2000 1500 1000 900 800 700	1 0 3 3 2 7 16 31 67 109 130 169 211 262 142 157 181 274 289 313 274 440 568 543 961		0.01 0.02 0.02 0.05 0.05 0.24 0.05 0.24 1.38	0.01 0.03 0.05 0.06 0.10 0.21 0.41 0.85 1.57 2.42 3.53 4.91 6.63 8.01 10.04 11.22 12.59 14.38 15.92 14.38 15.92 14.38 15.92 18.10 19.81 21.60 23.55 27.69 30.49 41.10 44.66 50.96
401 - 301 - 201 - 151 - 101 - 51 - 25 -	500 400 300 200 150 100 50	997 1430 1690 1297 871 726 468	1	6.54 9.38 1.08 8.50 5.71 4.76	57.50 66.88 77.96 86.46 92.17 96.93 100.00
		INMAN	FOLK & WARD	МОМ	ENT MEASURES
MEAN SI SORTING SKEWNES KURTOSI MEAN DE	: SS [S	2464.57 -2267.37 -1.70 0.90	1831.64 -2441.07 -0.86 1.68	X	1895.25 3032.42
SIZE (S	SQ MM.)	AT CUM. PERC	ENTAGES OF.		
	5% 16% 25% 50% 75% 84% 95%	8724.5 4731.9 2384.7 565.8 277.2 197.2 95.8			
*See Fi	g. 14.				

PEBBLE-SIZE DISTRIBUTION BOREHOLE FH1.

SAMPLE LOCATION COORDINATES	WESTERN HOLDIN Y+ 34292.67 Y+ 10452.4	X+ 23341.95 X+ 7114.3	
DEPTH ROCK TYPE	1994 - 3803 fe ELSBURG CONGLO	et (607.7 - 1 MERATE.	.159.1 metre)
SIZE IN SQ MM. 60001 - 70000 50001 - 60000 40001 - 50000 30001 - 40000 25001 - 30000 20001 - 25000 17501 - 20000 15001 - 17500 12501 - 15000 10001 - 12500 9501 - 10000 9001 - 9500 8501 - 9000 8001 - 8500 7501 - 8000 7501 - 8000 7501 - 7500 6501 - 7000 6501 - 7000 6501 - 5500 4501 - 5000 4501 - 3500 2501 - 3000	NO. OF PEBBLES. 0	0.000000000000000000000000000000000000	O.O
MEAN SIZE SORTING SKEWNESS KURTOSIS MEAN DEV.	1518.89 -1348.56 -0.87 0.58	1359.85	1399.52
SIZE (SQ MM.) AT 5% 16% 25% 50% 75% 84% 95% **See Fig. 14.	CUM. PERCENTAGE 4347.1 2867.5 2338.8 1041.8 345.7 170.3 79.9	ES OF.	

PEBBLE-SIZE DISTRIBUTION BOREHOLE BD1.

SAMPLE LOCATION	WESTERN HOLI	TNGS LTD.							
COORDINATES		X+ 30253.1	.8						
_	Y+ 10114.7	X+ 9221.1							
DEPTH		2149 - 3789 feet (655.0 - 1154.8 metre)							
ROCK TYPE	ELSBURG CONG	ELCMERATE.							
-	NC. OF FEBBI	ES. % OF TO	TAL. CUMULATIVE %						
60001 - 70000 50001 - 60000 40001 - 50000 30001 - 40000 25001 - 30000 26001 - 25000 17501 - 20000 15001 - 17500 12501 - 15000 12501 - 10000 9501 - 10000 9001 - 9500 8501 - 9000 8501 - 9000 8501 - 8000 7501 - 8000 7501 - 8000 7501 - 7000 6501 - 7000 6501 - 7000 6501 - 5500 4501 - 4500 3501 - 4000 3501 - 3500 2501 - 3600 2501 - 3600 2501 - 3000 2501 - 800 701 - 800 701 - 800 701 - 800 801 - 900 801 - 900	0 0 0 1 17 23 17 23 17 23 21 37 78 78 1178 264 159 21 21 21 21 21 21 21 21 21 21 21 21 21	0.000000000000000000000000000000000000	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0						
25 - 50	1093								
MEAN SIZE	INMAN 1082.93	FCLK & WARD 958.74	MCMENT MEASURES 1060.64						
SORTING SKEWNESS KURTOSIS MEAN DEV.		-1050.12 ± -0.56 2.49	1497.59						
SIZE (SQ MM.) A	r CUM. PERCEI	NTAGES OF.							
5% 16% 25% 50% 75% 84% 95%	4174.6 1941.1 1066.2 710.4 390.2 224.7 75.9								
*See Fig. 14.									

PEBBLE_SIZE DISTRIBUTION BOREHOLE DH1.

SAMPLE LOCATION	WELKOM GO	LD MINING CO.	
COORDINATES	Y+ 16104.		
DEPTH	Y+ 4908.6	3	
ROCK TYPE		ONGLOMERATE.	051.9 metre/
			T CIBELLE WE WAY
SIZE IN SQ MM. 60001 - 70000		LES. % OF TOTA	AL. CUMULATIVE %
50001 - 60000	O	0.0	0.0
40001 - 50000 30001 - 40000		0.0	0.0 0.0
25001 - 30000	0	0.0	0.0
20001 - 25000 17501 - 20000		0.0 6.0	0.0
15001 - 17500	0	0.0	0.0
12501 - 15000 10001 - 12500		0.0 0.0	0.0
9501 - 10000	0	0.0	0.0
9001 - 9500 8501 - 9000		0.0 0.0	0.0
8001 - 8500	0	0.0	0.0
7501 - 8000 7001 - 7500		0.0 0.0	0.0
6501 - 7000	0	0.0	0.0
6001 - 6500 5501 - 6000		0.C 0.0	0.0
5001 - 5500		0.0	0.0
4501 - 5000 4001 - 4500		G.O O.O	0.0
3501 - 4000		0.0	0.0
3001 - 3500 2501 - 3000		0.03	0.03 0.04
2001 - 2500 1501 - 2000		0.0 0.0	0.04 0.04
1501 - 2000 1001 - 1500		0.04	0.09
901 - 1000 801 - 900		0.0 0.06	0.09 0.15
701 - 800	0	0.0	0.15
601 - 700 501 - 600		0.09 0. 31	0.23 0.54
401 - 500	76	1.10	1.64
301 - 400 201 - 300	_	4.77 12.64	6.41 19.05
151 - 200	1073	15.59	34.64
101 - 150 51 - 100	_	22.45 24.93	57.08 82.01
25 - 50	_	17.99	100.00
	INMAN	FOLK & WARD	MOMENT MEASURES
MEAN SIZE	172.95	162.40	139.07
SORTING SKEWNESS	-101.65 -0.72	-101.12** -0.38	
KURTOSIS	0.63	1.03	115.16
MEAN DEV.			11/•10
•	AT CUM. PERC	CENTAGES OF.	
5% 16%	380.0 274.6		
25%	221.9		
50% 7 5%	141.3 89.6		
84% 95%	71.3 48.1		
*See Fig. 14.		The state of the s	

PEBBLE-SIZE DISTRIBUTION BOREHOLE MB2.

									-				
					GOLD M								
COORDI	NAT	ES			7.60 .3				ל				
DEPTH			11	64 -	2433 f	Ceet	(35	54.8	- 7	41.6	metre)	
ROCK T	YPE		EL.	SBURG	CONGI	OMER	ATE						
SIZE	IN	SQ MM.	NO.	OF P	EBBLES	5.	% OF	TOT	AL.	cui	MULAT!	EVE	%
60001		70000		0			0.	.0			0.	.0	
50001	-	60000		0				.0			0.		
40001 30001	-	50000 40000		0				.0 .0			0.		
25001	_	30000		0				.0			0.		
20001	-	25000		0				.0			0.		
17501 15001	-	20000 17500		0				.0 .0			0. 0.		
12501		15000		0				.0			0.		
10001	-	12500		0			Ο.	.0			0.	.0	
9501		10000		0				.0			0.		
9001 8501	_	9500 9000		0				.0 .0			0.		
8001	_	8500		0				.0			0.		
7501	-	8000		0				•0			0		
7001 6501	-	7500 7000		0				.0 .0			0.	.0	
6001	_	6500		0				.0			0.		
5501	_	6000		0			0	• 0			Ο.	.0	
5001		5500 5000		0				.0				.0	
4501 4001	_	5000 4500		1 5				.01 .06				01	
3501		4000		7			0	.08			0.	.15	
3001		3500		15				.17				.31	
2501 2001	_	3000 2500		19 27				.21 .30				.52 .83	
1501		2000		39			0.	.44			1	.26	
1001		1500		44				.49				.75 .88	
901 801	***	1000 900		101 319				.13 .56				44	
701		800		393			4	. 38			10.	.82	
601		700		357				• 98				.80 .81	
501 401	_	600 500		628 843				.01 .40				.21	
301		400		924			10	.31			41	.52	
201		300		1339				• 94				.46 .69	
151 101	_	200 150		1276 1041				.23 .61				.31	
51	-	100		952	2		10	.62			92	• 93	
25	-	50		63 ^L	•		7	.07			100	.00	
				INMAN	I F		WAR	D	MOME		EASUR	ES	
MEAN		Œ		75.48			3.23 20 [≭]			342.	13		
SORTI SKEWN		ξ.		57•95 -0•71		_	.38						
KURTO				0.60			.94						
MEAN	DEV	<i>T</i> .								351.	07		
SIZE	(\$0	MM.) A	r cum		ERCENT	AGES	OF.						
		5%		890									
		16% 25%		633 516									
		50%		29	3. 7								
		75%			7.0								
		84% 95%			7.5 1.4								
*See	ም ተ ~			Ũ	- '								
<i>5</i> ♥♥ .	- +6	e angle				<u> </u>							

PEBBLE-SIZE DISTRIBUTION BOREHOLE ENK1.

SAMPLE LOCATION	WELKOM GOLD MINING CO.						
COORDINATES	Y+ 24163.74 X+ 28203.97 Y+ 7365.1 X+ 8596.5						
DEPTH	1751 - 3354 feet (533.7 - 1022.2 met						
ROCK TYPE	ELSBURG CONGLOMERATE.						
SIZE IN SQ MM.	NO. OF PEBBLES. % OF TOTAL.	CUMULATIVE %					
60001 - 70000 50001 - 60000 40001 - 50000 30001 - 40000 25001 - 30000 20001 - 25000 17501 - 20000 15001 - 17500 12501 - 15000 10001 - 12500 9501 - 10000 9001 - 9500 8501 - 9000 8001 - 8500 7501 - 8000 7001 - 7500 6501 - 7000 6001 - 6500 5501 - 6000 5501 - 5000 4501 - 4500 3501 - 4000 3501 - 4000 3501 - 2500 1501 - 2000 1501 - 2000 1501 - 800 601 - 700 501 - 600 401 - 500 301 - 400 201 - 300 151 - 200	0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 1 0.01 3 0.03 0 0.0 3 0.03 0 0.0 4 0.04 2 0.02 0 0.0 4 0.04 8 0.08 14 0.12 12 0.12 12 0.12 12 0.54 0.54 0.54 0.54 0.54 0.54 0.54 0.54 0.54 0.54 0.54 0.54 0.56 0.54 0.56 0.54 0.56 0.54 0.56 0.54 0.56 0.54 0.56 0.54 0.56 0.54 0.56 0.54 0.56 0.54 0.56 0.54	0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0					
3 c 7 3 5 5 7 - 65 7 C7 7 D		MENT MEASURES 647.18					
MEAN SIZE SORTING SKEWNESS KURTOSIS	561.26 570.44 -344.23 -418.78** -0.93 -0.16 1.36 1.29	816.38					
MEAN DEV.		010.70					
	r CUM. PERCENTAGES OF.						
5% 16% 25% 50% 75% 84%	1724.2 905.5 811.8 588.8 293.4 217.0 96.1						
95% **See Fig. 1 4.	70.1						

PEBBLE-SIZE DISTRIBUTION BOREHOLE WO1.

SAMPLE LOCATION	WELKOM GOL	D MINING CO.	
COORDINATES	Y+ 15399.5 Y+ 4693.8	9 X+ 5765.99 X+ 1757.5	
DEPTH	3671 - 430	6 feet (118.9	9 - 1312.5 metre)
ROCK TYPE	ELSBURG CO	NGLOMERATE	
SIZE IN SQ MM.	NO. OF PEBBL	ES. % OF TOTAL	CUMULATIVE %
60001 - 70000 50001 - 60000 40001 - 50000 30001 - 40000 25001 - 30000 20001 - 25000 17501 - 20000 15001 - 17500 12501 - 15000 9501 - 10000 9501 - 10000 9001 - 9500 8501 - 9000 8001 - 8500 7501 - 8000 7501 - 8000 7501 - 6000 5501 - 6000 5001 - 5000 4501 - 5000 4001 - 4500	000000000000000000000000000000000000000		
3501 - 4000 3001 - 3500 2501 - 3000 2001 - 2500 1501 - 2000 1001 - 1500 901 - 1000 801 - 900 701 - 800 601 - 700 501 - 600 401 - 500 301 - 400 201 - 300 151 - 200 101 - 150 51 - 100 25 - 50	0 0 0 1 1 0 4 3 8 48 111 341 526 710 942 1173	0.0 0.0 0.0 0.05 0.0 0.03 0.0 0.10 0.08 0.21 1.24 2.87 8.81 13.59 18.35 24.34 30.31	0.0 0.0 0.05 0.05 0.08 0.10 0.10 0.21 0.28 0.49 1.73 4.60 13.41 27.00 45.35 69.69 100.00
	INMAN	FOLK & WARD	MOMENT MEASURES
MEAN SIZE SORTING SKEWNESS KURTOSIS MEAN DEV.	146.89 -89.33 -0.88 0.69	136.57 -90.45 [±] -0.43 1.05	118.48
SIZE (SQ MM.)	AT CUM. PERCE	ENTAGES OF.	
5% 16% 25% 50% 75% 84% 95%	346.0 236.2 186.6 115.9 68.8 57.6 43.8		
*See Fig. 14.	_	and the same of	

PEBBLE-SIZE DISTRIBUTION BOREHOLE AR1.

SAMPLE LOC	ATION	WELKO	M GOLD M	INING	a co.		
COORDINATE	S				14093.25		
TO TO POSITE			53.02				
DEPTH							
ROCK TYPE		ELSBU	RG CONGL	OMERA	ATE.		
SIZE IN S	Q MM.	NO.	OF PEBBI	ES.	% OF TO	TAL. (CUMULATIVE %.
60001 - 6 50001 - 6 40001 - 6 30001 - 6 25001 - 6 20001 - 6 17501 - 6 15001 - 6 12501 - 6 10001 - 6 9501 - 6 9001 - 6	70000 60000 60000 40000 30000 25000 17500 15000 12500 9500 9500 9500 8500 7500 6000 5500 4500 4500 4500 4500 25000		000000000000000000000000000000000000000		0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0
401 - 301 - 201 - 151 - 101 - 51 - 25 -	500 400 300 200 150 100 50		291 486 722 687 568 623 441		7.43 12.41 18.44 17.55 14.51 15.91		9.91 22.32 40.77 58.31 72.82 88.74 100.00
		I	ENMAN	FOLK	& WARD	MOMENT	MEASURES
MEAN SIZ SORTING SKEWNESS KURTOSIS MEAN DEV		-19	+5.91 55.53 -0.48 0.49	-14	34.29 47.80** -0.27 0.87		04.60 50.35
SIZE (SQ	PΔ (- MM	CUM.	PERCENT	rages	OF.		
·	5% 16% 25% 50% 75% 84% 95%	. 5021	516.6 401.4 336.0 211.0 118.7 90.4 54.4				
3							

*See Fig. 14.

PEBBLE-SIZE DISTRIBUTION BOREHOLE MB6.

SAMPLE	LC	CATION	WE]	LKOM	GOLD	MINI	NG	co.				
COORD	[NA]	res			3.0 3.3			040.0 022.6)			
DEPTH 2593 - 437					4370	feet		(790.	.3 -	1331.9	metre)	
ROCK T	'YPE	C	EL	SBURG	CON	GLOME	RAI	E.				
SIZE	IN	SQ MM.	NO.	OF P	EBBL	ES.	%	OF TO	TAL.	. CUM	ULATIVE	%
60001	-	70000		О)			0.0)		0.0	
50001	-	60000		C				0.0			0.0	
40001	-	50000		0				0.0			0.0	
30001 25001	_	40000 30 000		0				0.0			0.0	
20001	_	25000		C				0.0			0.0	
17501	-	20000		Ö				0.0			0.0	
15001	-	17500		C				0.0			0.0	
12501	-	15000		С				0.0			0.0	
10001	-	12500		C				0.0			0.0	
9501 9001	_	10000 9500		C				0.0			0.0	
8501	_	9000		0				0.0			0.0	
8001	_	8500		C				0.0			0.0	
7501	-	8000		С				0.0			0.0	
7001	-	7500		C				0.0			0.0	
6501	-	7000		C				0.0			0.0	
6001 5501	_	6500 6000		0			,	0.0			0.0 0.0	
5001	_	5500		1			0.0 0.01				0.01	
4501	_	5000		2			0.03				0.04	
4001	_	4500		1			0.01				0.05	
3501	-	4000		4			0.05				0.11	
3001	-3.	3500		3	}		0.04				0.15	
2501 2001		30 00 2500					0.08 0.08				0.23 0.31	
1501		2000		6 9			0.12				0.44	
1001	_	1500		14			0.19				0.63	
901	-	1000		12				0.3	16		0.79	
801	-	900	39					0.5			1.33	
701 601		800 700		84 1 3 9				1.5			2.47 4.37	
501	_	600		308				4.2			8.58	
401	_	500		531				7.3			15.84	
301	_	400		968				13.2			29.06	
201	-	300		1486				20.3			49.36	
151 101	-	200 15 0						15.			64.68 74.42	
51	_	100		827		9.74 11.30				85.72		
25	-	50		1045				14.2			100,00	
				INMAN		OLK &			MOM	ENT MEA		
MEAN				56.19		259 - 180				247.7	4	
SORT				83.07 -0.52			.22					
KUR				0.60			.93					
MEAI										252.1	1	
SIZI	E (S	SQ MM.)	AT CU	M. F	ERCE	NTAGE	s c	F.				
		5%		635	5.6							
		16%		449								
		25%		381								
		50% 75%		247	/•.4 2•9							
		75% 84%			3.1							
		95%			8.0							
¥ ₀ ,_	n Table	ig. 14.										
	- r'l	-6· +3·	<u></u>									

